

New Side Hinged Doors!

carTeck®

Sectional Garage Doors GSW 40-L Side Hinged Doors GSW 40-L



super size
your door up to
8000 x
6000mm

40 mm
Extremely robust and
highly insulating



Price List August 2012





Extremely robust and highly insulating



Sectional Garage Doors GSW 40-L

super size
your door up to 8000 x 6000mm

Motor driven only (included)

Georgian		Standard Widths		Intermediate height or width or combination:		Standard Heights		Next size + £120		6000		7000		8000									
		2084	2134	2235	2286	2388	2438	2591	2743	3048	3353	3658	3962	4216	4267	4420	4572	4877	5182	5500	6000	7000	8000
		6'10"	7'0"	7'4"	7'6"	7'10"	8'0"	8'6"	9'0"	10'0"	11'0"	12'0"	13'0"	13'10"	14'0"	14'6"	15'0"	16'0"	17'0"	18'0"	18'8"	22'11"	26'3"

Ordering Notes:

Door heights achieved by mixing panel heights (except ribbed) use of 0, 9, 17, or 32mm bottom profiles or top panel cut downs.

When ordering use metric sizes, imperial conversions are nominal.

Delivery: To company premises FOC. To site £60 nett. To Highlands and Islands on application.

Prices £'s Sterling.

Prices exclude VAT at the prevailing rate.

E&OE.

Lead Time Guidance

Georgian:

1-2 weeks

Georgian Woodgrain White. Georgian Golden Oak* Georgian Rosewood*

*Size limitations apply, please contact the Sales Office.

4-6 weeks

Georgian Dark Oak All Trend Colours

6 weeks

All Super-Size Doors

+1 week

For RAL Colours please add 1 week to the standard lead times above.

4 Sections	1875 6'2"	2050 6'9"	2175 7'2"	White	1039	1039	1113	1113	1145	1145	1225	1344	1462	1581	1620	1725	1739	1659	1871	1919	1983	2101	2481	5301*	6328	6971
	1925 6'4"	2084 6'10"	2204 7'3"	Trend ^o	1140	1140	1223	1223	1254	1254	1345	1475	1605	1736	1866	1996	2126	1946	2094	2142	2272	2402	2631	5396*	6453	7114
	2000 6'6"	2125 7'0"	2250 7'4"	RAL	1418	1418	1516	1516	1554	1554	1662	1817	1973	2129	2285	2441	2597	2385	2539	2700	2856	3012	3276	5587*	6701	7399
				Wood _{Design}	1288	1288	1459	1459	1479	1479	1566	1615	1742	2062	2189	2317	2295	2189	2475	2525	2550	2575	2655	5523*	6619	7304

5 Sections	2375 7'9"	2750 9'0"	White	1389	1389	1488	1488	1530	1530	1634	1792	1950	2108	2266	2323	2380	2437	2495	2556	2640	2798	3096	6229	7436	8191
	2500 8'2"		Trend ^o	1571	1571	1682	1682	1729	1729	1846	2023	2201	2379	2556	2621	2685	2749	2814	2882	2977	3155	3530	6341	7582	8359
	2625 8'9"		RAL	1722	1722	1845	1845	1893	1893	2025	2220	2415	2609	2804	2999	3195	2930	3122	3322	3517	3712	4150	6564	7874	8694
			Wood _{Design}	1721	1721	1947	1947	1974	1974	2088	2153	2322	2584	2743	2902	2968	3054	3141	3279	3471	3663	4023	6490	7777	8582

6 Sections	2875 9'5"		White	1851	1851	1982	1982	2039	2039	2175	2385	2595	2805	3015	3091	3167	3244	3320	3399	3477	3562			
	3000 9'9"		Trend ^o	2089	2089	2237	2237	2300	2300	2453	2689	2925	3162	3398	3484	3569	3655	3741	3829	3897	3981			
			RAL	2333	2333	2481	2481	2538	2538	2696	2930	3164	3397	3631	3865	4100	3782	4013	4252	4357	4441			
			Wood _{Design}	2292	2292	2594	2594	2629	2629	2779	2865	2907	3234	3433	3632	3714	3822	3930	4101	4145	4242			

*Rail motor deduct £1200
N Front mounted torsion springs 400mm standard
NSH Rear mounted torsion springs 270mmmm £320

Extra Fittings	Maximum Height mm	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	2875	2875	2500	2500	2500	2500
Number of windows		3	3	3	3	3	3	3	3	4	4	4	5	5	5	5	5	5	6	6	7	8	9	10

Polyurethane Windows (Including those fitted vertically down the door - round polyurethane or square type 1 & 2. Match windows to number of sections ie 4 sections = 4 windows).	White	287	287	287	287	287	287	287	287	382	382	382	477	477	477	477	477	477	573	573	668	764	860	956
	Trend ^o	379	379	379	379	379	379	379	379	505	505	505	631	631	631	631	631	631	757	757	883	1010	1136	1262
	RAL	379	379	379	379	379	379	379	379	505	505	505	631	631	631	631	631	631	757	757	883	1010	1136	1262
	*Wood _{Design}	379	379	379	379	379	379	379	379	505	505	505	631	631	631	631	631	631	757	757	883	1010	1136	1262

Frame Head / Fascia Dressing Kit Frame legs/head - smooth & white as standard.	White	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	Trend ^o	78	80	83	85	89	91	97	102	114	125	136	147	157	159	164	170	176	181	205	n/a	n/a	n/a	
	RAL	115	118	124	127	132	135	143	152	169	185	202	219	233	236	244	253	261	269	304	n/a	n/a	n/a	
	Wood _{Design}	77	78	82	83	86	88	96	101	112	121	132	143	151	153	157	166	171	176	198	n/a	n/a	n/a	

Frame Leg Dressing Kit (Pair) 48mm Frame legs & head are smooth & white as standard.	White	n/a
	Trend ^o	53
	RAL	96
	Wood _{Design}	69

Frame Leg Dressing Kit (Pair) 85mm Frame legs & head are smooth & white as standard.	White	75
	Trend ^o	85
	RAL	149
	Wood _{Design}	91

* Wood Design windows are finished in a complimentary flat colour for Golden Oak (RAL8003), Rosewood (RAL8016) and Dark Oak (RAL8014).

Trend Colours

Flame Red RAL 3000	Fir Green RAL 6009	Window Grey RAL 7040	Sepia Brown RAL 8014	Steel Blue RAL 5011
Gentian Blue RAL 5010	Anthracite Grey RAL 7016	White Aluminium RAL 9006	Cream RAL 9001	Quartz Grey RAL 7039
Moss Green RAL 6005	Light Grey RAL 7035	Grey Aluminium RAL 9007	Jet Black RAL9005	

NEW TT 8014 A special satin metallic effect - sepia brown with micaeous iron ore particles.

NEW TT 703 A special satin metallic effect - grey with micaeous iron ore particles.

NEW TT 9011 A special satin metallic effect - graphite grey with micaeous iron ore particles.

Please Note: Where doors are exposed to direct sunlight dark colours should be avoided.

*TT 9011 - use Wood design pricing






Standard Ribbed

*Super-Size standard ribbed doors are not available in wood design finish.



Centre Ribbed



Solid

Note: Super-Size standard ribbed doors are not available in wood design finish.

super size
your door up to 8000 x 6000mm

Motor driven only (included)

Intermediate height or width or combination: Standard Heights	2084 6'10"	2134 7'0"	2235 7'4"	2286 7'6"	2388 7'10"	2438 8'0"	2591 8'6"	2743 9'0"	3048 10'0"	3353 11'0"	3658 12'0"	3962 13'0"	4216 13'10"	4267 14'0"	4420 14'6"	4572 15'0"	4877 16'0"	5182 17'0"	5500 18'0"	6000 18'8"	7000 22'11"	8000 26'3"
---	---------------	--------------	--------------	--------------	---------------	--------------	--------------	--------------	---------------	---------------	---------------	---------------	----------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	----------------	---------------

4 Sections	1875 6'2"	2050 6'9"	2175 7'2"	White	1022	1022	1024	1024	1088	1088	1175	1281	1387	1493	1599	1705	1739	1633	1739	1850	1956	2062	2274	5143*	6121	6733
	1925 6'4"	2084 6'10"	2204 7'3"	Trend ^o	1124	1124	1135	1135	1198	1198	1289	1404	1518	1633	1747	1862	1976	1983	2030	2150	2265	2379	2608	5238*	6245	6912
	2000 6'6"	2125 7'0"	2250 7'4"	RAL	1354	1354	1363	1363	1442	1442	1553	1692	1831	1970	2109	2248	2387	2385	2444	2588	2727	2866	3143	5428*	6494	7161
	Wood Design	1135	1135	1177	1177	1210	1210	1298	1430	1563	1695	1828	1960	2115	2004	2115	2216	2311	2407	2597	5365*	6411	7066			

5 Sections	2375 7'9"	2750 9'0"	White	1265	1265	1369	1369	1454	1454	1568	1709	1850	1991	2132	2273	2319	2366	2413	2464	2605	2746	3053	6043	7192	7911
	2500 8'2"	Trend ^o	1545	1545	1549	1549	1644	1644	1771	1930	2088	2247	2406	2564	2617	2669	2722	2779	2937	3096	3435	6155	7338	8079	
	2625 8'9"	RAL	1695	1695	1706	1706	1805	1805	1943	2117	2290	2464	2637	2811	2984	2983	3056	3235	3408	3582	3965	6378	7361	8414	
	Wood Design	1516	1516	1572	1572	1616	1616	1731	1908	2084	2260	2436	2613	2696	2780	2864	2951	3077	3204	3477	6304	7533	8303		

6 Sections	2875 9'5"	White	1821	1821	1825	1825	1937	1937	2087	2275	2462	2650	2837	3025	3087	3149	3211	3277	3355	3431					
	3000 9'9"	Trend ^o	2055	2055	2059	2059	2186	2186	2354	2565	2776	2987	3198	3408	3478	3548	3618	3692	3775	3850					
	RAL	2301	2301	2314	2314	2433	2433	2597	2806	3014	3222	3431	3639	3847	3846	3933	4147	4235	4310						
	Wood Design	2020	2020	2095	2095	2153	2153	2305	2539	2773	3008	3242	3476	3588	3699	3811	3924	4023	4111						

Extra Fittings	Maximum Height mm	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	2875	2875	2500	2500	2500	2500
	Number of windows	3	3	3	3	3	3	3	3	3	4	4	4	5	5	5	5	5	5	6	6	7	8	9	10

Polyurethane Windows (including those fitted vertically down the door - round polyurethane or square type 1 & 2. Match windows to number of sections ie 4 sections = 4 windows)	White	287	287	287	287	287	287	287	287	382	382	382	477	477	477	477	477	477	573	573	668	764	860	954
	Trend ^o	379	379	379	379	379	379	379	379	505	505	505	631	631	631	631	631	631	757	757	883	1010	1136	1262
	RAL	379	379	379	379	379	379	379	379	505	505	505	631	631	631	631	631	631	757	757	883	1010	1136	1262
	*Wood Design	379	379	379	379	379	379	379	379	505	505	505	631	631	631	631	631	631	757	757	883	1010	1136	1262

Frame Head / Fascia Dressing Kit Frame legs/head - smooth & white as standard.	White	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	Trend ^o	78	80	83	85	89	91	97	102	114	125	136	147	157	159	164	170	176	181	205	n/a	n/a	n/a	
	RAL	115	118	124	127	132	135	143	152	169	185	202	219	233	236	244	253	261	269	304	n/a	n/a	n/a	
	Wood Design	77	78	82	83	86	88	96	101	112	121	132	143	151	153	157	166	171	176	198	n/a	n/a	n/a	

Frame Leg Dressing Kit (Pair) 48mm Frame legs & head are smooth & white as standard.	White	n/a
	Trend ^o	53
	RAL	96
	Wood Design	69

Frame Leg Dressing Kit (Pair) 85mm Frame legs & head are smooth & white as standard.	White	75
	Trend ^o	85
	RAL	149
	Wood Design	91

* Wood Design windows are finished in a complimentary flat colour for Golden Oak (RAL8003), Rosewood (RAL8016) and Dark Oak (RAL8014).
 * For Trend Colour TT 9011 Graphite Grey use the price for Wood Design doors

Other Popular Accessories
 External release to suit CarTeck 53 ea
 Manual locking including detent (factory prepared) 98 ea
 Manual locking including detent (onsite with template) 48 ea
 Stainless steel round windows 446 ea
 Between the reveal fitting kit 53 ea
 (When using a between the reveal fitting kit, the sideroom required is 85mm)

Electric Motors

Kevlar Belt	11	12	13
220.2	417	472	543
250.2	453	509	579
250.2 speed	565	602	713
252.0	568	624	696
£	Max W	*Max H	Max M ²
DUO 500	351	3500	3150
DUO 650	403	5000	3150
DUO 800	536	5500	3150

*DUO 2600mm travel Rtd. Rail extension 1600 £75



For details of additional options and further details on the above visit www.teckentrupdepot.co.uk/spares

*Rail motor deduct £1200
 N Front mounted torsion springs 400mm standard
 NSH Rear mounted torsion springs 270mmmm £320



