



Contents



page 3





page 4-5



page 6-7





page 8-9









page 10-15

Manufacturers Warranty


page 16













Opening Doors Around the World®

Gliderol operates the worlds most extensive network of garage door and automation manufacturing companies. Our UK facility is based at Peterlee in County Durham and has been "opening doors around the world" for over twenty years. Our reputation is second-to-none

twenty years. Our reputation is second-to-none for the high quality and outstanding value our products and services represent.

All Gliderol products are CE marked and built within our audited ISO 9001 quality systems







GlideRol•a•Door Series B Light Industrial Roller Door

Series B			(Curtain Width	(Opening wid	dth + 100mm)			
	6′-4″	7'-4"	8'-4"	9′-4″	10'-4"	11′-4″	12'-4"	14'-4"	16′-4″
Height	1930mm	2235mm	2540mm	2850mm	3150mm	3450mm	3760mm	4370mm	5000mm
1201-	1025	1065	1104	1145	1449	1509	1608	1799	2053
2100mm	1230	1278	1325	1374	1739	1811	1930	2159	2464
2101-	1250	1299	1341	1390	1489	1554	1728	1915	2193
2400mm	1500	1559	1610	1668	1787	1865	2074	2298	2632
2401-	1269	1312	1365	1407	1505	1594	1858	1986	2247
2700mm	1523	1575	1638	1689	1806	1913	2230	2384	2697
2701-	1278	1319	1371	1414	1515	1643	1978	2193	2350
3000mm	1534	1583	1646	1697	1818	1972	2374	2632	2820
3001-	1287	1338	1381	1430	1526	1658	2014	2266	2451
3300mm	1545	1606	1658	1716	1832	1990	2417	2720	2942
3301-	1341	1390	1443	1493	1596	1729	2081	2350	2553
3600mm	1610	1668	1732	1792	1916	2075	2498	2820	3064
3601-	1390	1443	1493	1555	1739	1854	2184	2451	2636
4200mm	1668	1732	1792	1866	2087	2225	2621	2942	3164
4201-	1399	1452	1511	1575	1762	1876	2234	2523	2665
4800mm	1679	1743	1814	1890	2115	2252	2681	3028	3198
4801-	1443	1503	1564	1627	1801	1948	2318	2595	2780
4900mm	1732	1804	1877	1953	2162	2338	2782	3114	3336

Denotes Plastisol Finish Pricing Denotes Laminate Finish Pricing Mahogany woodgrain attracts a 7% surcharge (add to plastisol price)

Above red line denotes chain hoist hand operated Door, unless automated with Glidermatic Dual Motor (no chain hoist). Below red line denotes door fitted with a 1 to 1 direct chain hoist*

Below blue line denotes door fitted with 4 to 1 reduced chain hoist planetary gears (included in price) & IGDU heavy duty industrial motor required.

Chain hoists are fitted to the left hand side of the door looking out as standard, right hand on request.

Automation

Glidermatic Dual Motor (with 2 handsets) (Not remote control) **IGDU Heavy Industrial Motor** SINGLE PHASE POWER REQUIRED

£425

£600


Options

Steel panel wrap Windlock

£22 per metre (x door width) £66 per pair per metre (x door height)

Colours

High grade finishes coat the steel in an attractive leather grain textured coating or high grade laminate - both are highly durable and will



**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.

Delivery

Price Includes delivery to Distributor premises on mainland UK. Delivery to site £40 per door.



50-100

50-100

50-100

50-100

STANDARD CURTAIN WIDTHS 1000,1300, 1600, 1900, 2200, 2800, 3100, 3430, 3700, 3760, 4300, 4370, 5000, 5100

490 560 205 785

460 540 190

490 560 205 285

530 580 230 300

CURTAIN WIDTH
DAYLIGHT OPENING PLUS 100m

Up to 500 high

Chain Operated Up to 2400 high

Up to 3000 high

Over 3000 high

150 125

225 125

225 125





GlideRol•a•Door Continuous Sheet Curtain Roller Door

'A' Series			'A' Series	Curtain Width	ı (Curtain wid	th = opening	+ 50mm)		
	4′ 2″	6′ 2″	7′ 2″	7′ 8″	8′ 2″	8′ 8″	9′ 2″	10′ 2″	11′ 2″
Height	1270mm	1880mm	2185mm	2337mm	2490mm	2650mm	2800mm	3100mm	3400mm
Up to 3' 10"	575	607	684	711	725	761	803	936	1098
1200mm	690	729	821	854	870	914	964	1124	1318
4′ 1″ to 7′	633	672	711	728	762	802	826	964	1133
1240 to 2135mm	760	807	854	874	915	963	992	1157	1360
7′ 1″ to 8′	748	777	791	802	838	864	910	1025	1203
2160 to 2440mm	898	933	950	963	1006	1037	1092	1230	1444
8′ 1″ to 9′	788	835	890	916	966	985	1016	1146	1386
2465 to 2740mm	946	1002	1068	1100	1160	1182	1220	1376	1664
9′ 1″ to 10′	903	955	998	1057	1079	1102	1118	1260	1594
2770 to 3055mm	1084	1146	1198	1269	1295	1323	1342	1512	1913

'AA' Series	'AA' Series Curtain Width (Curtain width = opening + 100mm)									
	12′ 4″	14′ 4″	14′ 10″	16′ 5″						
Height	3760mm	4370mm	4521mm	5003mm						
Up to 3' 10"	1322	1504	1656	1730						
1200mm	1587	1805	1988	2076						
4' 1" to 7'	1371	1583	1686	1880						
1240 to 2135mm	1646	1900	2024	2256						
7′ 1″ to 8′	1497	1834	1953	2056						
2160 to 2440mm	1797	2201	2344	2468						
8' 1" to 9'	1675	1940	2058	2160						
2465 to 2740mm	2010	2328	2470	2592						
9' 1" to 10'	1912	2226	2329	2409						
2770 to 3055mm	2295	2672	2795	2891						

Mahogany woodgrain attracts a 7% surcharge (add to plastisol price)



Denotes Plastisol Finish Pricing

Denotes Laminate Finish Pricing

Above blue line denotes Glidermatic Heavy Duty Motor/ RW1 ROL•A•MATIC Retrofit Operator.

Below blue line denotes Glidermatic Dual Motor

Options

AUTOMATION Glidermatic Heavy Duty Motor (with 2 handsets) £370 Glidermatic Dual Motor (with 2 handsets) £425 A central lock is not supplied on automated doors as standard. Should a lock be required, please state at time of ordering (cost £10 net) RW1 ROL•A•MATIC Retrofit Operator suitable for most continuous sheet curtain doors (up to 12m²). £390 Wireless digital entry key pad (wall mounted) £100 **Additional Hand Transmitter** refer to parts price list External Manual / electric Key Release refer to parts price list **Hand Transmitter Cradle** refer to parts price list **Hand Transmitter Sun Visor Clip** refer to parts price list **OPTIONAL EXTRAS** Mullions (7ft. & 8ft.) £99 **Reverse Roll** £66 Infill Panels (per linear metre) £36 Steel Panel Wrap per metre (x door width) f22

Colours

High grade finishes coat the steel in an attractive leather grain textured coating or high grade laminate (marked*) - both are highly durable and will simply wipe clean. Mahogany woodgrain attracts a 7% surcharge (add to Plastisol price).



**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.

Windlock per pair per metre (x door height) (AA doors only)

Delivery

Price Includes delivery to Distributor premises on mainland UK. Delivery to site £40 per door.





£66



£390

£100

£36

£22



GlideRol•a•Door Mini Continuous Sheet Curtain Roller Door

'A' Series	'A' Series Curtain Width (Opening width + 50mm)										
Height	7′ 2″ 2185mm	7′ 8″ 2337mm	8′ 2″ 2490mm	8′ 8″ 2650mm	9′ 2″ 2800mm	10′ 2″ 3100mm	11′ 2″ 3400mm				
4'1" to 7'	772	783	794	833	865	982	1097				
1240 to 2135mm	927	940	953	1000	1038	1179	1317				

Denotes Plastisol Finish Pricing Denotes Laminate Finish Pricing Mahogany woodgrain attracts a 7% surcharge (add to plastisol price)

Options

AUTOMATION

RW•1 Retrofit Operator (with 2 handsets) Wireless digital entry key pad (wall mounted) **Additional Hand Transmitter External Manual / Electric Key Release Hand Transmitter Cradle**

refer to parts price list refer to parts price list refer to parts price list **Hand Transmitter Sun Visor Clip** refer to parts price list

Infill Panels (per linear metre) Steel Panel Wrap per metre (x door width)

Colours

Golden Oak

Laminate

OPTIONAL EXTRAS

High grade finishes coat the steel in an attractive leather grain textured coating or high grade laminate (marked*) - both are highly durable and will simply wipe clean. Mahogany woodgrain attracts a 7% surcharge (add to Plastisol price).



Zincalume

Mahogany Woodgrain³

*7% surcharge

(add to Plastisol price)

of the GlideRol•a•Door that requires reduced space above the door opening - perfect for flat roof garages or other space restricted garages. The door is available up to 2135mm high and 3400mm wide in all the same finishes and remote control options as its larger brother.





Ordering & Dimensions

Laminate

Glidermatic doors require an extra 20mm side clearance on the side the drive unit is required to be fitted.

Sizes - GlideRol•a•Door up to 5m wide and 3m high. GlideRol•a•Door Mini up to 3.4m wide and 2.1m high. Windlock system - should be specified for double doors in very exposed locations and greater side room clearance is required. For advice and information, speak to our technical department or your supplier.





DIMENSION PANEL (mininum sizes) mm											
SERIES A	Side Room		Head	Α	В	C	D				
(Hand Operated)	Resid.A	Resid.AA	Resid.AA Room			,					
2100 HIGH	90	125	430	25-100	500	150	280				
2400 HIGH	90	125	450	25-100	540	160	290				
2700 HIGH	90	125	450	25-100	540	160	290				
3000 HIGH	90	125	470	25-100	560	170	300				
Mini											
2100 HIGH	90	-	340	25-100	420	150	190				

If recommended headroom is not available the door may still be installed, required headroom should be maintained (n.b. some loss of opening height will occur and the roll of the door will be visible, but this may be disguised by a fascia).

Delivery



^{**}Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.



Roll•a•Glide Insulated Roller Garage Door



NO Box	Over Guide Width										
Guide Height	2050mm 6′9″	2550mm 8′4″	3050mm 10′0″	3550mm 11′8″	4050mm 13′4″	4600mm 15′1″	5050mm 16′7″	5200mm 17′1			
1702mm	1088	1161	1269	1362	1548	1718	1874	1909			
5′ 7″	1276	1409	1557	1691	1943	2183	2379	2428			
1981mm	1103	1181	1294	1392	1583	1759	1914	1950			
6′ 6″	1299	1441	1597	1740	1999	2249	2443	2494			
2134mm	1112	1191	1308	1401	1593	1764	1923	1960			
7′ 0″	1426	1446	1607	1749	2009	2254	2461	2514			
2286mm	1142	1220	1333	1426	1681	1789	2033	2073			
7′ 6″	1465	1504	1671	1808	2053	2318	2523	2577			
2438mm	1166	1245	1416	1450	1695	1906	2050	2087			
8′ 0″	1514	1539	1769	1867	2151	2475	2660	2715			
2590mm	1264	1392	1490	1550	1847	1989	2237	2279			
8′ 6″	1651	1769	1882	2058	2377	2641	2789	2847			
2743mm	1284	1401	1499	1558	1882	2205	2357	2401			
9′	1759	1779	1891	2063	2426	2646	3125	3190			
3000mm	1284	1411	1504	1568	1891	2254	2449	2495			
9′ 10′	1798	1813	1906	2078	2548	2739	3265	3446			

HALF Box	Over Guide Width										
Guide Height	2050mm 6′9″	2550mm 8′4″	3050mm 10′0″	3550mm 11′8″	4050mm 13′4″	4600mm 15′1″	5050mm 16′7″	5200mm 17′1			
1702mm	1189	1272	1390	1493	1695	1874	2040	2080			
5′ 7″	1376	1520	1679	1822	2090	2340	2546	2600			
1981mm	1201	1289	1411	1519	1725	1911	2076	2117			
6′ 6″	1397	1548	1715	1867	2141	2401	2605	2661			
2134mm	1210	1299	1426	1529	1735	1916	2085	2127			
7′ 0″	1524	1553	1725	1877	2151	2406	2623	2680			
2286mm	1240	1328	1450	1552	1823	1940	2195	2239			
7′ 6″	1563	1612	1789	1936	2195	2470	2685	2744			
2438mm	1264	1352	1534	1578	1838	2058	2212	2254			
8′ 0″	1612	1646	1887	1994	2293	2626	2822	2881			
2590mm	1362	1499	1607	1678	1989	2141	2399	2445			
8′ 6″	1749	1877	1999	2185	2519	2793	2951	3014			
2743mm	1382	1509	1617	1686	2024	2357	2519	2568			
9′	1857	1887	2009	2190	2568	2798	3287	3357			
3000mm	1382	1519	1651	1695	2034	2406	2612	2663			
9′ 10′	1896	1921	2024	2205	2690	2891	3428	3502			

FULL Box				Over Guid	de Width			
Guide Height	2050mm 6′9″	2550mm 8′4″	3050mm 10′0″	3550mm 11′8″	4050mm 13′4″	4600mm 15′1″	5050mm 16′7″	5200mm 17′1
1702mm	1249	1328	1455	1573	1781	1980	2153	2196
5′ 7″	1436	1576	1744	1903	2176	2447	2658	2716
1981mm	1258	1343	1475	1597	1808	2014	2185	2230
6′ 6″	1454	1602	1779	1945	2225	2504	2714	2773
2134mm	1268	1352	1490	1607	1818	2019	2195	2239
7′ 0″	1582	1607	1789	1955	2234	2509	2733	2793
2286mm	1298	1382	1514	1632	1906	2043	2305	2352
7′ 6″	1621	1666	1852	2014	2279	2573	2795	2857
2438mm	1322	1406	1597	1656	1921	2161	2322	2367
8′ 0″	1670	1700	1950	2073	2377	2729	2932	2994
2590mm	1420	1553	1671	1756	2073	2244	2509	2558
8′ 6″	1807	1931	2063	2264	2602	2896	3061	3126
2743mm	1440	1563	1681	1764	2107	2460	2629	2680
9′	1915	1940	2073	2269	2651	2901	3396	3469
3000mm	1440	1573	1715	1774	2117	2509	2723	2777
9′ 10′	1954	1975	2087	2283	2773	2994	3538	3615

Above red line denotes 70mm Guides / 270mm end plates. Below red line denotes 90mm Guides / 300mm end plates

Below blue line denotes 90mm Guides / 360mm end plates Denotes Paint Finish Pricing Denotes Laminate Finish Pricing

Vision Slats								
Per Slat	47	59	70	82	93	106	116	208
Powder Coat								
Half Box	40	40	40	40	40	40	40	40
Full Box	60	60	60	60	60	60	60	60
Guides	40	40	40	40	40	40	40	40



Recommended Retail Price List Tel: 0191 518 0455 Fax: 0191 518 0548 Effective February 1st 2013 Prices in £ Sterling and Excluding VAT & Delivery

All Gliderol products are CE marked and built within our audited ISO 9001 quality systems.





Roll•a•Glide Insulated Roller Garage Door



Options

Lockable Override Covers to suit external fitted boxes	£46
External manual release	£152
Additional handset	£53
Electric photo cell	£60
Wireless key pad	£100
Wired key switch	£80
Battery backup	£269

Colours

White RAL 9016

Grey RAL 7038



RAL 6009

RAL 9011 RAL 9001

1 week **NEW** Painted finishes (woodgrain eggshell).



Same price as standard painted finish.

Laminate finishes (woodgrain textured finish):



**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.

Ordering & Dimensions

ORDER BY OVERGUIDE WIDTH AND GUIDE HEIGHT (on official order form). All Gliderol Roll-A-Glide doors are supplied with remote control operation with two handsets, a bottom rail safety edge, internal manual release and alarm buzzer as standard.

Doors over 9m² (see above price matrix) are supplied as standard with a safety break device.

All Roll A Glide doors are ordered using the guide height (GH) and the over guide width (OGW). The OGW is the opening width plus 180mm / 140mm (width of the guides = $2 \times 90 \text{mm} / 70 \text{mm}$).

FITTING BETWEEN THE OPENING


Box End Details

If fitting between the opening the over guide width of the door should be the narrowest measurement between the opening

When calculating door prices use over guide width and guide height (if in between sizes use the price of the next door size up).


Motors may be fitted to the left or right. Please state which side when ordering (as viewed from the inside looking out (VILO)).

Width Measurement Guide Height Measurement Guide Box end height Overall heigh Opening height Overall height **Guide height** Opening width Note: A portion of the bottom rail will be visible below the top rail of the opening when Over Guide width the door is in the open position.



*Refers to the Roll-a-Glide Compact only

Note: Full and half boxes are available to match painted coloured door curtains. Vandyke Brown boxes are supplied as standard for painted wood effect and laminated door curtains.



Notes on colour: Door guides are available in colours matching the door curtain except laminate door colours (supplied in brown). Coloured guide rails are supplied as standard, however they may not match the lath colour. The manufacturing process for the lath profile results in a textured finish, whilst all other coloured items (guides, bottom laths, lock laths, optional fascias and vision panels) are supplied in a satin finish so cannot be guaranteed to match exactly. Over time, some scuffing may occur on front and rear surfaces of doors as a result of their normal operation.

Pale Green Dark Blue RAL 6021 RAL 5011

Purple Rec RAL 3004

RAL 8014







Fixing within the opening

IMPORTANT NOTES

- Doors with 70mm or 90mm guides are available with boxes. Doors with Half/Full boxes have 300/360mm aluminium/steel end plates.
- Doors with 270 & 300mm endplates have cylindrical barrels and spring loaded locking straps. Doors with 360mm endplates have a continuous carrier strip that attaches the door curtain to a 102mm hexagonal barrel.
- Powder Coating of box includes end plates.
- All powder coating prices are NET, not subject to discount.
- Actual RAL colours and finish may vary slightly from the door curtain colours.
- Guides/head plates/box/vision slats are available to colour match the door colour (except laminated finishes, which are supplied in Vandyke Brown) The inside face of all laminate doors is Vandyke Brown.
- Please note that guides/head plates and bottom lath may vary in colour to the door curtain.
- Some bottom rail will be visible below the top of the opening when door is in the open position.

Delivery







Roll•a•Glide Compact Insulated Roller Garage Door



Half Box		Over Guide Width											
Guide Height	2050mm 6′9″	2134mm 7′0″	2556mm 7'5"	2410mm 7′11″	2560mm 8′5″	3000mm 9′10″							
1981mm	1118	1149	1159	1188	1217	1250							
6′ 6″	1358	1396	1409	1445	1481	1524							
2134mm	1148	1189	1214	1273	1293	1346							
7′ 0″	1394	1444	1475	1547	1572	1639							
2286mm	1178	1224	1264	1318	1357	1390							
7′ 6″	1430	1486	1535	1601	1649	1692							

Full Box	Over Guide Width										
Guide Height	2050mm 6′9″	2134mm 7′0″	2556mm 7′5″	2410mm 7′11″	2560mm 8′5″	3000mm 9'10"					
1981mm	1200	1235	1250	1285	1320	1370					
6′ 6″	1440	1482	1500	1542	1584	1644					
2134mm	1230	1275	1305	1370	1396	1466					
7′ 0″	1476	1530	1566	1644	1675	1759					
2286mm	1260	1310	1355	1415	1460	1510					
7′ 6″	1512	1572	1626	1698	1752	1812					

Denotes Paint Finish Pricing Denotes Laminate Finish Pricing

Powder Coat

Full Box	60	60	60	60	60	60
Half Box	40	40	40	40	40	40
Guides	40	40	40	40	40	40

Options

Lockable Override Covers to suit external fitted boxes £46

OPTIONAL EXTRAS

External manual release £152 Wireless key pad £100
Additional handset £53 Anti vandal key pad £215
Electric photo cell £60 Wired key switch £80
Battery backup £269

Battery backup

Colours

Painted finishes (eggshell finish):

Laminate finishes (woodgrain textured finish):







**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.

Ordering

PLEASE ORDER BY OVERGUIDE WIDTH AND GUIDE HEIGHT (on official order form). All Gliderol Roll-A-Glide doors are supplied with remote control operation with 2 handsets, a bottom rail safety edge, internal manual release and alarm buzzer as standard.

All Roll A Glide doors are ordered using the guide height (GH) and the over guide width (OGW). The OGW is the opening width plus 136mm (width of the guides = 2×68 mm).

For technical specifications please see page 7.

FITTING BETWEEN THE OPENING

If fitting between the opening the over guide width of the door should be the narrowest measurement between the opening.

When calculating door prices use over guide width and guide height (if in between sizes use the price of the next door size up). Motors may be fitted to the left or right. Please state which side when ordering (as viewed from the inside looking out (VILO)).

IMPORTANT NOTES

- Doors are supplied with full box as standard and are supplied with 205mm aluminium head plates.
- Boxes/Guides/head plates are available to colour match the door colour (except laminated finishes, which
 are supplied in Vandyke Brown). The inside face of all laminate doors is Vandyke Brown.
- Powder Coating of box includes end plates.
- All powder coating prices are NET, not subject to discount.
- Actual RAL colours and finish may vary slightly from the door curtain colours.
- Please note that guides/head plates and bottom lath may vary in colour to the door curtain.
- Some bottom rail will be visible below the top of the opening when door is in the open position.

Delivery

 $Price\ Includes\ delivery\ to\ Distributor\ premises\ on\ mainland\ UK.\ Delivery\ to\ site\ {\tt £40}\ per\ door.$



All Gliderol products are CE marked and built within our audited ISO 9001 quality systems.







Roll•a•Glide Manual Insulated Roller Garage Door



Half Box			Over Guide Width			
Guide Height	1500mm 4′11″	2050mm 6′9″	2550mm 8′4″	3050mm 10′0″	3550mm 11′8″	
1981mm	805	885	910	980	1060	
6′ 6″	966	1062	1092	1176	1272	
2134mm	855	915	970	1020	1140	
7′ 0″	1026	1098	1164	1224	1368	
2286mm	900	985	1030	1190	1250	
7′ 6″	1080	1182	1236	1428	1500	
2438mm	980	1075	1120	1225	1310	
8′0″	1176	1290	1344	1470	1572	

Full Box			Over Guide Width		
Guide Height	1500mm 4'11"	2050mm 6′9″	2550mm 8′4″	3050mm 10′0″	3550mm 11′8″
1981mm	927	1052	1117	1228	1348
6′ 6″	1088	1229	1299	1424	1560
2134mm	977	1082	1177	1268	1428
7′ 0″	1148	1265	1371	1472	1656
2286mm	1022	1152	1237	1438	1538
7′ 6″	1202	1349	1443	1676	1788
2438mm	1102	1242	1327	1473	1598
8′0″	1298	1457	1551	1718	1860

Denotes Paint Finish Pricing Denotes Laminate Finish Pricing

Powder Coat

RAL 9016 RAL 7038

Full Box	60	60	60	60	60	60
Half Box	40	40	40	40	40	40
Guides	40	40	40	40	40	40

Colours 1 week Painted finishes (eggshell finish):

RAL 6009

NEW Painted finishes (woodgrain eggshell).

Same price as standard painted finish.



RAI 7016 Laminate finishes (woodgrain textured finish):



**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.

Pale Green Dark Blue RAL 6021 RAL 5011

A Note Concerning Colours: Door guides are available in colours matching the door curtain except laminate door colours (supplied in brown). Coloured guide rails are supplied as standard, however they may not match the lath colour. The manufacturing process for the lath profile results in a textured finish, whilst all other coloured items (guides, bottom laths, lock laths, optional fascias and vision panels) are supplied in a satin finish so cannot be guaranteed to match exactly. Over time, some scuffing may occur on front and rear surfaces of doors as a result of their normal operation.

Ordering

ORDER BY OVERGUIDE WIDTH AND GUIDE HEIGHT (on official order form).

Black Cream RAL 9011 RAL 9001

All Roll A Glide doors are ordered using the guide height (GH) and the over guide width (OGW). The OGW is the opening width plus 140mm (width of the guides = 2×70 mm).

For technical specifications please see page 7.

FITTING BETWEEN THE OPENING If fitting between the opening the over guide width of the door should be the narrowest measurement between the opening. When calculating door prices use over guide width and guide height (if in between sizes use the price of the next door size up).

IMPORTANT NOTES

- Doors are supplied with half box as standard and are supplied with 300mm aluminium head plates.
- Guides/head plates are available to colour match the door colour (except laminated finishes, which are supplied in Vandyke Brown). The inside face of all laminate doors is Vandyke Brown.
- Powder Coating of box includes end plates.
- All powder coating prices are NET, not subject to discount.
- Actual RAL colours and finish may vary slightly from the door curtain colours.
- Please note that guides/head plates and bottom lath may vary in colour to the door curtain.
- Some bottom rail will be visible below the top of the opening when door is in the open position.

Delivery

Price Includes delivery to Distributor premises on mainland UK. Delivery to site £40 per door.



Tel: 0191 518 0455 Fax: 0191 518 0548

All Gliderol products are CE marked and built within ou audited ISO 9001 quality system



Safe•T•Glide®

Safe•T•Glide Single Skin Sectional Overhead Garage Door

July 3 teel I dilei se	Ctional Ove	illeau Gale	ige Door											7	(1 w	eek 🚄
Sizes	Stan	dard O	ening \	Nidth -	White a	nd Woo	dgrain									
Opening Height mm	2080mm 6′ 10″	2134mm 7'	2286mm 7′ 6″	2438mm 8'	2591mm 8' 6"	2743mm 9'	2895mm 9' 6"	3048mm 10'	3353mm 11'	3658mm 12'	3962mm 13'	4267mm 14′	4420mm 14′ 6″	4572mm 15′	4724mm 15′ 6″	4877mm 16'
1800, 1820, 1840,1860 1880, 1900, 1920 1940	665	667	711	745	776	875	884	1005	1255	1388	1417	1554	1587	1594	1641	1711
2040, 2060, 2080, 2100 2120, 2140, 2160, 2180		924	979	1014	1037	1106	1131	1180	1455	1587	1616	1753	1788	1794	1841	1910
2250, 2270, 2290, 2310, 2330, 2350, 2370, 2390,	837	855	741	769	961	1031	1056	1106	1355	1487	1517	1654	1687	1694	1741	1810
2410, 2430, 2450, 2470, 2490	1003	1012	1067	1126	1124	1192	1218	1268	1542	1675	1704	1841	1873	1881	1928	1999
2510, 2530, 2550, 2570, 2590, 2610,	916	936	858	894	1054	1129	1156	1211	1484	1629	1661	1812	1848	1855	1907	1982
2630, 2650 2670, 2690, 2710, 2725	1140	1150	1209	1234	1273	1348	1375	1430	1730	1874	1907	2058	2093	2101	2154	2230
2745, 2760, 2780, 2800, 2820, 2840, 2860	985	985	1135	1053	1067	1148	1198	1450	1529	1627	1669	1744	1792	1833	1915	1978
2880, 2900, 2920, 2940, 2960, 2980	1169	1169	1206	1244	1258	1340	1395	1635	1750	1846	1888	1962	2011	2052	2134	2202

Sizes	Sizes Standard Opening Width - Coloured 2 weeks															
Opening Height mm	2080mm 6′ 10″	2134mm 7'	2286mm 7′ 6″	2438mm 8'	2591mm 8′ 6″	2743mm 9'	2895mm 9′ 6″	3048mm 10'	3353mm 11'	3658mm 12'	3962mm 13'	4267mm 14′	4420mm 14′ 6″	4572mm 15′	4724mm 15′ 6″	4877mm 16′
1800, 1820, 1840,1860 1880, 1900, 1920 1940 2040, 2060, 2080, 2100 2120, 2140, 2160, 2180	699	701	747	783	815	919	929	1056	1318	1458	1488	1632	1667	1674	1724	1797
2250, 2270, 2290, 2310, 2330, 2350, 2370, 2390, 2410, 2430, 2450, 2470, 2490	879	898	779	808	1010	1083	1109	1162	1423	1562	1593	1737	1772	1779	1829	1901
2510, 2530, 2550, 2570, 2590, 2610, 2630, 2650 2670, 2690, 2710, 2725	962	983	901	939	1107	1186	1214	1272	1559	1711	1745	1903	1941	1948	2003	2082
2745, 2760, 2780, 2800, 2820, 2840, 2860 2880, 2900, 2920, 2940, 2960, 2980	1035	1035	1192	1106	1121	1206	1258	1523	1606	1709	1753	1832	1882	1925	2011	2077

Features	Stan	dard Siz	e Range	e Embos	ssments	/Windo	ws									
Hampton	2	2	2	2	0	0	0	3	3	3	0	4	4	4	4	4
Oxford	3	3	3	4	4	4	4	5	5	6	6	7	7	7	7	8

Denotes White Door Pricing Denotes Golden Oak and Rosewood Pricing Denotes Coloured Door Pricing

Above red line supplied with Extension Springs. Below red line supplied with Rear Mount Torsion Springs

Finish		Door Style											
	Ox	ford	Ham	pton									
Colour	Smooth Finish	Woodgrain Finish	Smooth Finish	Woodgrain Finish									
White	•	•	•	•									
Black	•	•	•	•									
Anthracite	•	•	•	•									
Racing Green	•	•	•	•									
Vandyke Brown	•	•	•	•									
Golden oak	•		•										
Rosewood	•		•										



**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.

Wider doors available upon application. Available in woodgrain and smooth finish (please see table below).

Please note that in low head room situations clear opening heights may be less than specified on order.



Colours









Options

See page 14

Can't see your colour? Pick any RAL colour!*

* RAL colours may vary slightly from exact shade

Delivery

Price Includes delivery to Distributor premises on mainland UK. Delivery to site £40 per door.



Recommended Retail Price List Tel: 0191 518 0455 Fax: 0191 518 0548 All Gliderol products are CE marked and built within our audited ISO 9001 quality system





Safe•T•Glide Single Skin Sectional Overhead Garage Door

Sizes	Standard Opening Width - White and Woodgrain															
Opening Height mm	2080mm 6′ 10″	2134mm 7'	2286mm 7' 6"	2438mm 8'	2591mm 8′ 6″	2743mm 9'	2895mm 9' 6"	3048mm 10'	3353mm 11'	3658mm 12'	3962mm 13'	4267mm 14'	4420mm 14′ 6″	4572mm 15′	4724mm 15′ 6″	4877mm 16'
1800, 1820, 1840,1860 1880, 1900, 1920 1940	581	595	640	667	690	746	761	804	1062	1177	1200	1314	1346	1350	1390	1448
2040, 2060, 2080, 2100 2120, 2140, 2160, 2180	698	714	768	801	828	896	914	965*	1275*	1413*	1440*	1577*	1616*	1620*	1668*	1738*
2250, 2270, 2290, 2310, 2330, 2350, 2370, 2390,	837	855	674	704	961	1031	1056	1106	1355	1487	1517	1654	1687	1694	1741	1810
2410, 2430, 2450, 2470, 2490	1005	1026	809	845	1154	1238	1268	1328*	1626*	1785*	1821*	1985*	2025*	2033*	2090*	2172*
2510, 2530, 2550, 2570, 2590, 2610,	916	936	674	704	1054	1129	1156	1211	1484	1629	1661	1812	1848	1855	1907	1982
2630, 2650 2670, 2690, 2710, 2725	1100	1124	809	845	1265	1355	1388	1454*	1781*	1955*	1994*	2175*	2218*	2226*	2289*	2379*
2745, 2760, 2780, 2800, 2820, 2840, 2860	985	985	674	704	1067	1148	1198	1450	1529	1627	1669	1744	1792	1833	1915	1978
2880, 2900, 2920, 2940, 2960, 2980	1182	1182	809	845	1281	1378	1438	1740*	1835*	1953*	2003*	2093*	2151*	2200*	2298*	2374*

*Tuscan only Lead Time** 2 weeks															
Stan	dard Op	pening \	Nidth -	Coloure	d										eeks
2080mm 6′ 10″	2134mm 7'	2286mm 7′ 6″	2438mm 8'	2591mm 8′ 6″	2743mm 9'	2895mm 9′ 6″	3048mm 10'	3353mm 11′	3658mm 12'	3962mm 13'	4267mm 14'	4420mm 14′ 6″	4572mm 15′	4724mm 15′ 6″	4877mm 16'
611	625	672	701	725	784	800	845	1116	1236	1260	1380	1414	1418	1460	1521
879	898	708	740	1010	1083	1109	1162	1423	1562	1593	1737	1772	1779	1829	1901
962	983	708	740	1107	1186	1214	1272	1559	1711	1745	1903	1941	1948	2003	2082
1035	1035	708	740	1121	1206	1258	1523	1606	1709	1753	1832	1882	1925	2011	2077
	2080mm 6′ 10″ 611 879 962	2080mm 2134mm 7' 611 625 879 898 962 983	2080mm 6' 10" 2134mm 7' 6" 2286mm 7' 6" 611 625 672 879 898 708 962 983 708	2080mm 2134mm 2286mm 2438mm 6' 10" 7' 7' 6" 8' 611 625 672 701 879 898 708 740 962 983 708 740	2080mm 6' 10" 2134mm 7' 2286mm 2' 6" 2438mm 8' 2591mm 8' 6" 611 625 672 701 725 879 898 708 740 1010 962 983 708 740 1107	6' 10" 7' 7' 6" 8' 8' 6" 9' 611 625 672 701 725 784 879 898 708 740 1010 1083 962 983 708 740 1107 1186	2080mm 6' 10" 2134mm 7' 6" 2286mm 8' 8' 6" 2591mm 8' 6" 2743mm 9' 9' 6" 611 625 672 701 725 784 800 879 898 708 740 1010 1083 1109 962 983 708 740 1107 1186 1214	Standard Opening Width - Coloured 2080mm 6' 10" 2134mm 7' 6" 2286mm 8' 8' 8' 6" 2743mm 9' 9' 9' 6" 3048mm 10' 611 625 672 701 725 784 800 845 879 898 708 740 1010 1083 1109 1162 962 983 708 740 1107 1186 1214 1272	Standard Opening Width - Coloured 2080mm 6' 10" 2134mm 7' 2286mm 8' 2438mm 8' 8' 6" 2743mm 9' 9' 6" 3048mm 3048mm 10' 11' 611 625 672 701 725 784 800 845 1116 879 898 708 740 1010 1083 1109 1162 1423 962 983 708 740 1107 1186 1214 1272 1559	Standard Opening Width - Coloured 2080mm 6' 10" 2134mm 7' 2286mm 8' 2438mm 8' 6" 2743mm 9' 6" 3048mm 3353mm 10' 11' 3658mm 12' 611 625 672 701 725 784 800 845 1116 1236 879 898 708 740 1010 1083 1109 1162 1423 1562 962 983 708 740 1107 1186 1214 1272 1559 1711	Standard Opening Width - Coloured 2080mm 6' 10" 2134mm 7' 6" 2438mm 8' 6" 2591mm 9' 9' 9' 6" 3048mm 10' 11' 11' 12' 13' 3658mm 3962mm 13' 611 625 672 701 725 784 800 845 1116 1236 1260 879 898 708 740 1010 1083 1109 1162 1423 1562 1593 962 983 708 740 1107 1186 1214 1272 1559 1711 1745	Standard Opening Width - Coloured 2080mm 6' 10" 2134mm 7' 6" 22438mm 8' 6" 2743mm 9' 6" 3048mm 10' 11' 12' 12' 13' 14' 3353mm 3658mm 12' 12' 13' 14' 3962mm 14' 611 625 672 701 725 784 800 845 1116 1236 1260 1380 879 898 708 740 1010 1083 1109 1162 1423 1562 1593 1737 962 983 708 740 1107 1186 1214 1272 1559 1711 1745 1903	Standard Opening Width - Coloured 2080mm 6' 10" 2134mm 7' 6" 2286mm 8' 8' 6" 2743mm 9' 9' 6" 3048mm 10' 11' 12' 12' 3658mm 3962mm 14' 4420mm 14' 6" 4420mm 14' 6" 611 625 672 701 725 784 800 845 1116 1236 1260 1380 1414 1236 1260 1380 1414 879 898 708 740 1010 1083 1109 1162 1423 1562 1593 1737 1772 962 983 708 740 1107 1186 1214 1272 1559 1711 1745 1903 1941	Standard Opening Width - Coloured 2080mm 6' 10" 2134mm 7' 6" 2438mm 8' 6" 2591mm 8' 6" 9' 9' 6" 3048mm 10' 11' 12' 12' 13' 13' 14' 14' 6" 15' 4267mm 4420mm 4572mm 10' 11' 12' 13' 13' 14' 14' 6" 15' 611 625 672 701 725 784 800 845 1116 1236 1260 1380 1414 1418 879 898 708 740 1010 1083 1109 1162 1423 1562 1593 1737 1772 1779 962 983 708 740 1107 1186 1214 1272 1559 1711 1745 1903 1941 1948	Standard Opening Width - Coloured 2080mm 6' 10" 2134mm 7' 6" 2438mm 8' 6" 2591mm 8' 6" 2743mm 9' 6" 3048mm 10' 11' 12' 12' 13' 13' 14' 14' 14' 6" 4267mm 4420mm 4572mm 15' 6" 4724mm 15' 6" 611 625 672 701 725 784 800 845 1116 1236 1260 1380 1414 1418 1460 879 898 708 740 1010 1083 1109 1162 1423 1562 1593 1737 1772 1779 1829 962 983 708 740 1107 1186 1214 1272 1559 1711 1745 1903 1941 1948 2003

Features	Stan	dard Siz	e Rang	e Embos	sments	/Windo	ws									
Tuscan/Madison	3	3	3	4	4	4	4	5	5	6	6	7	7	7	7	8
Denotes V	Vhite D	oor Pric	ing [Den	otes Gol	lden Oa	k and R	osewoo	d Pricing	g 🔲	Denot	es Colou	ired Do	or Pricir	ıg	

Above red line supplied with Extension Springs. Below red line supplied with Rear Mount Torsion Springs

Below blue line supplied with Front Mount Torsion Springs

Finish		Door	Style	
	Tus	can	Mad	lison
Colour	Smooth Finish	Woodgrain Finish	Smooth Finish	Woodgrain Finish
White	•	•		•
Black	•	•		•
Anthracite	•	•		•
Racing Green	•	•		•
Vandyke Brown	•	•		•
Golden oak	•		• ***	
Rosewood	•		• ***	

*** Panel deflections may be visible. Max width 2895mm

week

**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.


Wider doors available upon application. Available in woodgrain and smooth finish (please see table below).

Please note that in low head room situations clear opening heights may be less than specified on order.

Colours



Golden Oak Rosewood



Black Anthracite Vandyke Brown RAL 9011 Grey RAL 7016 RAL 8014



Grey 9006 Grey 9007

Options


See page 14

Can't see your colour? Pick any RAL colour!*

* RAL colours may vary slightly from exact shade

Delivery







Insul•Glide° Insul•Glide 42mm insulated 42mm Insulated Steel Panel Sectional Overhead Garage Door

Sizes	Stan	Standard Opening Width - White and Woodgrain														CCK	
Opening Height mm	2080mm 6′ 10″	2134mm 7'	2286mm 7' 6"	2438mm 8'	2591mm 8′ 6″	2743mm 9'	2895mm 9′ 6″	3048mm 10'	3353mm 11'	3658mm 12'	3962mm 13'	4267mm 14′	4420mm 14′ 6″	4572mm 15′	4724mm 15′ 6″	4877mm 16′	
1800, 1980,	1013	1013	1082	1116	1132	1205	1256	1487	1570	1663	1698	1774	1820	1857	1937	1995	le l
2030, 2080, 2130, 2180	1180	1180	1263	1300	1313	1387	1438	1669	1777	1871	1907	1982	2028	2064	2146	2204	4 Pai
2245, 2290,	1099	1099	1186	1209	1221	1300	1351	1585	1663	1754	1793	1865	1910	1948	2026	2087	Ī
2470, 2520	1268	1268	1351	1391	1299	1482	1533	1761	1868	1963	2001	2073	2118	2157	2234	2300	anel -
2570, 2620,	1224	1224	1272	1293	1307	1288	1441	1690	1770	1868	1909	1983	2032	2072	2155	2218	5 Pa
2670, 2720	1409	1409	1444	1484	1498	1581	1635	1874	1989	2087	2127	2203	2251	2291	2374	2442	Ш
2870, 2960	1245	1245	1296	1313	1327	1409	1459	1711	1790	1888	1929	2004	2053	2093	2176	2239	anel 📙
	1430	1430	1466	1505	1519	1601	1656	1895	2011	2107	2148	2223	2272	2312	2395	2463	

Sizes	Stan												eeks			
Opening Height mm	2080mm 6′ 10″	2134mm 7'	2286mm 7' 6"	2438mm 8'	2591mm 8′ 6″	2743mm 9'	2895mm 9′ 6″	3048mm 10'	3353mm 11'	3658mm 12'	3962mm 13'	4267mm 14′	4420mm 14′ 6″	4572mm 15′	4724mm 15′ 6″	4877mm 16'
1800, 1980, 2030, 2080, 2130, 2180	1097	1097	1126	1161	1178	1254	1307	1547	1633	1730	1766	1845	1893	1932	2015	2075
2245, 2290, 2470, 2520	1189	1189	1314	1352	1366	1443	1496	1736	1849	1946	1984	2062	2110	2147	2232	2293
2570, 2620, 2670, 2720	1324	1324	1234	1258 i	1270	1352	1406	1649	1730	1825	1865	1940	1987	2026	2108	2171
2870, 2960	1347	1347	1406	1447	1351	1542	1595	1832	1943	2042	2082	2156	2203	2244	2324	2392
	L															

Features	Stan	dard Siz	ze Rang	e Embos	ssments	/Windo	ws									
Hampton	2	2	2	2	0	0	0	3	3	3	0	4	4	4	4	4
Oxford	3	3	3	4	4	4	4	5	5	6	6	7	7	7	7	8

Denotes White Door Pricing Denotes Golden Oak and Rosewood Pricing Denotes Coloured Door Pricing

Above red line supplied with Extension Springs. Below red line supplied with Rear Mount Torsion Springs

Below blue line supplied with Front Mount Torsion Springs [_] Denotes not available in Hampton design

Finish		Door	Style	
	Oxf	ford	Ham	pton
Colour	Smooth Finish	Woodgrain Finish	Smooth Finish	Woodgrain Finish
White	•	•	•	•
Black	•	•	•	•
Anthracite	•	•	•	•
Racing Green	•	•	•	•
Vandyke Brown	•	•	•	•
Golden oak	•		•	
Rosewood	•		•	



**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.

Wider doors available upon application. Available in woodgrain and smooth finish (please see table below).

Please note that in low head room situations clear opening heights may be less than specified on order.



Golden Oak

See page 14

Rosewood Black Anthracite Vandyke Brown RAL 9011 Grey RAL 7016 RAL 8014

Special order metallic colours too!

Grey 9006 Grey 9007 Grey 9022 Grey 9023

Can't see your colour? Pick any RAL colour!*

Racing Green RAL 6015

* RAL colours may vary slightly from exact shade

Delivery

Options

White RAL 9003





Insul•Glide®

Insul•Glide 42mm insulated 42mm Insulated Steel Panel Sectional Overhead Garage Door Sectional Overhead Garage Door

Sizes	Stan	dard Op	pening \	Nidth -	White a	nd Woo	odgrain				_		_			
Opening Height mm	2080mm 6′ 10″	2134mm 7'	2286mm 7′ 6″	2438mm 8'	2591mm 8′ 6″	2743mm 9'	2895mm 9′ 6″	3048mm 10'	3353mm 11'	3658mm 12'	3962mm 13'	4267mm 14′	4420mm 14′ 6″	4572mm 15′	4724mm 15′ 6″	4877mm 16'
1800, 1980,	924	924	926	983	985	1077	1138	1138	1361	1539	1584	1386	1512	1626	1655	1683
2030, 2080, 2130, 2180	1077	1077	1117	1119	1122	1253	1318	1318	1560	1771	1887	1875	1987	2036	2090	2123
2245, 2290,	1099	1099	1140	1162	1174	1250	1299	1524	1599	1686	1724	1793	1836	1873	1948	2006
2470, 2520	1268	1268	1299	1337	1249	1425	1474	1693	1796	1887	1924	1993	2036	2074	2148	2211
2570, 2620,	1224	1224	1006	1077	1307	1288	1441	1690	1770	1868	1909	1983	2032	2072	2155	2218
2670, 2720	1409	1409	1444	1484	1498	1581	1635	1874	1989	2087	2127	2203	2251	2291	2374	2442
2870, 2960	1245	1245	1296	1313	1327	1409	1459	1711	1790	1888	1929	2004	2053	2093	2176	2239
	1430	1430	1466	1505	1519	1601	1656	1895	2011	2107	2148	2223	2272	2312	2395	2463

Sizes	Stan	dard Op	ening \	Width -	Coloure	d										ad Time** eeks
Opening Height mm	2080mm 6′ 10″	2134mm 7'	2286mm 7′ 6″	2438mm 8'	2591mm 8′ 6″	2743mm 9'	2895mm 9′ 6″	3048mm 10'	3353mm 11'	3658mm 12'	3962mm 13'	4267mm 14'	4420mm 14′ 6″	4572mm 15′	4724mm 15′ 6″	4877mm 16′
1800, 1980, 2030, 2080, 2130, 2180	961	961	964	1023	1025	1121	1184	1184	1416	1601	1648	1442	1573	1692	1722	1751
2245, 2290, 2470, 2520	1143	1143	1186	1209	1221	1300	1351	1585	1663	1754	1793	1865	1910	1948	2026	2087
2570, 2620, 2670, 2720	1273	1273	1047	1121	1360	1340	1499	1758	1841	1943	1986	2063	2114	2155	2242	2307
2870, 2960	1295	1295	1348	1366	1381	1466	1518	1780	1862	1964	2007	2085	2136	2177	2264	2329

Features	Stan	dard Siz	ze Rang	e Embo	ssments	/Windo	ws									
Tuscan/Madison	3	3	3	4	4	4	4	5	5	6	6	7	7	7	7	8

Denotes White Door Pricing Denotes Golden Oak and Rosewood Pricing Denotes Coloured Door Pricing

Above red line supplied with Extension Springs. Below red line supplied with Rear Mount Torsion Springs

Below blue line supplied with Front Mount Torsion Springs

Finish		Door	Style	
	Tus	can	Mad	lison
Colour	Smooth Finish	Woodgrain Finish	Smooth Finish	Woodgrain Finish
White	•	•		•
Black	•	•		•
Anthracite	•	•		•
Racing Green	•	•		•
Vandyke Brown	•	•		•
Golden oak	•			
Rosewood	•			



2 weeks

**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.

Wider doors available upon application. Available in woodgrain and smooth finish (please see table below).

Please note that in low head room situations clear opening heights may be less than specified on order.

Colours











Can't see your colour? Pick any RAL colour!*

Grey 9023
* RAL colours may vary slightly from exact shade

Options

See page 14

Delivery

Price Includes delivery to Distributor premises on mainland UK. Delivery to site £40 per door.



All Gliderol products are CE marked and built within our audited ISO 9001 quality systems





Insul•Glide 42mm insulated Sectional Overhead Garage Door Safe • T • Glide Single Skin Sectional Overhead Garage Door

WINDOW OPTIONS

Oxford, Tuscan, Madison, Clear/Stippled

Hampton

NEW Round and square windows (stainless steel)

£87 per window £101 per window £132 per window

> Stainless steel glazing units.

> > £395

£445 £35

£100

£26

£99


£99

£99

£99 £99

£12 per length

£24 per 3 metre lengths



AUTOMATION

Glidermatic GTS 2000 remote auto operator chain drive (700N) Glidermatic GTS Optima remote auto operator belt drive (1000N) Manual release

Wireless digital entry key pad (wall mounted)

OPTIONAL EXTRAS

T-bar handle lockset Round handle set - cast aluminium in the following finishes:

Brushed Aluminium

• Antique Bronze

Chrome finish

Gold finish

Black

If fixing to side walls extension brackets can be supplied as "C" section up to 1350mm long Punched right angle

Chrome





Colour Matched Frames

COLOUR MATCHED FRAMES (can be supplied in Racing Green, Black or Vandyke Brown (white supplied as standard))

Brushed Aluminium

• Doors from 6'10" 2080mm wide up to and including 10' 3048mm wide up to and including 2490mm high £140 • Doors from 10' 3048mm wide up to and including 16' 4877mm wide up to and including 2490mm high £205 • Doors from 6'10" 2080mm wide up to and including 10' 3048mm wide from 2491mm high up to and including 3020mm high £190 • Doors from 10' 3048mm wide up to and including 16' 4877mm wide from 2491mm high up to and including 3020mm high £255

Between Reveal & Fascias

OPTIONS FOR DOORS FITTED BETWEEN THE REVEAL

Between the reveal fitting kit (Stock colours including laminates) f195 Gap to ceiling fascia kit (Stock colours including laminates) £85 Renovation kit (Stock colours including laminates) £135 Door frame fascia kit (Stock colours including laminates) £135

Colours: RAL and Special Order

Safe•T•Glide Matt finish - all RAL / BS colours. Complete doors. Front face only (per m²) £30 net (not subject to discount) Safe•T•Glide metallic paint finishes - RAL 9022, 9023, 9006 & 9007 Complete doors. Front face only (per m²) £30 net (not subject to discount) Insul•Glide Matt finish - all RAL / BS colours. Complete doors. Front face only (per m2) £42 net (not subject to discount) Insul•Glide metallic paint finishes - RAL 9022, 9023, 9006 & 9007 Complete doors. Front face only (per m²) £42 net (not subject to discount) Individual Door panels Front face only (per m²) Door frames (per linear metre)

Delivery Price Includes delivery to Distributor premises on mainland UK. Delivery to site £40 per door.

For technical specifications please see page 15.



Recommended Retail Price List Tel: 0191 518 0455 Fax: 0191 518 0548

audited ISO 9001 quality syster



£60 net

£25 net



Structural Depth

U value (EN13241) Water Penetration (EN12425) Resistance to wind load (EN12424) Air Permeability (EN12426)

1.4-1.6 W/m²K Class 3, 150Pa Class 5, 1100Pa Class 3

Minimum clearances manual/automatic doors:

Extension Spring:

Sideroom 90mm Headroom 110/150mm

With t-bar handle lockset (motor offset) Sideroom 90mm Headroom 155mm

Sideroom 90mm Headroom 170mm

Minimum clearances manual/automatic doors:

Rear Mount Torsion:

Doors up to 2150 high = 2250+660mm

Sideroom 90mm Headroom 110/150mm

With t-bar handle lockset (motor offset) Sideroom 90mm Headroom 155mm

With round handle lockset (motor offset) With round handle lockset (motor offset) Sideroom 90mm Headroom 170mm

Minimum clearances manual/automatic doors:


Front Mount Torsion:


Sideroom 90mm Headroom 230/270mm

With t-bar handle lockset


Sideroom 90mm Headroom 230/270mm


With round handle lockset Sideroom 90mm Headroom 230/270mm







Fascias and fixing accessories











Schedule of Manufacturer's Warranty Period

Gliderol Roller Doors - GlideRol A Door A & AA - Mini Roller Door - B Series Door - Roll A Glide - Roll A Glide Compact - Roll A Glide Manual 77

Gliderol Sectional Doors - Insul Glide - Safe T Glide

Gliderol Automation - Glidermatic RW1 Rol A Matic - IGDU Industrial - Glide A Tube - Glidermatic GTS 2000 - Glidermatic Optima

- Domestic/Residential use 10 years corrosion free on door panel excludes paint surface rubbing or fading. (GlideRol A Door Mini Roller door has 3 year total warranty cover).
- 1 year on the lock and face plate, spring, bottom roller, weatherseal and polyglide, if fitted by an authorised Gliderol Distributor or Gliderol Technician. 3 month warranty on spring tension.
- Industrial/Commercial use 1 year on the lock and face plate, spring, bottom roller, weatherseal and polyglide, if fitted by an authorised Gliderol Distributor or Gliderol Technician. 3 month warranty on spring

The manufacturer strongly recommends that all Gliderol products be serviced by an authorised Gliderol Distributor or Gliderol Technician every 12 months to ensure longevity of the products' life. Failure to do this may result in any warranty being invalid.

Warranties of 1 year transmitter handsets (transmitters must be kept in normal conditions of humidity and temperature), 2 years electrical, 5 years tubular motors, 6 years mechanical and 10 years paint finish apply to all Gliderol doors (except Mini Roller Doors see above).

Garage doors should be inspected upon installation and viewed in natural daylight (not direct sunlight) from a standard distance of 3 metres to view their overall appearance. From this distance the door panel should appear free from visible marks or distortion, stains, blemishes, indentations or scuffs.

Only marks visible from a distance of more than 3 metres will be considered under warranty.

PRODUCT WARRANTY CONDITIONS

Warranty Conditions

- 1. Subject to the under mentioned specific limitations and exceptions, the Manufacturer warrants all new doors, motors and electronic components of its manufacture to be free from defect in workmanship under normal use and service and further warrants all installation carried out by the Manufacturer or by its nominated installers to be free from defects and workmanship its obligations hereunder being limited to making good any such defect PROVIDED THAT notice of any claimed defect in material workmanship in or resulting from installation of any door shall have been given to the Manufacturer within the period from date of installation as prescribed in the
- 2. This warranty does not apply to any defect, loss or damage arising or caused directly or indirectly by or as a result of;
 - Any masonry rendered or other surfaces cracking or collapsing during installation of the door.
 - Any defect or deterioration of timber including drying out after installation.
 - (iii) Any weakening or collapse of the structure to which the doors are affixed occurring any time after installation.
 - Any damage to or deterioration in the condition of the doors occurring in transit by customer nominated or appointed carrier or occurring after delivery and prior to installation.
 - Any defect (including defects in component parts or accessories) rising from or attributable to the failure to carry out normal preventive maintenance or adjustment.
 - To any additional defect damage or deterioration arising from or attributable to the operation of the door after it is known to be
 - (vii) Any door being installed within 800 metres of the sea or other body of water of equivalent or greater salt concentration or in an area subject to
 - (viii) Any fault or surge in customer's electricity supply.
 - (ix) The door striking an immovable object during travel.
 - Garage doors should be inspected upon delivery and viewed in natural light (not direct sunlight) from a standard distance of 3 metres to view their overall appearance. From this distance the door panel should appear free from marks or distortion, stains, blemishes, indentations or scuffs. If any marks are only visible within 3 metres they will not be considered under warranty.
 - (xi) Over time, some scuffing may occur on front and rear surfaces of roller doors as a result of their normal operation, this does not affect performance and is not covered under the terms of the guarantee.
- (xii) The manufacturing of sectional door panels employs roll forming or pressing of the steel skin to create the ribbed or Georgian features. pressing of the steel skin to create the hoped of occupien received that his process is the introduction of stresses into the steel that 0800 525 by cracking or collapsing. www.thegaragedoorcentre.co.uk

may be visible when viewed at oblique angles or in strong direction light. Such distortions in no way affect the strength or performance of the door and do not form part of the warranty cover. Our manufacturing processes minimise these effects but may not eliminate them entirely. The door is considered to meet Gliderol's quality standard if no significant surface distortion can be seen when viewing a closed door from a central position at a distance of 3 metres under even light conditions. Strong directional light such as bright sunshine or car headlights may reveal minor distortions at such distances but are not part of the warranty cover.

- 3. Items excluded from warranty;
 - (i) Batteries (ii) Fuses

 - (iii) Globes
 - (iv) Sensitivity adjustments
- (iiv) Minor factory repairs
- 4. While Gliderol doors are long lasting and hard wearing under normal conditions this warranty does not extend to inherent defects in steel or other material used in the manufacture. The Manufacturer will however, procure and assign to the customer the benefit of the warranty of the manufacturer of the steel or other material.
- 5. If Manufacturer has at request of customer procured painting, powdercoating or other surface application to its product this warranty does not extend to such painting, powder-coating or other surface application. For this purpose Manufacturer at all times acts as agent of customer. Manufacturer may as a service to the customer but without any legal obligation to do so, assist customer to obtain redress in respect of any defect.
- 6. The Manufacturer reserves the right to touch up on site the paint finish and or pre-painted surfaces on its range of garage doors but no responsibility will be taken for the possibility of any paint rubs, scuffing etc on the internal wash coat finish or external painted surface.
- 7. Proof of purchase MUST be provided to the manufacturer at time of warranty claim. If proof is not available any warranty may be invalid.

CONDITIONS OF SALE AND INSTALLATION

(If installation carried out by Gliderol or an other installation company)

- 1. Manufacture of Gliderol Doors will not commence until accurate site measurements are available and can be checked.
- 2. Where Gliderol Doors are made to suit floor levels, lintel heights or opening sizes guaranteed by the customer, any departure from the given sizes will be the responsibility of the customer as will any costs involved in alteration of made-up Gliderol Doors.
- 3. Any delivery, and/or installation dates given are approximate only and the Manufacturer accepts no liability for delay from any cause whatsoever. If by any reason or Act of God, war, government or semi-government enactment, regulation or restriction, lock-out, strike, industrial dispute, fire, tempest, flood, failure or inability to obtain licenses, transport or materials or any other cause beyond the Manufacturer's control delivery or installation is delayed the Manufacturer may extend the time of delivery or installation or if the Manufacturer is unable to deliver or install, the contract shall be voidable at the Manufacturer's option with no right to either party for damage, loss, cost
- 4. If these conditions of sale (which shall only be varied, modified or rescinded by written agreement executed by the Manufacturer) shall differ in any respect from the customer's acceptance or confirmation then these conditions shall prevail.
- 5. Any claim for damaged product must be made within 7 days of installation or
- 6. The Manufacturer may carry out installation or may nominate an accredited Installer Contractor to carry out the work. Installation is then a matter of separate contract with the Installer whose particulars is either provided in this quotation or will be provided upon confirmation by the customer. The Manufacturer has taken all reasonable care to ensure that any Installer Contractor nominated is competent, experienced and skilled in the installation of the Manufacturer's doors. The Manufacturer will at all times use its influence to ensure any installation complaint is dealt with promptly and resolved to the reasonable satisfaction of the customer. The customer's attention is also directed to the terms of the warranty above. However the manufacturer is not responsible or liable for any installers or contractors standard of workmanship and or ability to install any product or possible service issues thereafter
- 7. Installation by Gliderol or installer contractors covers only the installation if the door and not, unless specifically stated, and rectification of existing outof-square openings or removal of old doors and fittings or electricity of gas fittings or the like. Installation by Gliderol does not include the removal or taking away of old doors from the property or of disposing of such doors.
- 8. Whilst reasonable care will be taken while drilling and fixing, the Manufacturer and its Installers will not be responsible for the failure, from any cause whatsoever, of any masonry or rendered surfaces while drilling or fixing www.thegaragedoorcentre.co.uk