

Steel Garage Side Doors


With block frame made of aluminium profiles

Product description




Fitting dimensions


Fitting behind the opening




Fitting in the opening



Fitting behind the opening, example profile type 1



Fitting in the opening, example profile type 2



LF = Structural opening
RM = Grid height

LDH = Clear passage height
RAM = Overall frame dimension

LDB = Clear passage width

Fitting dimensions

Profile type 1, only opening inwards

S, M, L-ribbed or S-panelled
(fitting behind the opening)

Structural opening	Ordering size = overall frame dimensions (RAM)	Lever handle height from FFL	Spacings
Standard sizes			
855-875 × 1990-2000	990 × 2058	955	125/250
855-875 × 2115-2125	990 × 2183	1010	133/265
980-1000 × 1990-2000	1115 × 2058	955	125/250
980-1000 × 2115-2125	1115 × 2183	1010	133/265

Profile type 2

S, M, L-ribbed or S-panelled
(fitting behind the opening)

Structural opening	Ordering size = overall frame dimensions (RAM)	Lever handle height from FFL	Spacings
Standard sizes			
855-875 × 1990-2000	990 × 2058	1050	125/250
855-875 × 2115-2125	990 × 2183	1050	133/265
980-1000 × 1990-2000	1115 × 2058	1050	125/250
980-1000 × 2115-2125	1115 × 2183	1050	133/265

Profile type 2

S, M or L-ribbed version
(fitting in the opening)

Structural opening	Ordering size = overall frame dimensions (RAM)	Lever handle height from FFL	Spacings
Standard sizes			
875 × 2000	855 × 1990	1050	125/250
875 × 2125	855 × 2115	1050	133/265
1000 × 2000	980 × 1990	1050	125/250
1000 × 2125	980 × 2115	1050	133/265

Profile type 1 and 2

S, M or L-ribbed version
(fitting in or behind the opening)

Ordering size = overall frame dimensions	Lever handle height from FFL Profile type 1	Profile type 2
Special sizes		
855-1250 × 1990-2300	898-1064	1050
855-1300 × 1990-2558	898-1064	1050

Profile type 1

S-panelled doors or doors with special design
(fitting only behind the opening)

Ordering size = overall frame dimensions	Lever handle height from FFL
Special sizes	
950-1250 × 2058 or 2183	898-1064
950-1300 × 2013, 2058, 2138, 2183, 2263, 2308, 2443 or 2558	898-1064

Profile type 2

S-panelled version
(fitting only behind the opening)

Ordering size = overall frame dimensions	Lever handle height from FFL
Special sizes	
950-1250 × 2058 or 2183	1050
950-1300 × 1943, 2013, 2058, 2138, 2183, 2263, 2308, 2443 or 2558	1050

Steel Garage Side Doors


With block frame made of aluminium profiles

Product description




Fitting dimensions


Fitting behind the opening




Fitting in the opening



Fitting behind the opening, example profile type 1



Fitting in the opening, example profile type 2



LF = Structural opening
RM = Grid height

LDH = Clear passage height
RAM = Overall frame dimension

LDB = Clear passage width

Fitting dimensions

Profile type 1, only opening inwards

S, M, L-ribbed or S-panelled (fitting behind the opening)

Structural opening	Ordering size = overall frame dimensions (RAM)	Lever handle height from FFL	Spacings
Standard sizes			
855 – 875 × 1990 – 2000	990 × 2058	955	125 / 250
855 – 875 × 2115 – 2125	990 × 2183	1010	133 / 265
980 – 1000 × 1990 – 2000	1115 × 2058	955	125 / 250
980 – 1000 × 2115 – 2125	1115 × 2183	1010	133 / 265

Profile type 2

S, M, L-ribbed or S-panelled (fitting behind the opening)

Structural opening	Ordering size = overall frame dimensions (RAM)	Lever handle height from FFL	Spacings
Standard sizes			
855 – 875 × 1990 – 2000	990 × 2058	1050	125 / 250
855 – 875 × 2115 – 2125	990 × 2183	1050	133 / 265
980 – 1000 × 1990 – 2000	1115 × 2058	1050	125 / 250
980 – 1000 × 2115 – 2125	1115 × 2183	1050	133 / 265

Profile type 2

S, M or L-ribbed version (fitting in the opening)

Structural opening	Ordering size = overall frame dimensions (RAM)	Lever handle height from FFL	Spacings
Standard sizes			
875 × 2000	855 × 1990	1050	125 / 250
875 × 2125	855 × 2115	1050	133 / 265
1000 × 2000	980 × 1990	1050	125 / 250
1000 × 2125	980 × 2115	1050	133 / 265

Profile type 1 and 2

S, M or L-ribbed version (fitting in or behind the opening)

Ordering size = overall frame dimensions	Lever handle height from FFL	
	Profile type 1	Profile type 2
Special sizes		
855 – 1250 × 1990 – 2300	898 – 1064	1050
855 – 1300 × 1990 – 2558	898 – 1064	1050

Profile type 1

S-panelled doors or doors with special design (fitting only behind the opening)

Ordering size = overall frame dimensions	Lever handle height from FFL
Special sizes	
950 – 1250 × 2058 or 2183	898 – 1064
950 – 1300 × 2013, 2058, 2138, 2183, 2263, 2308, 2443 or 2558	898 – 1064

Profile type 2

S-panelled version (fitting only behind the opening)

Ordering size = overall frame dimensions	Lever handle height from FFL
Special sizes	
950 – 1250 × 2058 or 2183	1050
950 – 1300 × 1943, 2013, 2058, 2138, 2183, 2263, 2308, 2443 or 2558	1050

Steel Garage Side Doors

With block frame made of aluminium profiles

Product description



Fitting position

