

# Your door... Our passion!



# 2012

Price List





# 2012

## Price List

The Novoferm product portfolio is available via a national network of Garage Door Specialist Distributors & Installers all of whom are committed to providing you the homeowner with competent advice, service and excellent value.


All Novoferm Garage Doors and Remote Control Systems are manufactured according to the strict Quality Management System ISO 9001 and are independently certified by recognised institutes to the high safety requirements set out by the European Garage Door product standard EN13241-1.






### Up & Over Garage Doors

- steel doors p4-5
- timber doors p6-7
- specifications & optional extras p8-9




### Sectional Garage Doors

- steel doors iso20 p10-15
- steel doors iso45 p16-27
- timber doors p28
- matching side doors p29
- specifications & optional extras p30-31
- side sectional doors p32



### Insulated Roller Garage Doors

- insulated roller doors p33
- specifications & optional extras p33








### Door automation

- operators p34
- accessories p34-37
- new products p38
- tems and conditions p39

# Up & Over Garage Doors

Canopy/Retractable, unframed, with steel infill (white RAL 9016/brown RAL 8014) - manual operation.

Single Doors Door Order Ref. (W x H)		Naseby (white) 		Thornby (white) 		Guilsborough (white) 		Buckingham (white) 		Thornby Wicket Door <sup>1</sup> (framed) 
Imperial	Metric	Canopy	Retractable	Canopy	Retractable	Canopy	Retractable	Canopy	Retractable	Retractable
6'10" x 6'4"	2081 x 1940	567	<b>609</b>	622	<b>664</b>	745	<b>789</b>	-	-	1860
6'10" x 6'10"	2081 x 2080	593	635	633	<b>675</b>	746	<b>789</b>	-	-	1885
7'0" x 6'6"	2134 x 1981	<b>516</b>	<b>559</b>	<b>608</b>	<b>651</b>	<b>747</b>	<b>789</b>	748	<b>790</b>	1860
7'0" x 7'0"	2134 x 2134	578	<b>621</b>	<b>629</b>	<b>671</b>	<b>784</b>	<b>826</b>	785	826	1877
7'3" x 6'4"	2211 x 1940	614	<b>656</b>	649	<b>692</b>	819	<b>861</b>	-	-	1892
7'3" x 7'0"	2211 x 2134	-	660*	-	701*	-	864*	-	-	1923
7'3" x 7'5"	2211 x 2270	-	827*	-	813*	-	1106*	-	-	1961
7'5" x 6'6"	2261 x 1981	614	<b>656</b>	657	<b>699</b>	819	<b>861</b>	819	862	1860
7'5" x 7'0"	2261 x 2134	686	729	726	<b>769</b>	930	<b>972</b>	930	973	1860
7'6" x 6'4"	2286 x 1940	614	656	670	<b>712</b>	819	861	-	-	1860
7'6" x 6'6"	2286 x 1981	614	<b>656</b>	670	<b>712</b>	819	<b>861</b>	819	860	1860
7'6" x 7'0"	2286 x 2134	687	731	725	<b>769</b>	930	<b>972</b>	930	967	1860
7'7" x 7'5"	2326 x 2270	-	831*	-	813*	-	1104*	-	-	1961
7'7" x 7'10"	2326 x 2395	-	812*	-	904*	-	1180*	-	-	2004
8'0" x 6'4"	2438 x 1940	694	734	777	<b>819</b>	953	<b>995</b>	-	-	1860
8'0" x 6'6"	2438 x 1981	693	<b>734</b>	777	<b>819</b>	953	<b>995</b>	953	995	1860
8'0" x 7'0"	2438 x 2134	706	748	799	<b>842</b>	987	<b>1029</b>	988	1030	1860
8'0" x 7'5"	2438 x 2270	-	812*	-	904*	-	1180*	-	-	1961
8'0" x 7'10"	2438 x 2395	-	882*	-	1024*	-	1271*	-	-	2004
8'10" x 6'7"	2701 x 2020	-	995*	-	1079*	-	1227*	-	-	2063
8'10" x 7'0"	2701 x 2134	-	1044*	-	1218*	-	1248*	-	-	2063
9'8" x 6'7"	2951 x 2020	-	1168*	-	1182*	-	1386*	-	-	2063
9'8" x 7'0"	2951 x 2134	-	1168*	-	1182*	-	1414*	-	-	2063

Prices in bold - standard delivery 1-2 weeks. \*Prices marked with an asterisk not available ex-stock, delivery 5-6 weeks. <sup>1</sup> For automation of Thornby Wicket Door use NovoMatic operator with contact see p34-37 for prices. Delivery on Thornby Wicket Doors 10 weeks.




## Matching side doors are supplied as standard with colour matching tubular steel block frames

Matching Side Doors Door Order Ref. (W x H)		Naseby	Thornby	Guilsborough	Buckingham	Thornby Wicket Door
Imperial	Metric					
2'10" x 6'2"	875 x 1875	-	494	-	-	-
2'10" x 6'6"	875 x 2000	-	501	693	-	-
2'10" x 7'0"	875 x 2125	-	507	699	-	-
3'3" x 6'6"	1000 x 2000	-	519	712	-	-
3'3" x 7'0"	1000 x 2125	-	524	717	-	-

Not available ex-stock, delivery 6-8 weeks.


Special sizes available on request.

# Steel - Framed White

Single Doors Door Order Ref. (W x H)		Guilsborough - Glazed (white) 		Open for infil 	Additional cost for RAL colour finish	Cost reduction for unframed option 		Steel Framed Doors  Recommended minimum opening size for fitting between brickwork (W x H)	
Imperial	Metric	Canopy	Retractable	Retractable		Canopy	Retractable	Imperial	Metric
6'10" x 6'4"	2081 x 1940	990	1034	480	95	(100)	(100)	7'4 1/4" x 6'6 1/2"	2240 x 1990
6'10" x 6'10"	2081 x 2080	991	1034	509	95	(100)	(100)	7'4 1/4" x 7'0"	2240 x 2130
7'0" x 6'6"	2134 x 1981	992	1034	480	95	(100)	(100)	7'6 1/2" x 6'8"	2295 x 2030
7'0" x 7'0"	2134 x 2134	1029	1071	480	95	(100)	(100)	7'6 1/2" x 7'2"	2295 x 2185
7'3" x 6'4"	2211 x 1940	1064	1106	509	95	(100)	(100)	7'9 1/4" x 6'6 1/2"	2370 x 1990
7'3" x 7'0"	2211 x 2134	-	1109*	-	95	-	(100)	7'9 1/4" x 7'2 1/2"	2370 x 2195
7'3" x 7'5"	2211 x 2270	-	1351*	-	95	-	(100)	7'9 1/4" x 7'7 1/2"	2370 x 2320
7'5" x 6'6"	2261 x x1981	1064	1106	531	95	(100)	(100)	7'11 1/4" x 6'8"	2420 x 2030
7'5" x 7'0"	2261 x 2134	1175	1217	546	95	(100)	(100)	7'11 1/4" x 7'2"	2420 x 2185
7'6" x 6'4"	2286 x 1940	1064	1106	531	95	(100)	(100)	8'0 1/4" x 6'6 1/2"	2445 x 1990
7'6" x 6'6"	2286 x 1981	1064	1106	531	95	(100)	(100)	8'0 1/4" x 6'8"	2445 x 2030
7'6" x 7'0"	2286 x 2134	1175	1217	546	95	(100)	(100)	8'0 1/4" x 7'2"	2445 x 2185
7'7" x 7'5"	2326 x 2270	-	1349*	-	95	-	(100)	8'1 3/4" x 7'7 1/2"	2485 x 2320
7'7" x 7'10"	2326 x 2395	-	1425*	-	95	-	(100)	8'1 3/4" x 8'0 1/4"	2485 x 2445
8'0" x 6'4"	2438 x 1940	1198	1240	555	95	(100)	(100)	8'6 1/2" x 6'6 1/2"	2600 x 1990
8'0" x 6'6"	2438 x 1981	1198	1240	555	95	(100)	(100)	8'6 1/2" x 6'8"	2600 x 2030
8'0" x 7'0"	2438 x 2134	1232	1274	555	95	(100)	(100)	8'6 1/2" x 7'2"	2600 x 2185
8'0" x 7'5"	2438 x 2270	-	1425*	-	95	-	(100)	8'6 3/4" x 7'7 1/2"	2610 x 2320
8'0" x 7'10"	2438 x 2395	-	1516*	-	95	-	(100)	8'6 3/4" x 8'0 1/4"	2610 x 2445
8'10" x 6'7"	2701 x 2020	-	1472*	-	95	-	(100)	9'4 3/4" x 6'9 1/2"	2860 x 2070
8'10" x 7'0"	2701 x 2134	-	1493*	-	95	-	(100)	9'4 3/4" x 7'2 1/2"	2860 x 2195
9'8" x 6'7"	2951 x 2020	-	1631*	-	95	-	(100)	10'2 1/2" x 6'9 1/2"	3110 x 2070
9'8" x 7'0"	2951 x 2134	-	1659*	-	95	-	(100)	10'2 1/2" x 7'2 1/2"	3110 x 2195

\*Prices marked with an asterisk not available ex-stock, delivery 5-6 weeks.  
Open for infil - only available pre-framed.





## Matching side doors are supplied as standard with colour matching tubular steel block frames

Matching Side Doors Door Order Ref. (W x H)		Guilsborough - Glazed	Open for infil	Additional cost for standard colour finish	Steel outer frame (included in side door price)	Recommended minimum opening size for fitting between brickwork (W x H)	
Imperial	Metric					Imperial	Metric
2'10" x 6'2"	875 x 1875	-			Included	3'1 1/4" x 6'3 1/4"	945 x 1910
2'10" x 6'6"	875 x 2000	810				3'1 1/4" x 6'8 1/4"	945 x 2035
2'10" x 7'0"	875 x 2125	816				3'1 1/4" x 7'1"	945 x 2160
3'3" x 6'6"	1000 x 2000	828				3'6 1/4" x 6'8 1/4"	1070 x 2035
3'3" x 7'0"	1000 x 2125	833				3'6 1/4" x 7'1"	1070 x 2160

Not available ex-stock, delivery 6-8 weeks.





# Up & Over Garage Doors

Retractable, pre-fitted to open-for-infill steel frame (brown RAL 8014), with fully finished timber infill - for manual operation.

Single Doors		Horizontal	Vertical	Thame	Henley
Door Order Ref. (W x H)					
Imperial	Metric	Framed Retractable	Framed Retractable	Framed Retractable	Framed Retractable
6'10" x 6'4"	2081 x 1940	1261	1261	1431	1431
6'10" x 6'10"	2081 x 2080	1261	1261	1431	1431
7'0" x 6'6"	2134 x 1981	1261	1261	1431	1431
7'0" x 7'0"	2134 x 2134	1261	1261	1431	1431
7'5" x 6'6"	2261 x 1981	1302	1302	1470	1470
7'5" x 7'0"	2261 x 2134	1326	1326	1499	1499
7'6" x 6'4"	2286 x 1940	1302	1302	1470	1470
7'6" x 6'6"	2286 x 1981	1302	1302	1470	1470
7'6" x 7'0"	2286 x 2134	1326	1326	1499	1499
8'0" x 6'4"	2438 x 1940	1364	1364	1594	1594
8'0" x 6'6"	2438 x 1981	1364	1364	1594	1594
8'0" x 7'0"	2438 x 2134	1399	1399	1594	1594





Delivery on timber doors 3-4 weeks. <sup>1</sup> For automation of Timber doors see p34-37 for prices.

Matching side doors are supplied as standard with brown RAL 8014, tubular steel block frames and fully finished timber infills

Matching Side Doors		Horizontal	Vertical	Thame	Henley
Door Order Ref. (W x H)					
Imperial	Metric				
2'10" x 6'2"	875 x 1875	834	834	956	956
2'10" x 6'6"	875 x 2000	843	843	962	962
2'10" x 7'0"	875 x 2125	853	853	965	965
3'3" x 6'6"	1000 x 2000	854	854	975	975
3'3" x 7'0"	1000 x 2125	862	862	983	983





Not available ex-stock.

# Fully Finished Timber Framed Retractable

Tudor		Windsor		Hale		Gatley		Steel Framed Doors	
								Recommended minimum structural opening sizes (W x H)	
Framed Retractable		Framed Retractable		Framed Retractable		Framed Retractable		Imperial	Metric
1128		1128		1668		1870		7'4¼" x 6'6½"	2240 x 1990
1128		1128		1668		1870		7'4¼" x 7'0"	2240 x 2130
1128		1128		1668		1870		7'6½" x 6'8"	2295 x 2030
1128		1128		1668		1870		7'6½" x 7'2"	2295 x 2185
1172		1172		1810		1996		7'11¼" x 6'8"	2420 x 2030
1202		1202		1874		2015		7'11¼" x 7'2"	2420 x 2185
1172		1172		1810		1996		8'0¼" x 6'6½"	2445 x 1990
1172		1172		1810		1996		8'0¼" x 6'8"	2445 x 2030
1172		1172		1874		2105		8'0¼" x 7'2"	2445 x 2185
1227		1227		1924		2204		8'6½" x 6'6½"	2600 x 1990
1227		1227		1924		2204		8'6½" x 6'8"	2600 x 2030
1253		1253		1964		2204		8'6½" x 7'2"	2600 x 2185

Delivery on timber doors 3-4 weeks. <sup>1</sup> For automation of Timber doors see p34-37 for prices.

Matching side doors are supplied as standard with brown RAL 8014, tubular steel block frames and fully finished timber infills

Tudor		Windsor		Hale		Gatley		Recommended minimum structural opening sizes (W x H)	
								Imperial	Metric
800		800		1118		1003		3'1¼" x 6'3½"	945 x 1910
803		803		1118		1006		3'1¼" x 6'8¼"	945 x 2035
810		810		1201		1013		3'1¼" x 7'1"	945 x 2160
820		820		1209		1023		3'6¼" x 6'8¼"	1070 x 2035
826		826		1215		1029		3'6¼" x 7'1"	1070 x 2160

Not available ex-stock.

# Up & Over Garage Doors

## Steel doors - Specification

- Novoferm Up & Over garage door are either canopy or retractable in operation, with spring assisted action for smooth running. The door slides up and over into the garage, providing safe and very reliable operation.
- Novoferm Up & Over garage doors can be supplied in a pre-hung factory-finished steel frame, which makes installation simple and eliminates the need for a timber frame which can warp or rot over time. Additional steel frames are supplied white (RAL9016) as standard, with the exception of brown (RAL8014) which is supplied with a colour matching frame.
- Steel infill doors are supplied in a range of factory pre-finished colours with a standard black 'D' handle.
- Matching steel side doors are supplied in a range of factory pre-finished colours with a standard black lever handle.
- Open for infill doors have a maximum infill weight of 7kg/m<sup>2</sup>
- All door are supplied with steel frame in white (RAL9016), with the exception of brown (RAL8014).

## Optional Extras

### All doors

Fully finished colour option, to any RAL or BS colour (excluding metallic or pearlescent finishes), price includes exterior face of door. Per m<sup>2</sup>

**Add £50m<sup>2</sup>**

Round black handle kit (supplied instead of standard black 'D' handle)

**No cost option**

Metallic 'D' handles (White, Brass, Silver, Antique Bronze effect)

**Add £80**

Bottom rubber weatherseal 8ft/10ft

**Add £59/£80**

Novo-Wrap (polythene protective wrapping for manual doors)

**Add £14**

Window option for Thornby or Guilsborough glazed garage doors V1, V2, V3 **Included in glazed door price (p5)**

Window option for Thornby or Guilsborough glazed garage doors V4d, V4s **Add £45 per glazed door price (p5)**



V1  
Plain  
clear / crystal



V2  
Rhombus  
clear / crystal



V3  
Cross  
clear / crystal



V4d  
Diamond leaded  
clear / crystal



V4s  
Square leaded  
clear / crystal



## Timber doors - Specification

- Novoferm timber Up & Over garage door are retractable in operation, with multi sprung spring assisted action for smooth running. The door slides up and over into the garage (horizontally on tracks), providing safe and very reliable operation.
- Novoferm timber Up & Over garage doors are supplied pre-hung in a factory-finished steel frame, which makes installation simple and eliminates the need for a timber frame which can warp or rot over time.
- Timber infill doors are constructed as an infill to fit the open-for-infill Up & Over door chassis. This gives the doors their rigid and durable construction. The chassis and outer frame are supplied polyester powder coated in brown (RAL 8014). A black 'D' handle is fitted as standard
- The styles: Tudor and Windsor are Cedar facing, glued and fixed to exterior quality plywood.
- The Hale door is constructed from 20mm solid thick moulded Cedar panels.
- The other solid Cedar doors are 12mm tongue and grooved boards constructed as an infill panel.
- Matching timber side doors are supplied in brown (RAL 8014) factory pre-finished door chassis and matching steel frame with infill styles as above and standard black lever handle.
- Cedar is organically grown from replenishable sources, with natural colour and grain variations - this is a feature of Cedar. We make every effort to harmonise the effect, where possible, by hand matching the component parts used in construction. Please note that a uniform grain pattern cannot be guaranteed.
- Please tell us if you require matching pairs and we will endeavour to match both doors.
- If you require a timber door in an unfinished state, these are supplied with a dip immersion coat of Sikkens WP560, colour ref 006-Light Oak. This coating is for temporary protection only. If purchased in this temporary finish, please ensure that a full specification of finishing coats are applied immediately before or after installation to all exposed surfaces - inside and outside - with a Sikkens or similar finishing coat system.

## Fully finished colour options.

This is a factory process giving a 5 year erosion protection. The product used is Sikkens and is available in the following stain colours: Mahogany, Walnut, Dark Oak, Medium Oak, Light Oak, Teak, Ebony, Rosewood and Golden Oak. For south facing situations exposed to strong sunlight the dark colours are NOT recommended as they can store excessive heat and dry out.

**No cost option**

**NOW AS STANDARD**

## Optional Extras

### All doors




Round black handle kit (supplied instead of standard black 'D' handle)	<b>No cost option</b>
Metallic 'D' handles (White, Brass, Silver, Antique Bronze effect)	<b>Add £80</b>
Bottom rubber weatherseal 8ft/10ft	<b>Add £59/£80</b>
Novo-Wrap (polythene protective wrapping) except timber doors	<b>Included</b>
Doors not drilled for lock handle	<b>No cost option</b>

### Automated doors only

Additional Micro two channel remote control handsets	<b>Add £54</b>
Additional Mini two channel remote control handsets	<b>Add £54</b>
Additional Mini four channel remote control handsets	<b>Add £57</b>
Solar panel (to be used with battery pack for in-situ charging)	<b>Add £408</b>




# Sectional Overhead Garage Doors - iso20 - standard sizes

Premium, double skin, insulated steel sectional doors - white.

Door order reference (W x H)		Horizontal Rib (woodgrain, white) 	Large Rib (woodgrain, white) 	Large Rib Glazed (woodgrain, white) 	No. of windows	
Imperial	Metric	Manual	Manual	Manual		
6'10" x 6'4"	2074 x 1925	<b>765</b>	<b>765</b>	1002*	3	
6'10" x 6'10"	2074 x 2075				3	
7'0" x 6'6"	2134 x 2000				3	
7'0" x 7'0"	2134 x 2125				3	
7'4" x 6'4"	2226 x 1925				3	
7'4" x 6'10"	2226 x 2075				3	
7'6" x 6'6"	2286 x 2000				3	
7'6" x 7'0"	2286 x 2125				3	
7'10" x 6'4"	2378 x 1925	<b>825</b>	<b>825</b>	1141*	4	
7'10" x 6'10"	2378 x 2075				4	
8'0" x 6'6"	2438 x 2000				4	
8'0" x 7'0"	2438 x 2125				4	
8'4" x 6'4"	2531 x 1925				4	
8'4" x 6'10"	2531 x 2075				4	
8'6" x 6'6"	2591 x 2000				4	
8'6" x 7'0"	2591 x 2125				4	
8'10" x 6'4"	2685 x 1925	<b>875*</b>	<b>875*</b>	1191*	4	
8'10" x 6'10"	2685 x 2075				4	
9'0" x 6'6"	2745 x 2000				4	
9'0" x 7'0"	2745 x 2125				4	
9'4" x 6'4"	2838 x 1925	<b>930*</b>	<b>930*</b>	1246*	4	
9'4" x 6'10"	2838 x 2075				4	
9'6" x 6'6"	2898 x 2000				4	
9'6" x 7'0"	2898 x 2125				4	
9'10" x 6'4"	3000 x 1925			<b>930</b>	1325*	5
9'10" x 6'6"	3000 x 1925					5
9'10" x 6'10"	3000 x 2075					5
9'10" x 7'0"	3000 x 2125					5

Prices in bold - standard delivery 1-2 weeks. Not available ex stock, prices marked '\*' delivery 3-4 weeks, prices marked '+' delivery 5-6 weeks. For automation of Sectional doors see p34-37 for prices.

# Sectional Overhead Garage Doors - iso20 - made to measure





Door order reference (W x H)	Horizontal Rib (woodgrain, white) 	Large Rib (woodgrain, white) 	Large Rib Glazed (woodgrain, white) 	No. of windows
Metric (mm)	Manual	Manual	Manual	
1981 to 2073 x 1925 or 2075	<b>854*</b>	<b>1091*</b>	3	
1981 to 2133 x 2000 or 2125			3	
2076 to 2225 x 1925 or 2075			3	
2135 to 2287 x 2000 or 2125			3	
2227 to 2377 x 1925 or 2075	<b>914*</b>	<b>1230*</b>	4	
2287 to 2437 x 2000 or 2125			4	
2379 to 2530 x 1925 or 2075			4	
2439 to 2590 x 2000 or 2125			4	
2532 to 2684 x 1925 or 2075	<b>964*</b>	<b>1280*</b>	4	
2592 to 2744 x 2000 or 2125			4	
2686 to 2837 x 1925 or 2075	<b>1019*</b>	<b>1335*</b>	4	
2746 to 2897 x 2000 or 2125			4	
2839 to 2999 x 1925 or 2075		<b>1414*</b>	5	
2899 to 2999 x 2000 or 2125			5	

**Prices in bold - standard delivery 1-2 weeks.** Not available ex stock, prices marked '\*' delivery 3-4 weeks, prices marked '+' delivery 5-6 weeks. For automation of Sectional doors see p34-37 for prices.







# Sectional Overhead Garage Doors - iso20 - standard sizes

Premium, double skin, insulated steel sectional doors - white.

Door order reference (W x H)		Large Rib (smooth, white) 	Flush (smooth, white) 	Panelled (woodgrain, white) 	Panelled - Glazed (woodgrain, white) 	No. of windows
Imperial	Metric	Manual	Manual	Manual	Manual	
6'10" x 6'4"	2074 x 1925	<b>955<sup>†</sup></b>	<b>995<sup>†</sup></b>	<b>889</b>	<b>1126<sup>*</sup></b>	3
6'10" x 6'10"	2074 x 2075					3
7'0" x 6'6"	2134 x 2000					3
7'0" x 7'0"	2134 x 2125					3
7'4" x 6'4"	2226 x 1925					3
7'4" x 6'10"	2226 x 2075					3
7'6" x 6'6"	2286 x 2000					3
7'6" x 7'0"	2286 x 2125					3
7'10" x 6'4"	2378 x 1925	<b>965<sup>†</sup></b>	<b>1005<sup>†</sup></b>	<b>899</b>	<b>1205<sup>*</sup></b>	4
7'10" x 6'10"	2378 x 2075					4
8'0" x 6'6"	2438 x 2000					4
8'0" x 7'0"	2438 x 2125					4
8'4" x 6'4"	2531 x 1925	<b>1065<sup>†</sup></b>	<b>1125<sup>†</sup></b>	<b>1129<sup>*</sup></b>	<b>1445<sup>*</sup></b>	4
8'4" x 6'10"	2531 x 2075					4
8'6" x 6'6"	2591 x 2000			<b>1129</b>		4
8'6" x 7'0"	2591 x 2125					4
8'10" x 6'4"	2685 x 1925	<b>1065<sup>†</sup></b>	<b>1125<sup>†</sup></b>	<b>1165<sup>*</sup></b>	<b>1481<sup>*</sup></b>	4
8'10" x 6'10"	2685 x 2075					4
9'0" x 6'6"	2745 x 2000					4
9'0" x 7'0"	2745 x 2125					4
9'4" x 6'4"	2838 x 1925	<b>1095<sup>†</sup></b>	<b>1280<sup>†</sup></b>	<b>1199<sup>*</sup></b>	<b>1515<sup>*</sup></b>	4
9'4" x 6'10"	2838 x 2075					4
9'6" x 6'6"	2898 x 2000					4
9'6" x 7'0"	2898 x 2125					4
9'10" x 6'4"	3000 x 1925			<b>1594<sup>*</sup></b>	5	
9'10" x 6'6"	3000 x 1925				5	
9'10" x 6'10"	3000 x 2075				5	
9'10" x 7'0"	3000 x 2125				5	

Prices in bold - standard delivery 1-2 weeks. Not available ex stock, prices marked '\*' delivery 2-3 weeks, prices marked '†' delivery 5-6 weeks. For automation of Sectional doors see p34-37 for prices.



# Sectional Overhead Garage Doors - iso20 - made to measure

Door order reference (W x H)	Large Rib (smooth, white) 	Flush (smooth, white) 	Panelled (woodgrain, white) 	Panelled - Glazed (woodgrain, white) 	No. of windows
Metric (mm)	Manual	Manual	Manual	Manual	
1981 to 2073 x 1925 or 2075					3
1981 to 2133 x 2000 or 2125	<b>1044<sup>†</sup></b>	<b>1084<sup>†</sup></b>	<b>978<sup>*</sup></b>	<b>1215<sup>*</sup></b>	3
2075 to 2225 x 1925 or 2075					3/4
2135 to 2287 x 2000 or 2125					3/4
2227 to 2377 x 1925 or 2075					4
2287 to 2437 x 2000 or 2125	<b>1054<sup>†</sup></b>	<b>1094<sup>†</sup></b>	<b>978<sup>*</sup></b>	<b>1294<sup>*</sup></b>	4
2379 to 2530 x 1925 or 2075					4
2439 to 2590 x 2000 or 2125	<b>1154<sup>†</sup></b>	<b>1094<sup>†</sup></b>	<b>1218<sup>*</sup></b>	<b>1534<sup>*</sup></b>	4
2532 to 2684 x 1925 or 2075					4
2592 to 2744 x 2000 or 2125	<b>1154<sup>†</sup></b>	<b>1214<sup>†</sup></b>	<b>1254<sup>*</sup></b>	<b>1570<sup>*</sup></b>	4
2686 to 2837 x 1925 or 2075					4
2746 to 2897 x 2000 or 2125	<b>1273<sup>†</sup></b>	<b>1369<sup>†</sup></b>	<b>1288<sup>*</sup></b>	<b>1604<sup>*</sup></b>	4/5
2839 to 2999 x 1925 or 2075					4/5
2899 to 2999 x 2000 or 2125				<b>1683<sup>*</sup></b>	5
					5



**Prices in bold - standard delivery 1-2 weeks.** Not available ex stock, prices marked <sup>\*</sup> delivery 2-3 weeks, prices marked <sup>†</sup> delivery 5-6 weeks. For automation of Sectional doors see p34-37 for prices.

# Sectional Overhead Garage Doors - iso20

Special Sizes - Premium, double skin, insulated steel sectional doors - white.

		Horizontal Woodgrain			Large Rib Woodgrain				
									
Door order heights		No. of windows per panel (large rib only)							
		3	3	4	4	4	4	4	5
Special heights in 25mm increments	2750	1225	1256	1294	1328	1384	1503	1573	1649
	2625	1188	1215	1248	1279	1350	1467	1538	1614
	2500	1166	1185	1215	1250	1312	1406	1479	1553
	2375	1133	1152	1179	1200	1260	1347	1416	1495
	2250	1099	1118	1144	1161	1235	1309	1383	1456
	2125	1064	1084	1109	1136	1208	1279	1358	1419
	2000	1023	1055	129	1109	1173	1247	1320	1388
	1875	1006	1023	1055	1083	1148	1206	1283	1350
Door widths (intermediate widths available from 1500mm)		2125	2250	2375	2500	2625	2750	2875	3000

Delivery on special size sectional doors is 6 weeks. For automation of Sectional doors see p34-37 for prices.

		Large Rib Smooth			Flush Smooth				
									
Door order heights		No. of windows per panel							
		3	3	4	4	4	4	4	5
Special heights in 25mm increments	2750	1451	1496	1547	1594	1663	1796	1879	1969
	2625	1403	1444	1489	1534	1617	1747	1831	1920
	2500	1371	1402	1445	1491	1567	1671	1756	1842
	2375	1327	1359	1397	1429	1502	1600	1681	1771
	2250	1284	1314	1350	1378	1464	1549	1633	1717
	2125	1238	1269	1304	1341	1425	1505	248	1665
	2000	1187	1229	1267	1302	1376	1460	1542	1620
	1875	1160	1186	1238	1265	1338	1407	1491	1568
Door widths (intermediate widths available from 1500mm)		2125	2250	2375	2500	2625	2750	2875	3000

Delivery on special size sectional doors is 6 weeks. For automation of Sectional doors see p34-37 for prices.



# Special sizes- white

Panelled Woodgrain									
Door order heights		No. of windows per panel							
		3	3	4	4	4	4	4	5
Special heights in 25mm increments	2750	1574	1619	1661	1664	1751	1825	1969	2041
	2625	1550	1586	1620	1643	1731	1804	1948	2020
	2500	1507	1549	1583	1618	1686	1742	1853	1950
	2375	1492	1520	1545	1595	1641	1680	1790	1882
	2250	1482	1503	1520	1575	1621	1646	1757	1849
	2125	1416	1425	1437	1451	1545	1620	1691	1742
	2000	1411	1418	1428	1445	1529	1600	1668	1719
	1875	1399	1413	1419	1439	1508	1567	1645	1703
Door widths (intermediate widths available from 2000mm)		2125	2250	2375	2500	2625	2750	2875	3000

Delivery on special size sectional doors is 6 weeks. For automation of Sectional doors see p34-37 for prices.


## Glazing



V1 clear/crystal, white. Add £79 each  
or choice of RAL colour. Add £89 each



V2 clear/crystal, white. Add £79 each  
or choice of RAL colour. Add £89 each



V3 clear/crystal, white. Add £79 each  
or choice of RAL colour. Add £89 each



V4s clear/crystal, white. Add £109 each  
or choice of RAL colour. Add £119 each







V4d clear/crystal, white. Add £109 each  
or choice of RAL colour. Add £119 each

All prices are in £'s and are exclusive of VAT.

[www.novoferm.co.uk](http://www.novoferm.co.uk)





# Sectional Overhead Garage Doors - iso45 - standard sizes

Deluxe, double skin, insulated steel sectional doors - white.

Door order reference (W x H)		Horizontal Rib (woodgrain, white) 	Large Rib (woodgrain, white) 	Flush (woodgrain, white) 	Large Rib Glazed (woodgrain, white) 	No. of windows				
Imperial	Metric	Manual	Manual	Manual	Manual					
6'10" x 6'4"	2074 x 1925	960*	960*	1015 <sup>†</sup>	1197*	3				
6'10" x 6'10"	2074 x 2075					3				
7'0" x 6'6"	2134 x 2000					3				
7'0" x 7'0"	2134 x 2125					3				
7'6" x 6'4"	2286 x 1925			1020 <sup>†</sup>		3				
7'6" x 6'10"	2286 x 2075					3				
7'6" x 6'6"	2286 x 2000					3				
7'6" x 7'0"	2286 x 2125					3				
8'0" x 6'4"	2438 x 1925	1120*	1120*	1025 <sup>†</sup>	1257*	3				
8'0" x 6'10"	2438 x 2075					3				
8'0" x 6'6"	2438 x 2000					3				
8'0" x 7'0"	2438 x 2125					<b>1120</b>	3			
10'0" x 6'4"	3048 x 1925	1180*	1180*	1450 <sup>†</sup>	1496*	4				
10'0" x 6'10"	3048 x 2075					4				
10'0" x 6'6"	3048 x 2000					4				
10'0" x 7'0"	3048 x 2125					4				
12'0" x 6'4"	3657 x 1925	1599*	1599*	1610 <sup>†</sup>	1994*	5				
12'0" x 6'10"	3657 x 2075					5				
12'0" x 6'6"	3657 x 2000					5				
12'0" x 7'0"	3657 x 2125					5				
13'10" x 6'4"	4207 x 1925	1443*	1443	1630 <sup>†</sup>	1917*	6				
13'10" x 6'10"	4207 x 2075	<b>1443</b>				6				
14'0" x 6'6"	4267 x 2000					6				
14'0" x 7'0"	4267 x 2125	1443*				1443	1630 <sup>†</sup>	1917*	6	
14'4" x 6'4"	4360 x 1925								1443*	6
14'4" x 6'10"	4360 x 2075								<b>1443</b>	6
14'6" x 6'6"	4420 x 2000									6
14'6" x 7'0"	4420 x 2125	<b>1443</b>				6				
15'10" x 6'4"	4817 x 1925	1750	1750*	1950 <sup>†</sup>	2303*	7				
15'10" x 6'10"	4817 x 2075					7				
16'0" x 6'6"	4877 x 2000					7				
16'0" x 7'0"	4877 x 2125					<b>1750</b>	7			
18'1" x 6'6"	5500 x 2000	2250*	2250*	2250 <sup>†</sup>	2803*	7				
18'1" x 7'0"	5500 x 2125					7				

Prices in bold - standard delivery 1-2 weeks. Not available ex stock, prices marked '\*' delivery 2-3 weeks, prices marked '†' delivery 5-6 weeks. For automation of Sectional doors see p34-37 for prices.

# Sectional Overhead Garage Doors - iso45 - made to measure






Door order reference (W x H)	Horizontal Rib (woodgrain, white) 	Large Rib (woodgrain, white) 	Flush (woodgrain, white) 	Large Rib Glazed (woodgrain, white) 	No. of windows
Metric (mm)	Manual	Manual	Manual	Manual	
1981 to 2073 x 1925 or 2075	<b>1049*</b>		<b>1104<sup>†</sup></b>	<b>1286*</b>	3
1981 to 2133 x 2000 or 2125			3		
2075 to 2437 x 1925 or 2075			<b>1109<sup>†</sup></b>		3
2135 to 2437 x 2000 or 2125			3		
2439 to 3047 x 1925 or 2075	<b>1109*</b>		<b>1114<sup>†</sup></b>	<b>1346*</b>	3
2439 to 3047 x 2000 or 2125			3		
3049 to 3656 x 1925 or 2075	<b>1269*</b>		<b>1539<sup>†</sup></b>	<b>1585*</b>	4
3049 to 3656 x 2000 or 2125					4
3658 to 4206 x 1925 or 2075	<b>1688*</b>		<b>1699<sup>†</sup></b>	<b>2083*</b>	5
3658 to 4206 x 2000 or 2125					5
4208 to 4419 x 1925 or 2075	<b>1532*</b>		<b>1719<sup>†</sup></b>	<b>2006*</b>	6
4208 to 4419 x 2000 or 2125					6
4421 to 4816 x 1925 or 2075					6
4421 to 4816 x 2000 or 2125					6
4818 to 4876 x 1925 or 2075	<b>1839*</b>		<b>2039<sup>†</sup></b>	<b>2392*</b>	7
4818 to 4876 x 2000 or 2125					7
4878 to 5499 x 1925 or 2075	<b>2339*</b>		<b>2339<sup>†</sup></b>	<b>2892*</b>	7
4878 to 5499 x 2000 or 2125					7

**Prices in bold - standard delivery 1-2 weeks.** Not available ex stock, prices marked "\*" delivery 2-3 weeks, prices marked "†" delivery 5-6 weeks. For automation of Sectional doors see p34-37 for prices.








# Sectional Overhead Garage Doors - iso45 - standard sizes

Deluxe, double skin, insulated steel sectional doors - white.

Door order reference (W x H)		Horizontal Rib (smooth, white) 	Large Rib (smooth, white) 	Panelled (woodgrain, white) 	Flush (smooth, white) 	Panelled - Glazed (woodgrain, white) 	No. of windows			
Imperial	Metric	Manual	Manual	Manual	Manual	Manual				
6'10" x 6'4"	2074 x 1925	<b>1030<sup>†</sup></b>	<b>1105</b>	1105*	<b>1090<sup>†</sup></b>	<b>1342*</b>	3			
6'10" x 6'10"	2074 x 2075									
7'0" x 6'6"	2134 x 2000									
7'0" x 7'0"	2134 x 2125									
7'4" x 6'4"	2226 x 1925									
7'4" x 6'10"	2226 x 2075									
7'6" x 6'6"	2286 x 2000									
7'6" x 7'0"	2286 x 2125									
7'10" x 6'4"	2378 x 1925	<b>1090<sup>†</sup></b>	<b>1290</b>	1220*	<b>1305<sup>†</sup></b>	<b>1457*</b>	3			
7'10" x 6'10"	2378 x 2075									
8'0" x 6'6"	2438 x 2000									
8'0" x 7'0"	2438 x 2125									
8'6" x 6'4"	2591 x 1925									
8'6" x 6'10"	2591 x 2075									
8'6" x 6'6"	2591 x 2000									
8'6" x 7'0"	2591 x 2125									
9'10" x 6'4"	3000 x 1925	<b>1190<sup>†</sup></b>	<b>1520*</b>	1584 <sup>†</sup>	<b>1836*</b>	4				
9'10" x 6'10"	3000 x 2075									
10'0" x 6'6"	3048 x 2000									
10'0" x 7'0"	3048 x 2125									
10'10" x 6'4"	3292 x 1925						<b>1425<sup>†</sup></b>	<b>1625*</b>	<b>1941*</b>	4
10'10" x 6'10"	3292 x 2075									
11'0" x 6'6"	3353 x 2000									
11'0" x 7'0"	3353 x 2125									
12'0" x 6'4"	3657 x 1925	<b>1610<sup>†</sup></b>	<b>1680*</b>	<b>1764<sup>†</sup></b>	<b>2075*</b>	5				
12'0" x 6'10"	3657 x 2075									
12'0" x 6'6"	3657 x 2000									
12'0" x 7'0"	3657 x 2125									
13'10" x 6'4"	4207 x 1925	<b>1710<sup>†</sup></b>	<b>1510</b>	1879 <sup>†</sup>	<b>1984*</b>	6				
13'10" x 6'10"	4207 x 2075									
14'0" x 6'6"	4267 x 2000									
14'0" x 7'0"	4267 x 2125									
14'4" x 6'4"	4360 x 1925									
14'4" x 6'10"	4360 x 2075									
14'6" x 6'6"	4420 x 2000									
14'6" x 7'0"	4420 x 2125									
15'10" x 6'4"	4817 x 1925	<b>1830<sup>†</sup></b>	<b>1850</b>	<b>2026<sup>†</sup></b>	<b>2403*</b>	7				
15'10" x 6'10"	4817 x 2075									
16'0" x 6'6"	4877 x 2000									
16'0" x 7'0"	4877 x 2125									
18'1" x 6'4"	5500 x 1925	<b>2250<sup>†</sup></b>	<b>2475*</b>	<b>2250<sup>†</sup></b>	<b>3028*</b>	7				
18'1" x 6'10"	5500 x 2075									
18'1" x 6'6"	5500 x 2000									
18'1" x 7'0"	5500 x 2125									

Prices in bold - standard delivery 1-2 weeks. Not available ex stock, prices marked '\*' delivery 2-3 weeks, prices marked '†' delivery 5-6 weeks. For automation of Sectional doors see p34-37 for prices.





# Sectional Overhead Garage Doors - iso45 - made to measure

Door order reference (W x H)	 Horizontal Rib (smooth, white)	 Large Rib (smooth, white)	 Panelled (woodgrain, white)	 Flush (smooth, white)	 Panelled - Glazed (woodgrain, white)	No. of windows	
Metric (mm)	Manual	Manual	Manual	Manual	Manual		
1981 to 2073 x 1925 or 2075	<b>1119<sup>†</sup></b>		<b>1194<sup>*</sup></b>	<b>1179<sup>†</sup></b>	<b>1431<sup>*</sup></b>	3	
1981 to 2133 x 2000 or 2125						3	
2076 to 2225 x 1925 or 2075						3	
2135 to 2285 x 2000 or 2125						3	
2227 to 2377 x 1925 or 2075	<b>1179<sup>†</sup></b>		<b>1309<sup>*</sup></b>	<b>1394<sup>†</sup></b>	<b>1546<sup>*</sup></b>	3	
2287 to 2437 x 2000 or 2125						3	
2379 to 2590 x 1925 or 2075			<b>1379<sup>*</sup></b>			<b>1616<sup>*</sup></b>	3
2489 to 2590 x 2000 or 2125							3
2592 to 2999 x 1925 or 2075	<b>1279<sup>†</sup></b>		<b>1599<sup>*</sup></b>	<b>1673<sup>†</sup></b>	<b>1915<sup>*</sup></b>	4	
2592 to 3047 x 2000 or 2125						4	
3001 to 3291 x 1925 or 2075	<b>1514<sup>†</sup></b>		<b>1714<sup>*</sup></b>		<b>2030<sup>*</sup></b>	4	
3049 to 3352 x 2000 or 2125						4	
3293 to 3656 x 1925 or 2075	<b>1699<sup>†</sup></b>		<b>1769<sup>*</sup></b>	<b>1853<sup>†</sup></b>	<b>2164<sup>*</sup></b>	5	
3353 to 3656 x 2000 or 2125						5	
3658 to 4206 x 1925 or 2075	<b>1799<sup>†</sup></b>		<b>1599<sup>*</sup></b>	<b>1968<sup>†</sup></b>	<b>2073<sup>*</sup></b>	6	
3658 to 4266 x 2000 or 2125						6	
4268 to 4359 x 1925 or 2075						6	
4268 to 4419 x 2000 or 2125						6	
4361 to 4816 x 1925 or 2075	<b>1919<sup>†</sup></b>		<b>1939<sup>*</sup></b>	<b>2115<sup>†</sup></b>	<b>2492<sup>*</sup></b>	7	
4421 to 4876 x 2000 or 2125						7	
4818 to 5499 x 1925 or 2075	<b>2339<sup>†</sup></b>		<b>2564<sup>*</sup></b>	<b>2339<sup>†</sup></b>	<b>3117<sup>*</sup></b>	7	
4879 to 5499 x 2000 or 2125						7	

**Prices in bold - standard delivery 1-2 weeks.** Not available ex stock, prices marked '\*' delivery 2-3 weeks, prices marked '†' delivery 5-6 weeks. For automation of Sectional doors see p34-37 for prices.




# Sectional Overhead Garage Doors - iso45 - standard smoothfoil

Deluxe, double skin, insulated steel sectional doors - white.

Door order reference (W x H)		Horizontal Rib Golden Oak Smoothfoil 	Large Rib Golden Oak Smoothfoil 	Large Rib Rosewood Smoothfoil 	Large Rib Glazed Golden Oak/Rosewood 	No. of windows
Imperial	Metric	Manual	Manual	Manual	Manual	
6'10" x 6'4"	2074 x 1925	1120 <sup>†</sup>	1120 <sup>*</sup>	1120 <sup>*</sup>	1387 <sup>*</sup>	3
6'10" x 6'10"	2074 x 2075					
7'0" x 6'6"	2134 x 2000					
7'0" x 7'0"	2134 x 2125			<b>1120</b>		
7'6" x 6'4"	2286 x 1925	1160 <sup>†</sup>	1160 <sup>*</sup>	1160 <sup>*</sup>	1427 <sup>*</sup>	3
7'6" x 6'10"	2286 x 2075					
7'6" x 6'6"	2286 x 2000					
7'6" x 7'0"	2286 x 2125					
8'0" x 6'4"	2438 x 1925					
8'0" x 6'10"	2438 x 2075			<b>1160</b>		
8'0" x 6'6"	2438 x 2000					
8'0" x 7'0"	2438 x 2125					
10'0" x 6'4"	3048 x 1925	1370 <sup>†</sup>	1370 <sup>*</sup>		1370 <sup>*</sup>	1726 <sup>*</sup>
10'0" x 6'10"	3048 x 2075					
10'0" x 6'6"	3048 x 2000					
10'0" x 7'0"	3048 x 2125			<b>1370</b>		
12'0" x 6'4"	3657 x 1925	1840 <sup>†</sup>	1840 <sup>*</sup>	1840 <sup>*</sup>	2285 <sup>*</sup>	5
12'0" x 6'10"	3657 x 2075					
12'0" x 6'6"	3657 x 2000					
12'0" x 7'0"	3657 x 2125					
13'10" x 6'4"	4207 x 1925	1950 <sup>†</sup>	1950 <sup>*</sup>	1950 <sup>*</sup>	2484 <sup>*</sup>	6
13'10" x 6'10"	4207 x 2075					
14'0" x 6'6"	4267 x 2000					
14'0" x 7'0"	4267 x 2125			<b>1950</b>		
14'4" x 6'4"	4360 x 1925	2150 <sup>†</sup>	2150 <sup>*</sup>	2150 <sup>*</sup>	2684 <sup>*</sup>	6
14'4" x 6'10"	4360 x 2075					
14'6" x 6'6"	4420 x 2000					
14'6" x 7'0"	4420 x 2125			<b>2150</b>		
15'10" x 6'4"	4817 x 1925	2199 <sup>†</sup>	2199 <sup>*</sup>	2199 <sup>*</sup>	2822 <sup>*</sup>	7
15'10" x 6'10"	4817 x 2075					
16'0" x 6'6"	4877 x 2000					
16'0" x 7'0"	4877 x 2125					
18'1" x 6'6"	5500 x 2000	2549 <sup>†</sup>	2549 <sup>*</sup>	2549 <sup>*</sup>	3172 <sup>*</sup>	7
18'1" x 7'0"	5500 x 2125					

Prices in bold - standard delivery 1-2 weeks. Not available ex stock, prices marked '\*' delivery 2-3 weeks, prices marked '†' delivery 5-6 weeks. For automation of Sectional doors see p34-37 for prices.





## Sectional Overhead Garage Doors - iso45 - made to measure smoothfoil

Door order reference (W x H)	Horizontal Rib Golden Oak Smoothfoil 	Large Rib Golden Oak/Rosewood Smoothfoil 	Large Rib Glazed Golden Oak/Rosewood Smoothfoil 	No. of windows
Metric (mm)	Manual	Manual	Manual	
1981 to 2073 x 1925 or 2075	<b>1209<sup>†</sup></b>	<b>1209<sup>*</sup></b>	<b>1467<sup>*</sup></b>	3
1981 to 2133 x 2000 or 2125				
2075 to 2437 x 1925 or 2075	<b>1249<sup>†</sup></b>	<b>1249<sup>*</sup></b>	<b>1516<sup>*</sup></b>	3
2135 to 2437 x 2000 or 2125				
2439 to 3047 x 1925 or 2075				3
2439 to 3047 x 2000 or 2125				
3049 to 3656 x 1925 or 2075	<b>1459<sup>†</sup></b>	<b>1459<sup>*</sup></b>	<b>1815<sup>*</sup></b>	4
3049 to 3656 x 2000 or 2125				
3658 to 4206 x 1925 or 2075	<b>1929<sup>†</sup></b>	<b>1929<sup>*</sup></b>	<b>2374<sup>*</sup></b>	5
3658 to 4206 x 2000 or 2125				
4208 to 4419 x 1925 or 2075	<b>2039<sup>†</sup></b>	<b>2039<sup>*</sup></b>	<b>2573<sup>*</sup></b>	6
4208 to 4419 x 2000 or 2125				
4421 to 4816 x 1925 or 2075	<b>2239<sup>†</sup></b>	<b>2239<sup>*</sup></b>	<b>2773<sup>*</sup></b>	6
4421 to 4816 x 2000 or 2125				
4818 to 4876 x 1925 or 2075	<b>2289<sup>†</sup></b>	<b>2289<sup>*</sup></b>	<b>2911<sup>*</sup></b>	7
4818 to 4876 x 2000 or 2125				
4878 to 5499 x 1925 or 2075	<b>2638<sup>†</sup></b>	<b>2638<sup>*</sup></b>	<b>3261<sup>*</sup></b>	7
4878 to 5499 x 2000 or 2125				

**Prices in bold - standard delivery 1-2 weeks.** Not available ex stock, prices marked <sup>\*</sup> delivery 2-3 weeks, prices marked <sup>†</sup> delivery 5-6 weeks. For automation of Sectional doors see p34-37 for prices.

# Sectional Overhead Garage Doors - iso45 - standard smoothfoil




Deluxe, double skin, insulated steel sectional doors - white.

Door order reference (W x H)		Flush Golden Oak Smoothfoil 	Panelled Smoothfoil Golden Oak 	Panelled Smoothfoil Rosewood 	Panelled Glazed - Golden Oak/Rosewood 	No. of windows	
Imperial	Metric	Manual	Manual	Manual			
6'10" x 6'4"	2074 x 1925	1120 <sup>†</sup>	1240 <sup>*</sup>	1240 <sup>*</sup>	1507 <sup>*</sup>	3	
6'10" x 6'10"	2074 x 2075			<b>1240</b>			
7'0" x 6'6"	2134 x 2000			1240 <sup>*</sup>			
7'0" x 7'0"	2134 x 2125			<b>1240</b>			
7'6" x 6'4"	2286 x 1925	1160 <sup>†</sup>	1430 <sup>*</sup>	1430 <sup>*</sup>	1697 <sup>*</sup>	3	
7'6" x 6'10"	2286 x 2075			<b>1430</b>			
7'6" x 6'6"	2286 x 2000			1430 <sup>*</sup>			
7'6" x 7'0"	2286 x 2125			<b>1430</b>			
8'0" x 6'4"	2438 x 1925						3
8'0" x 6'10"	2438 x 2075						
8'0" x 6'6"	2438 x 2000		<b>1430</b>	<b>1430</b>			
8'0" x 7'0"	2438 x 2125						
10'0" x 6'4"	3048 x 1925	1370 <sup>†</sup>	1710 <sup>*</sup>	1710 <sup>*</sup>	2066 <sup>*</sup>	4	
10'0" x 6'10"	3048 x 2075						
10'0" x 6'6"	3048 x 2000						
10'0" x 7'0"	3048 x 2125						
12'0" x 6'4"	3657 x 1925	1840 <sup>†</sup>	2299 <sup>*</sup>	2299 <sup>*</sup>	2744 <sup>*</sup>	5	
12'0" x 6'10"	3657 x 2075						
12'0" x 6'6"	3657 x 2000						
12'0" x 7'0"	3657 x 2125						
13'10" x 6'4"	4207 x 1925	1950 <sup>†</sup>	2130 <sup>*</sup>	2130 <sup>*</sup>	2664 <sup>*</sup>	6	
13'10" x 6'10"	4207 x 2075			<b>2130</b>			
14'0" x 6'6"	4267 x 2000			2130 <sup>*</sup>			
14'0" x 7'0"	4267 x 2125			<b>2130</b>			
14'4" x 6'4"	4360 x 1925	2150 <sup>†</sup>	2490 <sup>*</sup>	2490 <sup>*</sup>	3024 <sup>*</sup>	6	
14'4" x 6'10"	4360 x 2075			<b>2490</b>			
14'6" x 6'6"	4420 x 2000			2490 <sup>*</sup>			
14'6" x 7'0"	4420 x 2125			<b>2490</b>			
15'10" x 6'4"	4817 x 1925	2199 <sup>†</sup>	2590 <sup>*</sup>	2590 <sup>*</sup>	3213 <sup>*</sup>	7	
15'10" x 6'10"	4817 x 2075						
16'0" x 6'6"	4877 x 2000						
16'0" x 7'0"	4877 x 2125			<b>2590</b>			
18'1" x 6'6"	5500 x 2000	2549 <sup>†</sup>	3195 <sup>†</sup>	3195 <sup>†</sup>	3818 <sup>*</sup>	7	
18'1" x 7'0"	5500 x 2125						

Prices in bold - standard delivery 1-2 weeks. Not available ex stock, prices marked '\*' delivery 2-3 weeks, prices marked '†' delivery 5-6 weeks. For automation of Sectional doors see p34-37 for prices.





## Sectional Overhead Garage Doors - iso45 - made to measure smoothfoil

Door order reference (W x H)	Flush Golden Oak Smoothfoil 	Panelled Smoothfoil Golden Oak/Rosewood 	Panelled Glazed - Smoothfoil Golden Oak/Rosewood 	No. of windows
Metric (mm)	Manual	Manual	Manual	
1981 to 2073 x 1925 or 2075	<b>1209<sup>†</sup></b>	<b>1329<sup>*</sup></b>	<b>1597<sup>*</sup></b>	3
1981 to 2133 x 2000 or 2125				
2075 to 2437 x 1925 or 2075	<b>1249<sup>†</sup></b>	<b>1519<sup>*</sup></b>	<b>1786<sup>*</sup></b>	3
2135 to 2437 x 2000 or 2125				
2439 to 3047 x 1925 or 2075				3
2439 to 3047 x 2000 or 2125				
3049 to 3656 x 1925 or 2075	<b>1457<sup>†</sup></b>	<b>1799<sup>*</sup></b>	<b>2155<sup>*</sup></b>	4
3049 to 3656 x 2000 or 2125				
3658 to 4206 x 1925 or 2075	<b>1929<sup>†</sup></b>	<b>2388<sup>*</sup></b>	<b>2833<sup>*</sup></b>	5
3658 to 4206 x 2000 or 2125				
4208 to 4419 x 1925 or 2075	<b>2039<sup>†</sup></b>	<b>2219<sup>*</sup></b>	<b>2753<sup>*</sup></b>	6
4208 to 4419 x 2000 or 2125				
4421 to 4816 x 1925 or 2075	<b>2239<sup>†</sup></b>	<b>2579<sup>*</sup></b>	<b>3113<sup>*</sup></b>	6
4421 to 4816 x 2000 or 2125				
4818 to 4876 x 1925 or 2075	<b>2289<sup>†</sup></b>	<b>2679<sup>*</sup></b>	<b>3302<sup>*</sup></b>	7
4818 to 4876 x 2000 or 2125				
4878 to 5499 x 1925 or 2075	<b>2638<sup>†</sup></b>	<b>3284<sup>†</sup></b>	<b>3907<sup>†</sup></b>	7
4878 to 5499 x 2000 or 2125				




**Prices in bold - standard delivery 1-2 weeks.** Not available ex stock, prices marked <sup>\*</sup> delivery 2-3 weeks, prices marked <sup>†</sup> delivery 5-6 weeks. For automation of Sectional doors see p34-37 for prices.

# Sectional Overhead Garage Doors - iso45

Special Sizes - Premium, double skin, insulated steel sectional doors - white & satin grey.


		Horizontal Woodgrain					Large Rib Woodgrain									
																
Door order heights		No. of windows per panel (large rib only)														
		3	3	4	4	5	5	6	6	6	7	7	8	8	8	8
Special heights in 25mm increments	3125	1802	1842	1897	2073	2264	2298	2438	2466	2599	2806	3007	3159	3264		
	3000	1720	1759	1809	1984	2175	2219	2361	2373	2471	2678	2879	3031	3137	3240	
	2875	1640	1691	1731	1912	2090	2138	2269	2313	2375	2549	2751	2903	3008	3112	
	2750	1502	1550	1580	1842	2026	2086	2177	2210	2280	2446	2624	2775	2880	2984	3018
	2625	1462	1508	1541	1763	1947	2007	2108	2160	2207	2370	2495	2647	2752	2857	2890
	2500	1417	1456	1490	1691	1875	1935	2083	2106	2173	2309	2409	2519	2625	2728	2762
	2375	1377	1414	1437	1615	1796	1865	2026	2057	2116	2245	2366	2435	2503	2600	2701
	2250	1345	1377	1394	1570	1711	1825	1976	1993	2064	2195	2295	2350	2405	2467	2562
	2125	1297	1328	1360	1537	1711	1782	1924	1939	2019	2125	2212	2295	2346	2387	2480
	2000	1256	1301	1328	1502	1673	1782	1883	1892	1962	2066	2153	2216	2286	2334	2423
1875	1224	1256	1297	1454	1615	1686	1825	1822	1910	1993	2065	2145	2168	2268	2354	
Door widths (intermediate widths available from 2000mm)		2250	2375	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500

Delivery on special size sectional doors is 5-6 weeks. For automation of Sectional doors see p34-37 for prices.



		Large Rib Smooth				Flush Smooth				Flush Woodgrain							
																	
Door order heights		No. of windows per panel															
		3	3	4	4	5	5	6	6	6	7	7	8	8	8	8	
Special heights in 25mm increments	3125	2462	2518	2554	2779	2997	3018	3177	3333	3487	3642	3798					
	3000	2188	2240	2280	2493	2649	2699	2764	2868	3070	3225	3380					
	2875	2135	2165	2191	2399	2554	2604	2672	2755	2949	3063	3218	3374				
	2750	1837	1886	1951	2274	2416	2470	2533	2635	2828	2937	3093	3248				
	2625	1783	1851	1903	2169	2331	2392	2457	2551	2701	2806	2996	3150	3305			
	2500	1762	1803	1863	2125	2289	2342	2405	2490	2640	2732	2851	2962	3134	3199	3253	
	2375	1747	1765	1820	2072	2250	2297	2362	2443	2584	2663	2767	2882	2985	3049	3115	
	2250	1730	1752	1779	2029	2223	2249	2310	2355	2511	2589	2686	2807	2830	2887	2949	
	2125	1689	1699	1714	1929	2117	2204	2272	2294	2437	2520	2610	2746	2761	2821	2882	
	2000	1677	1688	1698	1889	2081	2162	2222	2272	2384	2454	2520	2657	2688	2738	2798	
1875	1647	1663	1677	1842	2011	2091	2158	2198	2223	2362	2442	2504	2536	2583	2638		
Door widths (intermediate widths available from 2000mm)		2250	2375	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	

Delivery on special size sectional doors is 5-6 weeks. For automation of Sectional doors see p34-37 for prices.

# Special sizes - white/satin grey

Panelled Woodgrain																
																
Door order heights		No. of windows per panel														
		3	3	4	4	5	5	6	6	6	7	7	8	8	8	8
Special heights in 25mm increments	3125	2420	2455	2507	2669	2845	2829	2952	3099	3245	3404	3571				
	3000	2350	2386	2440	2593	2766	2757	2883	2982	3115	3275	3442				
	2875	2122	2167	2320	2522	2693	2695	2801	2864	2993	3146	3313	3372			
	2750	1885	1931	1938	2187	2385	2396	2571	2736	2872	3017	3184	3243			
	2625	1850	1887	1918	2108	2362	2331	2529	2690	2740	2879	3055	3113	3326		
	2500	1805	1849	1885	2034	2278	2265	2465	2642	2673	2819	2910	2984	3197	3290	3359
	2375	1773	1801	1877	1961	2198	2192	2418	2592	2647	2758	2869	2917	3045	3134	3226
	2250	1753	1773	1839	1923	2160	2138	2381	2543	2597	2717	2808	2846	2889	2967	3059
	2125	1664	1679	1691	1887	2032	2120	2317	2485	2556	2653	2725	2784	2827	2912	2998
	2000	1655	1667	1686	1868	2007	2108	2268	2460	2516	2586	2661	2719	2777	2830	2935
1875	1647	1657	1680	1827	1990	2094	2229	2438	2476	2414	2597	2655	2726	2799	2889	
Door widths (intermediate widths available from 2000mm)		2250	2375	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500



Delivery on special size sectional doors is 5-6 weeks. For automation of Sectional doors see p34-37 for prices.

Satin Grey Large Rib																
																
		Satin Grey Flush														
																
Door order heights		No. of windows per panel														
		3	3	4	4	5	5	6	6	6	7	7	8	8	8	8
Special heights in 25mm increments	3125	2719	2791	2842	3096	3341	3389	3573	3753	3896	4038	4180				
	3000	2435	2503	2557	2797	2981	3056	3145	3273	3498	3638	3835				
	2875	2370	2417	2455	2690	2873	2947	3036	3144	3358	3496	3693	3801			
	2750	2063	2126	2206	2552	2721	2796	2881	3006	3220	3352	3551	3659			
	2625	1997	2081	2145	2436	2622	2703	2790	2907	3075	3200	3409	3517	3706		
	2500	1967	2022	2094	2380	2564	2638	2722	2827	2998	3108	3245	3375	3564	3706	3848
	2375	1942	1974	2038	2313	2513	2579	2663	2763	2922	3019	3141	3275	3394	3536	3678
	2250	1915	1949	1985	2257	2472	2516	2595	2657	2832	2927	3041	3178	3216	3358	3500
	2125	1862	1886	1911	2145	2352	2455	2541	2580	2740	2840	2946	3098	3126	3268	3410
	2000	1841	1863	1883	2091	2302	2400	2476	2542	2670	2754	2836	2987	3032	3174	3316
1875	1801	1829	1850	2033	2218	2314	2396	2451	2491	2644	2738	2814	2858	3000	3142	
Door widths (intermediate widths available from 2000mm)		2250	2375	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500



Delivery on special size sectional doors is 5-6 weeks. For automation of Sectional doors see p34-37 for prices.

# Sectional Overhead Garage Doors - iso45

Premium, double skin, insulated steel sectional doors - Titan and Smoothfoil.


		Titan Horizontal Rib				Titan Large Rib				Titan Grey Flush							
																	
Door order heights		No. of windows per panel															
		3	3	4	4	5	5	6	6	6	7	7	8	8	8	8	
Special heights in 25mm increments	3125	2878	2950	3001	3255	3500	3548	3732	3912	4055	4197	4339					
	3000	2594	2662	2716	2956	3140	3215	3304	3432	3657	3797	3994					
	2875	2529	2576	2614	2849	3032	3106	3195	3303	3517	3655	3852	3960				
	2750	2222	2285	2365	2711	2880	2955	3040	3165	3379	3511	3710	3818				
	2625	2156	2240	2304	2595	2781	2862	2949	3066	3234	3359	3568	3676	3865			
	2500	2126	2181	2253	2539	2723	2797	2881	2986	3157	3267	3404	3534	3723	3865	4007	
	2375	2101	2133	2197	2472	2672	2738	2822	2922	3081	3178	3300	3434	3553	3695	3837	
	2250	2074	2108	2144	2416	2631	2675	2754	2816	2991	3086	3200	3337	3375	3517	3659	
	2125	2021	2045	2070	2304	2511	2614	2700	2739	2899	2999	3105	3257	3285	3427	3569	
	2000	2000	2022	2042	2250	2461	2559	2635	2701	2829	2913	2995	3146	3191	3333	3475	
1875	1960	1988	2009	2192	2377	2473	2555	2610	2650	2803	2897	2973	3017	3159	3301		
Door widths (intermediate widths available from 2000mm)		2250	2375	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	


Delivery on special size sectional doors is 5-6 weeks. For automation of Sectional doors see p34-37 for prices.

		Horizontal Golden Oak Smoothfoil				Large Rib Golden Oak Smoothfoil											
																	
Door order heights		No. of windows per panel															
		3	3	4	4	5	5	6	6	6	7	7	8	8	8	8	
Special heights in 25mm increments	3125	2330	2405	2490	2725	2975	3061	3253	3332	3495	3724	3922					
	3000	2226	2300	2380	2611	2859	2952	3143	3203	3350	3579	3777					
	2875	2125	2209	2276	2511	2745	2841	3019	3109	3216	3433	3632	3798				
	2750	1966	2045	2102	2416	2651	2372	2895	2971	3084	3292	3486	3653				
	2625	1905	1981	2039	2312	2546	2647	2792	2886	2974	3178	3341	3506	3645			
	2500	1840	1908	1964	2212	2444	2546	2735	2797	2904	3077	3215	3361	3501	3646	3792	
	2375	1779	1842	1887	2112	2337	2444	2645	2715	2810	2974	3131	3235	3336	3481	3626	
	2250	1726	1783	1821	2039	2224	2374	2562	2616	2722	2886	3020	3108	3195	3340	3485	
	2125	1656	1711	1763	1980	2196	2300	2477	2528	2640	2779	2896	3010	3091	3236	3381	
	2000	1593	1661	1708	1920	2127	2223	2403	2445	2546	2681	2797	2890	2987	3132	3279	
1875	1541	1593	1653	1845	2043	2144	2230	2340	2458	2569	2669	2776	2825	2970	3115		
Door widths (intermediate widths available from 2000mm)		2250	2375	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	

Delivery on special size sectional doors is 5-6 weeks. For automation of Sectional doors see p34-37 for prices.

# Sectional Overhead Garage Doors - iso45



Flush Golden Oak Smoothfoil																
																
Door order heights		No. of windows per panel														
		3	3	4	4	5	5	6	6	6	7	7	8	8	8	8
Special heights in 25mm increments	3125	2794	2872	2927	3190	3443	3497	3689	3877	4009	4140	4272				
	3000	2507	2580	2638	2886	3078	3160	3256	3392	3624	3755	3924				
	2875	2440	2491	2533	2776	2966	3046	3144	3257	3479	3623	3793	3889			
	2750	2128	2197	2279	2635	2810	2893	3041	3114	3336	3474	3662	3758			
	2625	2062	2149	2216	2513	2706	2795	2887	3010	3186	3316	3531	3626	3821		
	2500	2028	2087	2161	2453	2646	605	2815	2926	3103	3218	3360	3495	3690	3832	3953
	2375	1998	2034	2103	2385	2591	2663	2751	2858	3022	3124	3251	3390	3514	3644	3776
	2250	1969	2009	2047	2324	2545	2595	2680	2748	2927	3026	3145	3287	3331	3461	3592
	2125	1914	1940	1968	2208	2421	2530	2621	2665	2829	2933	3044	3201	3234	3364	3496
	2000	1889	1914	1937	2152	2367	2469	2549	2621	2753	2843	2929	3085	3132	3264	3395
	1875	1845	1876	1901	2088	2279	2380	2465	2525	2569	2727	2825	2905	2953	3084	3215
Door widths (intermediate widths available from 2000mm)		2250	2375	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500
Delivery on special size sectional doors is 5-6 weeks.										For automation of Sectional doors see p34-37 for prices.						

Panelled Golden Oak Smoothfoil																
																
Door order heights		No. of windows per panel														
		3	3	4	4	5	5	6	6	6	7	7	8	8	8	8
Special heights in 25mm increments	3125	2948	3019	3101	3320	3556	3593	3768	3967	4131	4294	4458				
	3000	2858	2927	3009	3218	3448	3491	3668	3815	3997	4203	4235				
	2875	2608	2685	2866	3122	3349	3398	3552	3663	3837	4034	4070	4324			
	2750	2350	2427	2460	2761	3010	3069	3289	3499	3678	3867	3907	4159			
	2625	2294	2361	2415	2656	2960	2973	3215	3421	3512	3690	3721	3996	4244		
	2500	2227	2299	2360	2556	2847	2877	3117	3336	3427	3591	3745	3832	4081	4244	4409
	2375	2174	2229	2328	2456	2739	2773	3038	3251	3344	3492	3639	3723	3885	4049	4212
	2250	2134	2179	310	2392	2673	2689	2968	3167	3258	3412	3537	3610	3685	3849	4012
	2125	2024	2062	2094	2330	2515	2639	2874	3074	3179	3309	3414	3504	3579	3742	3906
	2000	1993	2028	2066	2285	2461	2598	2791	3016	3104	3204	3310	3397	3485	3649	3813
	1875	1964	1995	2035	2219	2417	2552	2720	2958	3026	2993	3205	3292	3390	3553	3717
Door widths (intermediate widths available from 2000mm)		2250	2375	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500
Delivery on special size sectional doors is 5-6 weeks.										For automation of Sectional doors see p34-37 for prices.						





# Sectional Overhead Garage Doors - iso45 - timber special sizes

Solid wood manufactured from Nordic Pine as standard (or African okoume POA).

		London (Nordic Pine)					Madrid (Nordic Pine)								
															
Door order heights		No. of windows per panel													
		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Special heights in 25mm increments	3000	5055	5091	5130	5410	5531	6584	6657							
	2875	5036	5070	5108	5388	5505	6557	6631							
	2750	5011	5046	5086	5362	5472	6521	6592							
	2625	4417	4449	4486	4729	4827	5718	5781	6146						
	2500	4394	4368	4460	4698	4801	5685	5749	6126	6875	6955				
	2375	4371	4403	4437	4675	4760	5644	5707	6205	6846	6923	7050			
	2250	4272	4298	4334	4566	4663	5551	5608	5975	6721	6794	6898	7679		
	2125	3684	3713	3742	3940	4030	4752	4801	5111	5717	5783	5875	6510	6568	
	2000	3657	3685	3717	3911	4001	4713	4769	5069	5669	5736	5828	6463	6520	
	1875	3605	3642	3673	3865	3959	4675	4721	5014	5615	5684	5768	6401	6453	
Door widths (intermediate widths available from 2000mm)		2250	2375	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	







Delivery on special size sectional doors is 14 weeks. For automation of Sectional doors see p34-37 for prices.

		Thame (Nordic Pine)					Henley (Nordic Pine)								
															
Door order heights		No. of windows per panel													
		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Special heights in 25mm increments	3000	5272	5501	5724	6242	6691	7136	7653							
	2875	5140	5359	5578	6081	6521	6952	7453							
	2750	4949	5155	5366	5844	6269	6681	7162							
	2625	4720	4921	5117	5569	5969	6360	6815	7337						
	2500	4534	4724	4917	5350	5798	6095	6537	7033	7413	7798				
	2375	4402	4586	4768	5184	5553	5910	6333	6839	7184	7553	7923			
	2250	4166	4339	4531	4897	5240	5578	5972	6414	6757	7108	7450	7837		
	2125	3965	4121	4279	4644	4966	5284	5652	6075	6391	6721	7046	7407	7728	
	2000	3784	3933	4085	4430	4733	5027	5381	5782	6088	6394	6701	7046	7350	
	1875	3649	3794	3940	4272	4562	4839	5178	5566	5857	6240	6446	6772	7068	
Door widths (intermediate widths available from 2000mm)		2250	2375	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	






Delivery on special size sectional doors is 14 weeks. For automation of Sectional doors see p34-37 for prices.

# Matching Side doors for sectional overhead garage doors






Matching side doors are supplied as standard with matching colour tubular aluminium block frames.

Matching Side Doors - Door order reference (w x h) - to match iso20 and iso45 insulated sectional garage doors								
Imperial	Metric	Overall frame size	Horizontal Rib / Large Rib (woodgrain, white) 	Flush (woodgrain, white) 	Large Rib (smooth, white) 	Flush (smooth, white) 	Panelled (woodgrain, white) 	Panelled Glazed (woodgrain, white) 
2'10" x 6'6"	875 x 2000	955 x 2040	905	1030	970	1105	1070	1149
2'10" x 7'0"	875 x 2125	955 x 2165	905	1030	970	1105	1070	1149
3'3" x 6'6"	1000 x 2000	1080 x 2040	950	1068	1026	1155	1115	1194
3'3" x 7'0"	1000 x 2125	1080 x 2165	950	1068	1026	1155	1115	1194
Special sizes	730 to 1350 x 1815 to 2500	810 to 1430 x 1855 to 2540	1510	1560	1590	1635	1595	1674

**Standard delivery 6-8 weeks.** Not available ex-stock, delivery 8-10 weeks. Special sizes available on request.

Matching Side Doors - Door order reference (w x h) - to match iso 45 insulated sectional garage doors							
Imperial	Metric	Overall frame size	Large Rib- Satin Grey 	Flush - Satin Grey 	Horizontal Rib - Titan 	Large Rib- Titan 	Flush - Titan 
2'10" x 6'6"	875 x 2000	955 x 2040	1178	1178	1255	1255	1378
2'10" x 7'0"	875 x 2125	955 x 2165	1178	1178	1255	1255	1378
3'3" x 6'6"	1000 x 2000	1080 x 2040	1238	1238	1323	1323	1438
3'3" x 7'0"	1000 x 2125	1080 x 2165	1238	1238	1323	1323	1438
Special sizes	730 to 1350 x 1815 to 2500	810 to 1430 x 1855 to 2540	1690	1740	1725	1755	1905

**Standard delivery 6-8 weeks.** Not available ex-stock, delivery 8-10 weeks. Special sizes available on request.

Matching Side Doors - Door order reference (w x h) - to match iso 45 insulated sectional garage doors							
Imperial	Metric	Overall frame size	Horizontal Rib / Large Rib Golden Oak Smoothfoil 	Flush Golden Oak Smoothfoil 	Flush Glazed Golden Oak Smoothfoil 	Panelled Golden Oak Smoothfoil 	Panelled Glazed Golden Oak Smoothfoil 
2'10" x 6'6"	875 x 2000	955 x 2040	1081	1204	1293	1244	1333
2'10" x 7'0"	875 x 2125	955 x 2165	1081	1204	1293	1244	1333
3'3" x 6'6"	1000 x 2000	1080 x 2040	1155	1267	1356	1360	1449
3'3" x 7'0"	1000 x 2125	1080 x 2165	1155	1267	1356	1360	1449
Special sizes	730 to 1350 x 1815 to 2500	810 to 1430 x 1855 to 2540	1725	1770	1859	1805	1895

**Standard delivery 6-8 weeks.** Not available ex-stock, delivery 8-10 weeks. Special sizes available on request.

# Sectional Overhead Garage Doors

## Specification

- All Novoferm iso 20 steel overhead sectional garage doors are supplied 20mm thick double skinned steel sections made of hot galvanised thin sheet, with CFC free PUR rigid foam (insulation value  $k=1.0$  W/m K) giving good heat and sound insulation, anti pinch profile.
- All Novoferm iso 45 steel overhead sectional garage doors are supplied 45mm thick double skinned steel sections made of hot galvanised thin sheet, with CFC free PUR rigid foam (insulation value  $k=0.5$  W/m K) giving excellent heat and sound insulation, anti pinch profile.
- All Novoferm iso 45 timber overhead sectional garage doors are supplied solid wood 20mm thick multi-layered face boards waterproofed glued to a pine sub section overall section thickness 45mm. Doors styles router cut into face boards.
- All Novoferm overhead sectional garage doors are supplied **without locking as standard**.
- All Novoferm iso overhead sectional doors can be supplied with locking if required, this will be drilled on the right hand side viewed from outside as standard unless otherwise requested.
- Novoferm iso 20 and iso 45 steel overhead sectional door panels are supplied in woodgrain and smooth (except panelled) surface pattern as indicated on pages 10-27, with pre-finished polyester exterior coating (RAL 9016 as standard). Iso 45mm panels are also supplied in Golden Oak, Rosewood, Titan and Satin Grey surface finish.
- All sections are prepared for mounting hardware, floor profile, floor seal and locking (if required).
- All Novoferm timber overhead sectional door panels are supplied in either untreated Nordic pine (softwood) or African okohume.
- All Novoferm iso 20 steel overhead sectional garage doors are supplied with triple safety extension spring assemblies, inside double steel lifting cables arranged above the horizontal tracks.
- All Novoferm iso 45 overhead sectional garage doors are supplied with front mounted torsion spring shafts and galvanised torsion springs as standard, spring break safety feature tested in accordance with DIN EN 12604 and steel lifting cables. (Optional low head rear mount kit may be added if required p31)
- All Novoferm iso overhead sectional garage doors are supplied with angle frames and fascia panel made of hot galvanised thin sheet steel with a smooth surface pre-finished polyester coating (white RAL 9016 as standard), frame and fascia seals are black EPDM rubber, **together with colour matched leg profile covers as standard**.
- All Novoferm iso 45 overhead sectional doors with wicket doors are supplied with aluminium wicket door profile as unfinished anodised aluminium.




V1  
Plain  
clear / crystal

V2  
Rhombus  
clear / crystal


V3  
Cross  
clear / crystal

V4d  
Diamond leaded  
clear / crystal

V4s  
Square leaded  
clear / crystal



V7 Horizontal Light Strip



V8 Portholes

# Specification & Optional extras


## Optional Extras

Cover profile -	white 2.5m length	85mm x 20mm (per pair)	Add £45
		55mm x 20mm (per pair)	Add £45
	matching RAL colour 2.5m length	85mm x 20mm (per pair)	Add £60
		55mm x 20mm (per pair)	Add £60


Fully finished colour option for steel sectional overhead doors, to any RAL or BS colour (excluding metallic or pearlescent finishes), price includes exterior face of door and fascia, also includes matching frame leg cover profiles to colour specified. Per m<sup>2</sup> **Add £50m<sup>2</sup>**

African Okoume option for timber overhead sectional doors. Per m<sup>2</sup> **Add £80**


Wicket Doors - iso 45 for horizontal rib, large rib and flush (woodgrain white and smooth finish) size exceptions occur please check when ordering. **Add £955**



Wicket Door - Horizontal Rib



Wicket Door - Large Rib



Wicket Door - Flush

Wicket Door colour options - **Add £955**

**Delivery for Wicket Door option 12 weeks.**

Standard Locking with Black 'D' handle **No Cost Option**

Metallic 'D' handles (White, Brass, Silver and Antique Bronze effect) **Add £94**

Metallic lever door handles (White, Brass, Silver and Antique bronze effect) **Add £145**

Low head rear mount kit for iso 45 doors where required. **Add £99**

Window option clear/crystal, V1, V2, V3 (see page 34) **Included in glazed door price (p17/19)**

Window option clear/crystal, V4d, V4s (see page 34) **Add £5 per window to to glazed door price (p15/19)**

Window option V7 aluminium light strip (see page 34) **POA**

Window option clear/crystal V8 Portholes (see page 34) Large rib & flush doors only. **Add £425 per window**

**Sunrise Pattern Glazing** - iso 45 white panelled doors, standard sizes only






Co-ord. width 2,000 - 2,600 mm		<b>Add £295</b>
Co-ord. width 2,601 - 3,500 mm		<b>Add £392</b>
Co-ord. width 3,501 - 4,000 mm*		<b>Add £490</b>
Co-ord. width 4,001 - 4,500 mm		<b>Add £588</b>
Co-ord. width 4,501 - 5,500 mm*		<b>Add £636</b>

NOTE: Sunrise pattern glazing is only available in white RAL9016 and brown RAL8014 only.

\*Delivery for sunrise glazing 2-3 weeks, except items marked \* delivery 6 weeks.

# Side Sectional Garage Doors

Deluxe, double skin, insulated steel sectional doors - automated or manual operation.

		Narrow Rib, Flush & Panelled (woodgrain)			Panelled (golden oak smoothfoil)					
										
Door order heights	No. of windows per panel									
	4	5	6	6	7	7	8	8	8	
Special heights in 25mm increments	3000	4127	4872	5381	5920	6175	6524	7063	7667	8364
	2875	4008	4727	5216	5736	5980	6316	6836	7415	8088
	2750	3915	4611	5084	5588	5824	6149	6652	7216	7867
	2625	3797	4465	4920	5402	5629	5940	6425	6964	7589
	2500	3727	4377	4820	5291	5512	5817	6288	6815	7424
	2375	3632	4261	4689	5143	5357	5652	6106	6613	7202
	2250	3539	4144	4558	4995	5202	5480	5923	6413	6981
	2125	3433	4014	4409	4829	5026	5298	5781	6187	6731
	2000	3350	3912	4293	4699	4890	5153	5558	6012	6538
1875	3480	3883	4260	4662	4851	5111	5514	5962	6482	
Door widths (intermediate widths available from 1600mm)		2500	3000	3500	4000	4250	4500	5000	5500	6000

Delivery on special size sectional doors is 14 weeks. **Side sectional automation POA.** For optional extras see p35.

## Optional Extras

Fully finished colour option, to any RAL colour (excluding metallic or pearlescent finishes), price includes exterior face of door and frame to colour specified. Per m<sup>2</sup>

Add £50m<sup>2</sup>




V1 clear/crystal, white.

Add £79 each

or choice of RAL colour.

Add £89 each



For side curve rebate 150 < 340 double curve required

(must be added for Novoport automation)

Frame coated in garage door colour

Add £250

Add £197




V2 clear/crystal, white.

Add £79 each

or choice of RAL colour.

Add £89 each



**Header panels** iso panel in flush white woodgrain similar to

RAL 9016 from 50 to 430mm height.

iso panel smoothfoil from 50 to 430mm height.

Add £150 per metre

Add £185 per metre




V3 clear/crystal, white.

Add £79 each

or choice of RAL colour.

Add £89 each



**Side panels on the curve side** (description as for header panel)

side reveal 50 to 430mm width, iso panel, flush white woodgrain

side reveal 50 to 430mm width, iso panel, smoothfoil

Add £150 per metre

Add £185 per metre



Three point locking for manual doors.

Add £425

Please Note: Each door is custom designed, number of window panels available on request.



# Insulated Roller Garage Doors

Automated operation, insulated aluminium doors. All compliant with EN12453 - Safety in use of powered doors

## Polyester Paint Finish (White - RAL 9016, Brown - RAL8014)

Guide Height (up to)		Overguide Width mm (up to)				
Imperial	Metric	2500	3000	3500	4000	4600
6'6"	1981mm	<b>1358</b>	<b>1473</b>	<b>1554</b>	<b>1717</b>	<b>1925</b>
7'0"	2134mm	<b>1376</b>	<b>1502</b>	<b>1593</b>	<b>1760</b>	<b>1967</b>
8'0"	2440mm	<b>1449</b>	<b>1557</b>	<b>1639</b>	<b>1800</b>	<b>2092</b>

Delivery 2-3 weeks.

## Textured Woodgrain Finish

Available in following colours: Golden Oak, Rosewood, Anthracite Grey, Irish Oak, Black Ash, Dark Red, Wine Red, Moss Green, Dark Green, Steel Blue, Cream White, White

Guide Height (up to)		Overguide Width mm (up to)				
Imperial	Metric	2500	3000	3500	4000	4600
6'6"	1981mm	<b>1410</b>	<b>1526</b>	<b>1607</b>	<b>1769</b>	<b>1977</b>
7'0"	2134mm	<b>1428</b>	<b>1562</b>	<b>1645</b>	<b>1812</b>	<b>2019</b>
8'0"	2440mm	<b>1502</b>	<b>1610</b>	<b>1692</b>	<b>1852</b>	<b>2144</b>

Delivery 2-3 weeks.





## Standard Specification

Feature	Included
Complies with ALL current EU standards including EN12453	✓
Supplied with the exclusive Novoferm control box and Safety Edge system, plus a Safety Brake.	✓
Supplied with a NovoShield box cover in white	✓
Supplied complete with remote controlled powered operation and two hand transmitters.	✓
Constructed from 77mm double walled aluminium lathes filled with CFC free insulating foam.	✓
Supplied with 90mm polyester powder coated (white) aluminium guide channels (70mm available on doors up to 2.6m wide, must be stated on order).	✓
Supplied with manual override connector and crank handle.	✓

## Optional Extras

<input type="checkbox"/> NovoShield safety cover in optional colour	Per linear metre Add £33	Wireless key switch (signal 512)	Add £114
Guide rails in optional colour (including Golden Oak and Rosewood with textured finish)	Add £40	Standard wireless keypad (signal 214)	Add £155
External crank handle (Emergency external manual override)	Add £120	Standard wireless keypad (signal 215)	Add £202
Internal rocker switch (signal 107)	Add £20	Replacement or extra key fob transmitters (2 channel mini/micro) (4 channel mini)	Add £54 Add £57

# Garage Door Automation - Accessories

	Novomatic 553NRG <sup>†</sup>	Novomatic 553B <sup>†</sup> (includes battery back-up and transmitter)	Novomatic 803 <sup>†</sup>	NovoPort <sup>®†</sup>
<b>Boom Length</b>	 1 Piece Belt	 1 Piece Belt	 1 Piece Belt	
To suit doors up to 2125mm*	462	675	669	362

<sup>†</sup>Available for Side Sectional doors price on application.  
Delivery 2-3 weeks. \*Greater boom lengths are available, however for door heights above 2250mm we recommend NovoPort

## Power Operated Garage Doors

**It is against the law** to install a power operated garage door in the UK without complying with The Machinery Directive.

To comply with the Machinery Directive both the door and the operator used in the Installation **must** have a declaration of Incorporation from the manufacturer.

On completion of the installation the Installer must provide a Declaration of conformity and apply a CE mark giving details of the installation (as example) to the door / operator combination, which is now classed as a machine.

The Installer must issue to the Customer a declaration of conformity on the completion of the installation.

The Installer must hold copies of both the Declarations of Incorporation and the Declaration of Conformity on a technical file for inspection by the relevant authorities.



**If any of the above requirements are not fulfilled the Installation is illegal.**

**Please ensure for your own safety and peace of mind that whoever installs your electric operator is both willing and able to fulfil these requirements; if they are not - do not use them!!**

**Members of the DHF Garage Door Installer Group**










**CAN and WILL install your Novoferm operator safely and legally.**



Images not to scale.	Accessory	Novomatic compatible	NovoPort compatible	Price
	Mini Hand Transmitter Novotron 502, 2-channel	•	•	49
	Mini Hand Transmitter Novotron 504, 4-channel	•	•	49









Delivery 2-3 weeks.

# Garage Door Automation - Accessories

Images not to scale.	Accessory	Novomatic compatible	NovoPort compatible	Price
	<b>Micro Hand Transmitter</b> Novotron 512, 2-channel	•	•	<b>49</b>
	<b>Micro Hand Transmitter</b> Novotron 512, 2-channel Black finish with carbon inlay	•	•	<b>65</b>
	Novotron Handset clip for 502/504	•	•	<b>5</b>
	<b>Wall Switches</b> Signal107, 1-channel. Supplied with a 7m cable	•	•	<b>20</b>
	<b>Key Switch</b> Signal 313, flush-mounted, double switch pulse, incl. cylinder 40.5mm long, division 30.5/10mm, lever 180°	•	•	<b>52</b>
	<b>Key Switch</b> Signal 413, surface-mounted, double switch pulse, incl. cylinder 40.5mm long, division 30.5/10mm, lever 180°	•	•	<b>52</b>
	<b>Remote Key Switch</b> Signal 512, flush-mounted, single switch pulse, incl. cyl- inder 40.5mm long, division 30.5/10mm, lever 180°	•	•	<b>114</b>
	<b>Remote Code Keypad</b> Signal 217, membrane faced key pad, surface-mounted (3 signals) (wireless)	•	•	<b>155</b>
	<b>Remote Code Keypad</b> Signal 218, metal faced key pad, surface-mounted (3 signals) (wireless)	•	•	<b>205</b>


Delivery 2-3 weeks.

# Garage Door Automation - Accessories

Images not to scale.	Accessory	Novomatic compatible	NovoPort compatible	Price
	Wireless Push Button (111)	•	•	62
	Push Button (112) with safe lock switch and courtesy light button	•	•	48
	Telescopic operator bracket for all Novoferm sectional garage doors	•		46
	Emergency Unlocking Extra 304, Novoferm sectional garage doors	•	•	46
	Emergency Unlocking Extra 305, Novoferm round-cylinder sectional garage doors	•	•	46
	Emergency Unlocking Extra 312, Novoferm up&over garage doors	•		43
	Bolting Set Extra 203, in the middle, up&over garage doors for extra security	•		46
	External Radio Receiver E43-U, 1-channel, 12-24V, 433MHz Allows Novoferm handsets to be used on additional operators. eg gates, lights etc.	•	•	72

Delivery 2-3 weeks.

# Garage Door Automation - Accessories

Images not to scale.	Accessory	Novomatic compatible	NovoPort compatible	Price
	<b>Photocell sensor</b> Extra 615, 24V AC/DC, IP 45	•	•	<b>75</b>
	<b>NEW Photocell sensor</b> Compatible with Novomatic 553NRG	•		<b>75</b>
	<b>Wicket door contact</b> Extra 412, Novoferm up&over garage doors	•		<b>83</b>
	<b>LED Lighting Kit</b> Up to 3000mm door width	•	•	<b>473</b>
	<b>LED Lighting Kit</b> Up to 4000mm door width	•	•	<b>531</b>
	<b>LED Lighting Kit</b> Up to 5000mm door width	•	•	<b>730</b>
	<b>Punched Angle</b> 5ft length			<b>12</b>

Delivery 2-3 weeks.




# New Products



## Aluminium Renovation Profile

- Applicable for all types of Novoferm sectional overhead doors
- The perfect solution for renovating garage doors
- Allows the door to be fitted at the front of the opening and overlapping onto outer brickwork structure (conceals poor brickwork)
- Very slim, stylish profiles


**£365**



## Between fix frame brackets (rear mount doors only)

- For use when fitting between aperture or limited sideroom
- Bridges bricks or insulation cavity
- Pack of ten

**£52**



## 3 dimensional fitting brackets

- Perfect fixing brackets for door frames in case of slanted side walls, often used for pre-fabricated concrete garages
- Fixing bracket adjustable from 70 – 110°
- Can be used in conjunction with between fix brackets
- Pack of ten

**£52**



## Plastic spacers

- A quicker solution to help with the installation of Novoferm door frames to uneven masonry
- Available in four sizes 2mm, 3mm, 4mm and 5mm
- Pack of fifty per size

**£11**

# Terms and conditions

All previous price lists are rendered invalid with the publication of this price list. All products are sold subject to our standard conditions of sale, which are available on request and include the following:

## Prices

All orders are accepted on the understanding that the goods will be subject to the prices ruling at the time of delivery, unless other terms are specifically agreed. All prices are in £ sterling and exclude VAT. UK mainland delivery is included to the buyers trading address - delivery to site £54.00 (subject to access).

A 20% handling charge applies to all unwanted items on standard stock items only (excludes cutdowns). Items must be returned unopened and in an unused condition. All returns are subject to acceptance by Novoferm® Europe Limited.

**The following extracts from the DHF consumer guidelines in conjunction with the Association of Garage Door Specialists and endorsed by all major UK manufacturers are a guide for purchasers of domestic garage doors.**

## Visual Appearance of Garage Doors

A new garage door can be a significant investment that will transform the appearance of your home. This information is a guide to the quality you can expect.

### The Quality Check

This quality check should be carried out in natural daylight not direct sunlight. Stand at a distance of three metres from the door to view the overall appearance. The door is acceptable if, taking into account the facts below, none of the following are readily visible on the face of the door:

- Marks or distortion associated with the manufacturing process
- Minor indentations
- Marks or scuffs on the surface
- Paint stains or blemishes.

### All Doors

- Colour match** Pairs of doors should be ordered together to obtain the best colour match, bearing in mind the limitations of the materials used in the construction. Timber garage doors cannot be ordered as matching sets.
- Size variations** As the size of a door changes in height and/or width, the panel frequency and profile can change, therefore doors of the same style but of different sizes can be significantly different in appearance.
- Clearances** All doors require operating clearances, i.e. the gap between the door panel and frame opening, these are inbuilt during manufacture and should not be reduced by means of infills, or draughtproofing.
- Deflection** When in the open position, all doors will display a level of vertical deflection or 'sag' across the width of the panel. Individual manufacturers' specifications should be consulted for exact tolerances.

### Timber Doors

The company accepts no liability for natural variations in the colour, warping, swelling or shrinkage due to ordinary natural processes of ageing, fading, or the effects of weather or climate or shrinkage which could have been prevented by carrying out finishing and maintenance as recommended by the company. Timber doors should be finished with micro-porous stain, front and back, in accordance with the stain manufacturer's instructions immediately after fitting. Prior to fixing they must not be stored in direct sunlight or exposed to splashes or rain as colour fading and staining may occur respectively.

## Warranty

All doors are guaranteed against faulty parts and workmanship for a period of 10 years. A general breakdown of warranty periods are as below:-

Up&over Steel panel	10 years
Up&over Timber panel	2 years
Sectional Steel panel	10 years
Novomatic operators/NovoPort	5 years
Accessories for remote controls	1 year

Please refer to our warranty information sheet for full details of terms and conditions available on request.

## Specification

Due to the progressive outlook of the Novoferm Group we reserve the right to alter specifications to design and manufacture without notification. All specifications and details are correct at the time of publication, errors and omissions excepted.