Delivery Information

Our standard delivery service covers England and Wales weekly and Ireland and

Our pricing includes delivery on all orders over £400 on our standard weekly service. Additional chargeable deliveries can often be arranged with your internal

account manager. We also offer home/site delivery service options with one or

Delivery confirmations for our own dedicated service will be emailed or texted

the previous afternoon to confirm if AM or PM the following day. Please ensure an

POA

Nil

£55.00 extra £105.00 extra

£35.00 extra

£35.00 extra

£45.00 extra

£20.00

£9.50

£65.00

two men depending on the size of delivery and site conditions.

All orders required on a different day to standard delivery run

Component items up to 5kg (Including singular tube motors)

Component items up to 5kg Delivery & packaging of fragile items over 20kg

Additional surcharges apply on the following: Ireland, Isle of Man, Channel Islands & Scottish off shore

Isle of Wright, Grampian & Highlands

email address and/or mobile phone number is supplied on your order.

DELIVERY SERVICE

DELIVERY CHARGES

Over £400 net on standard run Under £400 net on standard run

Collection from distribution depot

Redelivery of goods

Pre 10.30 am

Saturday pre noon

Deliveries to Scotland Deliveries to Ireland

Site delivery charge one man offload Site delivery charge two man offload

Pre agreed time slot for standard deliverie

Scotland fortnightly

0800 525 442

LOCAL COLLECTIONS

For urgent orders in certain areas of the country collection is possible from our 3 distribution depots:

Monday to Friday 8.00am till 5.00pm

South West (Bristol)

Nightfreight (GB) Ltd 18 Pucklechurch Trading Estates Pucklechurch Bristol

BS16 9QH 01278 638985

Midlands (Willenhall)

Nightfreight (GB) Ltd Unit 1 Bays 1, 2, 3 East Acre Off Long Acre Willenhall, WV13 2JZ **01902 634333** Saturday 8.00am - 12.00pm

South East (Hoddesdon)

Nightfreight (ĠB) Ltd Units 11-13 Trident Industrial Estate Pindar Road Hoddesdon

Hertfordshire, EN11 0SF 01992 474100

Scotland (Livingston) 6 Oakbank Park Place Mid Calder Livingston EH53 0TN

01506 674001

COMPONENT ORDERS

All small component orders required next day must be received by 2.00pm the day before delivery. Orders placed on Friday must be received by 12 noon for delivery on Monday.

If you require powder-coated items, please allow an additional 24 hours at least from receipt of order. Items for assembly need to be booked in for manufacturing – for example complete shutter curtains. Please allow a minimum of three working days depending on delivery method.

Regrettably it is not possible to send items over 5m in length by overnight carriers.

IMPORTANT DELIVERY NOTES

Site deliveries will only be made if the installer is in attendance to assist off loading or if extra help with off-loading has been prearranged.

The most cost effective and safest way of delivering orders is via our own transport. Please try to tie orders in with your normal delivery runs wherever possible.

In the event of using a carrier we need to use reinforced packaging, which is covered in the carriage charge.

CRATE CHARGES

POA Please speak to an account manager.

RETURNS

Occasionally it may be necessary to return an item to us. Please contact your Account Manager for a consignment number and please ensure the product is packaged adequately for transport.

SeceuroGlide compliance with the latest CE standards

The SeceuroGlide range is fully compliant with the latest European product directives and standards including BSEN 13241-1 applicable from the 1st May 2005.

SeceuroGlide peace-of-mind warranties

SeceuroGlide products are guaranteed against defect of material or workmanship by SWS UK, subject to correct installation, maintenance and operation, for a period of 5 years from date of purchase. In addition, Mahogany, Rosewood and Golden Oak Textured Woodgrain finishes carry a limited 10 year guaranteed.

Please note darker coloured double doors that are exposed to significant direct sunlight may be susceptible to expansion which may interfere with the operation of the door.

SeceuroGlide extreme weather conditions

High winds and high temperatures can cause increased deflection of the door. It is the installer's responsibility to ensure that the door is packed off the wall sufficiently to allow for door movement during these extreme weather conditions.





In addition to warranty covering SWS made parts, the high quality Somfy Motor fitted to all SeceuroGlide powered garage doors carries a maker sponsored 5 year warranty.



SWS UK is proud to be an official supporting supplier of The Association Of Garage Door Specialists.

For more information on the range visit:

www.rollergaragedoors.co.uk



Approved supplier:













The closest you'll get to the perfect roller garage door



Price list valid from August 2014







SeceuroGlide | Exce

SeceuroGlide / SeceuroGlide Excel insulated roller garage doors

An elegantly simple, yet well proven design, SeceuroGlide is robust, reliable and durable – offering secure protection for your car and home. A choice of low maintenance finishes, insulation and the convenience of remote automatic operation powered by a high quality Somfy drive unit as standard make SeceuroGlide an excellent all round choice.

SeceuroGlide's aluminium slats lock into position to resist attack by intruders, while advanced insulation and brush sealing keeps out the cold and makes the door as weatherproof as it is secure. Vertical opening means you can make maximum use of your drive and garage space — parking safely just inches from the door.

SeceuroGlide doors are supplied complete with your choice of receiver. The SeceuroSense receiver, which comes with a choice of two remotes, includes a courtesy light, bottom slat

transmitter, optical safety edge and internal manual override. The Rollixo receiver comes with two remotes and a bottom slat transmitter.

A choice of SEVENTEEN paint or woodgrain effect low maintenance finishes help you to match your door to existing paintwork or woodgrain double glazing for a coherent look to your home's exterior. Our SeceuroGlide and SeceuroGlide Excel is also available powder coated to any RAL or BS number for a surcharge.

SeceuroGlide Excel combines all the benefits of SeceuroGlide with an even higher security specification, and is officially tested and approved to Police and insurance standards. Available at a surcharge on the price of a standard SeceuroGlide.

SeceuroGlide special notes

For SeceuroGlide, the Drive Through Width (DTW) when using 75mm guides is equivalent to Over Guide Width (OGW) minus 150mm.

- * Except when the overguide is greater than 4600mm: DTW with 90mm guides is equal to OGW minus 180mm. SeceuroGlide Excel is always supplied with 90mm guides. The Drive Through Height is equivalent to 55mm less than the Guide Height.
- # Please note these prices are for white or mid-brown boxes only. Boxes can be powder coated to match standard colour, but will be subject to a surcharge (page 8). Powder coated boxes may be a slightly different shade to the curtain. If powder coated end plates are required they will be subject to the standard surcharge.
- \$ Renolit woodgrain finishes are available at the same cost as Mahogany, Rosewood and Golden Oak; however longer lead times may apply. Please contact your account manager for further details.

Security and resistance to high winds

SeceuroGlide doors offer excellent security against intruders, combining a patented locking system, rolling code remote control technology and tough aluminium construction, independently tested to a minimum Class 2 wind resistance classification, which is equivalent to 59mph winds (Force 10 Storm).

SeceuroGlide / SeceuroGlide Excel general information

- Unless requested otherwise, tubular motors will be fitted on the left hand side of each door (when viewed from inside the garage looking out).
- Where specified, bottom and vision slats along with guide rails may be a slightly different shade to the curtain
- SeceuroGlide Cedar & Teak woodgrain doors are supplied with brown bottom slat and brown vision slats when required.
- Mahogany, Golden Oak and Rosewood doors are supplied with brown vision slats when required. Mahogany, Golden Oak and Rosewood Textured Woodgrain doors supplied with matching bottom slats and brown inner face, guides and end plates as standard.
- Powder coated guide rails, bottom slats and where specified vision slats are supplied as standard though they may not match the door exactly. Guide rails in Anthracite, Light Grey, Silver Metallic, Ivory and Heritage Green will attract a surcharge of £29.45 per door.

- 45 degree box cover only applicable to doors with a 300mm head room.
- The minimum ordering width for SeceuroGlide is 1050mm over guides. For SeceuroGlide Excel, the minimum ordering width is 1500mm over guides.
- We recommend the use of photo cells in addition to the standard bottom slat sensor in garages where a vehicle will be parked close to the door. Moreover, where a door opens directly onto a pavement or in a public area, a combination of bottom slat sensor and photocells is a statutory requirement. Photo cells are not compatible as standard with SeceuroSense but can be specially ordered.
- All SeceuroGlide Excel doors are supplied with 90mm guide rails as standard.
- SeceuroGlide Excel must always be fitted internally
- Low level override option not available for SeceuroGlide Excel. Where the garage door is the only means of exit from a garage a battery backup will be required.











SeceuroGlide / SeceuroGlide Excel profiles and sizes



SeceuroGlide Excel guide rail notes:

- * 90mm guide rails supplied as standard on
- SeceuroGlide Excel.

 ** Reveal fitted guide rails require steel reinforcement plates.



Optional Box 'Distance A' = 300mm. 'Distance B' = 350mm.



SeceuroGlide's locking system.



High performance webbing cushions slats during operation to reduce marking



Foam filled aluminium slats typically finish 150mm above the opening to improve weather seal.

SeceuroGlide with NO box

Burgundy, Brown, White, Light Beige, Fir Green, Navy Blue, Black, Anthracite, Light Grey, Silver Metallic, Ivory, Heritage Green, Cedar or Teak woodgrain finish.

Excel upgrade Face fit guide rails £79 Reveal fit guide rails £118

Over Guide Width	1500mm	2000mm	2500mm	3000mm	3500mm	4000mm	4600mm	*5200mm	*5400mm		
Guide Width	75mm	*90mm	*90mm	Headroom	Total Height						
Guide Height 1900mm	£1136	£1260	£1385	£1517	£1617	£1846	£2061	*£2289	*£2319	300mm	2200mm
Guide Height 2150mm	£1185	£1289	£1395	£1537	£1646	£1875	£2085	*£2333	*£2397	300mm	2450mm
Guide Height 2300mm	£1215	£1331	£1419	£1563	£1674	£1906	£2130	*£2367	*£2593	300mm	2600mm
Guide Height 2500mm	£1217	£1389	£1474	£1674	£1721	£1951	£2271	*£2486	*£2679	300mm	2800mm
Guide Height 3000mm	£1366	£1531	£1683	£1810	£1853	£2153	£2455	*£2655		350mm	3350mm
Guide Height 3500mm	£1506	£1631	£1794	£1981						350mm	3850mm
out but be I till	1										

Other RAL or BS colours available at a surcharge from £45 per metre square. End plates can be powder coated at a surcharge (see page 8)

Excel max. width

Mahogany, Golden Oak or Rosewood textured woodgrain finish. \$ See page 2

Woodgrain finishes are supplied on brown slats as standard or white on request (Other base colours available at a cost of £30 per square metre NETT)

Over Guide Width	1500mm	2000mm	2500mm	3000mm	3500mm	4000mm	4600mm	*5200mm	i*5400mm		
Guide Width	75mm	*90mm	*90mm	Headroom	Total Height						
Guide Height 1900mm	£1247	£1407	£1570	£1739	£1876	£2141	£2400	*£2673	*£2718	300mm	2200mm
Guide Height 2150mm	£1310	£1455	£1617	£1797	£1938	£2209	£2481	*£2767	*£2848	300mm	2450mm
Guide Height 2300mm	£1349	£1509	£1651	£1831	£1987	£2263	£2540	*£2831	*£3075	300mm	2600mm
Guide Height 2500mm	£1362	£1583	£1717	£1965	£2060	£2339	£2717	*£2991	*£3203	300mm	2800mm
Guide Height 3000mm	£1541	£1764	£1974	£2159	£2260	£2619	£2991	*£3260		350mm	3350mm
Guide Height 3500mm	£1710	£1902	£2134	£2388						350mm	3850mm

Excel max. width

brown. Can be powder coated for a

surcharge (page 8).

Powder coated end

the 45 degree box cover is available on a SeceuroGlide with 300mm headroom

SeceuroGlide | Excel

Seceuro Glide with HALF box# (90° facia) or 45° box cover

Burgundy, Brown, White, Light Beige, Fir Green, Navy Blue, Black, Anthracite, Light Grey, Silver Metallic, Ivory, Heritage Green, Cedar or Teak woodgrain finish.

Over Guide Width	1500mm	2000mm	2500mm	3000mm	3500mm	4000mm	4600mm	*5200mm	 *5400mm	plates plus £17.05.	300mm 45 degree box cove
Guide Width	75mm	*90mm	*90mm	Headroom	Total Height						
Guide Height 1900mm	£1192	£1334	£1479	£1629	£1748	£1995	£2232	*£2484	*£2521	300mm	2200mm
Guide Height 2150mm	£1242	£1362	£1502	£1657	£1777	£2024	£2268	*£2526	*£2598	300mm	2450mm
Guide Height 2300mm	£1271	£1406	£1522	£1675	£1804	£2055	£2302	*£2562	*£2794	300mm	2600mm
Guide Height 2500mm	£1294	£1463	£1567	£1786	£1851	£2101	£2442	*£2680	*£2882	300mm	2800mm
Guide Height 3000mm	£1439	£1626	£1802	£1952	£2020	£2353	£2627	*£2850		350mm	3350mm
Guide Height 3500mm	£1579	£1727	£1913	£2124						350mm	3850mm

Mahogany, Golden Oak or Rosewood textured woodgrain finish. \$ See page 2

Woodgrain finishes are supplied on brown slats as standard or white on request (Other base colours available at a cost of £30 per square metre NETT)

Over Guide Width	1500mm	2000mm	2500mm	3000mm	3500mm	4000mm	4600mm	*5200mm	*5400mm		
Guide Width	75mm	*90mm	*90mm	Headroom	Total Height						
Guide Height 1900mm	£1303	£1482	£1663	£1850	£2007	£2290	£2571	*£2867	*£2919	300mm	2200mm
Guide Height 2150mm	£1367	£1529	£1701	£1908	£2069	£2358	£2652	*£2960	*£3049	300mm	2450mm
Guide Height 2300mm	£1405	£1585	£1745	£1943	£2116	£2412	£2712	*£3026	*£3276	300mm	2600mm
Guide Height 2500mm	£1440	£1657	£1810	£2077	£2190	£2489	£2888	*£3185	*£3406	300mm	2800mm
Guide Height 3000mm	£1613	£1859	£2093	£2301	£2427	£2819	£3163	*£3456		350mm	3350mm
Guide Height 3500mm	£1782	£1999	£2253	£2531						350mm	3850mm
							Excel	max. width			




Other RAL or BS colours available at a surcharge from £45 per metre

Excel upgrade Face fit guide rails £79 Reveal fit guide rails £118

Excel max. width

Facia and lid supplied in white or mid brown. Can be powder coated for a . surcharge (page 8).

Powder coated end plates plus £19.65



Seceuro Glide with FULL box (90° facia & 45° box lid) Burgundy, Brown, White, Light Beige, Fir Green, Navy Blue, Black, Anthracite,

Light Grey, Silver Metallic, Ivory, Heritage Green, Cedar or Teak woodgrain finish.

Over Guide Width	1500mm	2000mm	2500mm	3000mm	3500mm	4000mm	4600mm	*5200mm	*5400mm		
Guide Width	75mm	75mm	75mm	75mm	75mm	75mm	75mm	*90mm	*90mm	Headroom	Total Height
Guide Height 1900mm	£1182	£1334	£1488	£1648	£1779	£2030	£2276	*£2536	*£2577	300mm	2200mm
Guide Height 2150mm	£1229	£1361	£1509	£1676	£1806	£2057	£2310	*£2576	*£2651	300mm	2450mm
Guide Height 2300mm	£1257	£1401	£1529	£1691	£1832	£2087	£2341	*£2609	*£2836	300mm	2600mm
Guide Height 2500mm	£1279	£1456	£1571	£1798	£1876	£2130	£2474	*£2720	*£2919	300mm	2800mm
Guide Height 3000mm	£1449	£1658	£1852	£2024	£2116	£2370	£2651	*£2882		350mm	3350mm
Guide Height 3500mm	£1582	£1751	£1959	£2186						350mm	3850mm
Other RAL or BS colours availa	hle at a surch	arge from £4	5 ner metre				Evcel	max width			

Mahogany, Golden Oak or Rosewood textured woodgrain finish. \$ See page 2

Woodgrain finishes are supplied on brown slats as standard or white on request (Other base colours available at a cost of £30 per square metre NETT)

Over Guide Width	1500mm	2000mm	2500mm	3000mm	3500mm	4000mm	4600mm	*5200mm	*5400mm		
Guide Width	75mm	*90mm	*90mm	Headroom	Total Height						
Guide Height 1900mm	£1287	£1473	£1663	£1858	£2023	£2309	£2597	*£2899	*£2954	300mm	2200mm
Guide Height 2150mm	£1347	£1519	£1707	£1913	£2083	£2373	£2673	*£2987	*£3077	300mm	2450mm
Guide Height 2300mm	£1384	£1570	£1741	£1945	£2128	£2425	£2730	*£3048	*£3292	300mm	2600mm
Guide Height 2500mm	£1417	£1639	£1801	£2073	£2198	£2497	£2897	*£3198	*£3415	300mm	2800mm
Guide Height 3000mm	£1615	£1878	£2128	£2354	£2502	£2811	£3158	*£3455	i	350mm	3350mm
Guide Height 3500mm	£1775	£2009	£2280	£2572						350mm	3850mm

Excel max. width

SeceuroGlide | Compact Roller Garage Doors



Seceuro Glide Compact internal/external fitting roller garage door

The SeceuroGlide Compact has been developed especially for garages with limited

SeceuroGlide Compact's insulated aluminium slats are narrower than those used for the SeceuroGlide allowing a tighter, smaller coil which requires just 8" (205mm) clearance above the opening height. An extensive range of sizes also means openings of up to 2880mm wide can be accommodated.

Extremely versatile, the door can be fitted either in front or behind the garage opening or, drive-through height permitting, within the garage opening itself.


A neat 90° facia completely conceals the back of the door's coil with an optional 45° canopy available which completely encloses the coil.

The Compact comes in 12 paint and 3 woodgrain low maintenance finishes. Other RAL or BS colours available at a surcharge of £45 per metre square.

SeceuroGlide Compact doors are supplied complete with a SeceuroSense receiver and your choice of two hand transmitter. The SeceuroSense receiver includes a courtesy light, bottom slat transmitter, optical safety edge and internal manual override. (Where no hand transmitter choice is specified two two button black smooth hand transmitters will be supplied


Compact with HALF box# (90° facia)

£1446



£1369

Mahogany, Golden Oak, Rosewood textured woodgrain						
Over Guide	Width	2000mm	2500mm	3000mm		
Guide	Width	60mm	60mm	60mm		
Guide Heigh	t 1900mm	£1494	£1616	£1782		
Guide Heigh	t 2150mm	£1535	£1663	£1836		



Compact with FULL box# (90° facia & 45° box lid)

£1586



Light Grey, leak, Ivory,	Wetailic Sil	iver , Anunracite	IIIIISII
Over Guide Width	2000mm	2500mm	3000mm
Guide Width	60mm	60mm	60mm
Guide Height 1900mm	£1383	£1463	£1584
Guide Height 2150mm	£1402	£1485	£1609

Woodgrain finishes are supplied on brown slats as standard or white on request (Other base colours available at a cost of £30 per square metre NETT)

Mahogany, G	olden Oak	Rosewood	textured wood	lgrain finish ^{††}
Over Guide	Width	2000mm	2500mm	3000mm
Guide	Width	60mm	60mm	60mm
Guide Heigh	nt 1900mm	£1523	£1638	£1794
Guide Heigh	nt 2150mm	£1560	£1687	£1846



2355mm

205mm

SeceuroGlide Compact surcharge of £34 for guide rails and £103 for guide rails and box on Black, Burgundy, Navy Blue, Light Beige, Light Grey, Teak, Ivory, Metallic Silver and Anthracite

The Drive Through Width (DTW) when using 60mm guides is equivalent to Over Guide Width (OGW) minus 120mm.

The Drive Through Height is equivalent to 50mm less than the Guide Height.

- †† Mahogany, Golden oak and Rosewood finishes are unsuitable for external mounting.
- Longer lead times may apply please check with your account manager.

\$ See page 2

Guide Height 2150mm


Security and resistance to high winds


Despite being slimmer than standard SeceuroGlide doors, Compacts still offer security against intruders, combining a sturdy locking system, rolling code remote control technology and tough extruded aluminium, independently tested to a minimum Class 2 wind resistance classification, which is equivalent to 59mph winds (Force 10 Storm).

SeceuroGlide Compact general information

- Vision slats are NOT available on the Compact.
- Please note the SeceuroGlide Compact will NOT require an anti-fall back device.
- The minimum ordering width for SeceuroGlide Compact is 1050mm over guides
- SeceuroGlide Compact internal comes with a half box 90° facia as standard.
- SeceuroGlide Compact external comes supplied with a 'full box'.
- The Compact is a lower security design than the standard SeceuroGlide and is unsuitable for exposed locations – other products are available for this application
- Powder coated guide rails, box and head plates are supplied as white, brown or green as standard. Should you wish the box and guides to be powder coated in a different colour to the standard colours available this is possible for a surcharge of £34 for powder coated guiderails, £103 for powder coated guide rails and box.
- To ensure compliance with the Construction Products Regulation SeceuroGlide Compact must be installed with either a SeceuroSense remote control or a 'hold-to-run' switch or key switch.
- We recommend the use of photo cells in addition to the standard bottom slat sensor in garages where a vehicle will be parked close to the door. Where a door opens directly onto a pavement or in a public area, a combination of bottom slat sensor and photocells is a statutory requirement.
- Unless requested otherwise, when installed internally, tubular motors will be fitted on the left hand side of each door (when viewed from inside the garage looking out). Alternatively, unless requested otherwise, when installed externally, tubular motors will be fitted on the left hand side of each door (when viewed from outside the garage looking in).
- Marking may occur at the top of the concave (coil) side of the curtain over time. This is unavoidable and due to prolonged contact with the locking system.
- SeceuroGlide Compact textured woodgrain doors are supplied with matching bottom slats and brown inner face, guides, end plates and half box as standard.

SeceuroGlide Compact profiles and sizes







The Compact features a rugged locking system for peace-of-mind security



The Compact's tight roll fits inside an amazingly small 205mm square cover box.



The Compact's slimline slat is fully insulated, yet has an exposed face just 55mm high



SeceuroGlide | Manual Roller Garage Doors

Seceuro Glide Manual the only insulated manual roller garage door on the market.

Developed to the same high standards and build quality as the SeceuroGlide range, SeceuroGlide Manual offers the ideal solution for applications where electricity is

The SeceuroGlide Manual has been engineered with ease of use in mind to provide the smoothest operation.

The key operated lock is located in the middle of the door. Integrated handles are located in the middle and at the bottom for convenient operation from inside or outside the garage

The vertical opening means you can make maximum use of your drive and garage space – parking safely just inches from the door.

A choice of twelve low maintenance colours are available helping you to match your door to existing paintwork (not available in woodgrain).

SeceuroGlide Manual

Burgundy, Navy blue, Light beige, Brown, Fir green, White, Black, Anthracite, Light Grey, Metallic Silver, Ivory, Heritage Green

Over Guide Width	1000mm	1500mm	2000mm	2500mm	3000mm
Guide Height 1900mm	£714	£835	£956	£1082	£1215
Guide Height 2150mm	£752	£883	£985	£1105	£1244
Guide Height 2300mm	£795	£912	£1029	£1126	£1254

Headroom	Total Height
300mm	2200mm
300mm	2450mm
300mm	2600mm


Maximum overall guide width = 3000mm Maximum guide height = 2300mm Minimum overall guide width = 1000mm* *Minimum width above 2150mm guide height

SeceuroGlide Manual general information

- Bottom and locking slats may be of slightly different shading.
- Powder coated guide rails are supplied as standard, though they may not match the door exactly.
- The minimum ordering width for SeceuroGlide Manual is 1000mm over guides.
- SeceuroGlide Manual can only be fitted internally
- All SeceuroGlide Manual doors are supplied with 75mm guide rails as standard.
- Antidrop devices are supplied when required at no extra cost.

- SeceuroGlide Manual is NOT AVAILABLE with vision slats.
- SeceuroGlide Manual is NOT AVAILABLE in woodgrain.
- SeceuroGlide Manual is NOT AVAILABLE with box lid or facia.

SeceuroGlide Manual profiles and sizes



75mm guide rails supplied as standard on SeceuroGlide Manual



The rolling bracket ensures smooth operation and reduces wear.



Patented bottom slat profile provides strength and aids operation.




Foam filled aluminium slats typically finish 150mm above the opening to improve weather seal.



Optional extras, accessories and spare parts

Available for:

- SeceuroGlide Excel





0 **Bottom Slat Transmitter** £95.22 EC71100

the remote control upgrade kit plus a new bottom slat

Batteries for Bottom Slat Transmitter (2 pack) EC71101

SeceuroSense Wireless Keypad EC70300

£181.13

£22.77



SeceuroGlide Connect EC90000 SeceuroGlide Connect+

£309.47

EC95000

£273.90

(SeceuroGlide Connect+ price includes SIM card.) Please specify required Network for SIM card.



0 Photocell and reflector EC70500

and bottom slat rubber

 \bigcirc

0

 \bigcirc

 \bigcirc

£74.80



0 Motor Test Lead

EC409O0 £75.00 (Nett cost - no further discounts apply)



0 Replacement Light Bulb for Courtesy Light EC72500 \bigcirc



0 Alarm Kit For SeceuroSense EC72000

(Includes sounder and sensor)

Lighting (Below prices are inclusive of Transformer and Box)



Lighting Strip Internal/External – 1 x 1000mm EC76000

Lighting Strip Internal/External - 2 x 1000mm EC77000 £256.68

Lighting Bar Cover Extrusion 2m EC78000

£72.45

£3.85

£67.85



4 Channel White Wall Transmitter (White Back)

EC730O4 £75.56 4 Channel Black All Transmitter (Black Back) EC73104

4 Channel Bi Directional Wall Switch White EC740O4 £108.90

4 Channel Bi Directional Wall Switch Black EC74104 £108.90

4 Channel Stainless Steel Cover

(Must be ordered in conjunction with White or Black Wall Transmitter)

EC73000 £31.63

£75.56

£78.00

£59.54

£54.54

£44.61

£385.00

£14.45

SeceuroSense Hard Wired Magnets EC72600

£41.20 To be used when the door is to be installed on an

uneven floor price



Battery Back Up up to 850 va

EC40300 £242.55 Battery Back Up up to 1100 va (for doors over 9m²) £334.33

EC404O0 Battery Back Up bracket

EC40700

*Any SeceuroGlide Garage Door fitted with the SeceuroSense system and have a guide height of 2500mm or less must also be fitted with a box lid when using a battery back up.

ACCESSORIES & UPGRADES



Emergency low level external manual override³ This optional extra is now operable from both inside and outside the garage

YMT120M1 £146.57 (price EACH) Articulated small winding handle £34.75

YMT121M2 1500mm articulated crank

YMT121M3

PVC duct & lockable aluminium cover YMT121M4

Blank key to suit low level override lock

YMT120M5

£7.22

LOOSE manual override lock



(price EACH) YMT018A1

FITTED manual override lock (SeceuroGlide Compact Only) (price EACH) YSGACCS1 O/R LOK £107.76



90mm guides (upgrade from 75mm guides) (per DOOR)

YSGACCS1 90 GUIDE £61.11

Sloping bottom slats: Not available on Excel (please use order form) Overall door width from 0 to 2500mm YACCS SLOPE £233.86

Overall door width from 2501 to 5000mm YACCS SLOPE3



SeceuroGlide Vision Slat (punched - unglazed) (per LINEAR METRE) YSGACCS1 VIS UNG

£10.33 SeceuroGlide Vision Slat (punched and glazed)

(per LINEAR METRE) YSGACCS1 VISION £13.00



SeceuroGlide 30/20 aluminium angle white/brown (To reinforce the vertical section of 90° facias which cannot be secured to the opening) (per LINEAR METRE) £7.78

YSGACCS1 30X20

SeceuroGlide 50/20 aluminium box section white/brown (To reinforce the vertical section of 90° facias which cannot be secured to the opening) (per LINEAR METRE) YSGACCS1 50X20

50/50 aluminium box section white/brown

which cannot be secured to the opening) (per LINEAR METRE) £18.11



(To reinforce the vertical section of 90° facias

0800 525 442 www.thegaragedoorcentre.co.uk Optional extras, accessories and spare parts

Available for:

- SeceuroGlide
- SeceuroGlide Excel
- SeceuroGlide Compact

BOXES, FASCIAS & SUPPORTS

PLEASE NOTE PRICES BELOW ARE FOR BOX SECTIONS IN WHITE OR BROWN ONLY



205 90° box top YBX050T1 (per METRE) £30.13 205 45° box bottom YBX050B1 (per METRE) £24.08 $300~90^{\circ}$ box top (per METRE) YBX000T1 £41.31 300 45° box bottom (per METRE) YBX000B1 £39.70 300 45° box cover (NEW) YBX005B1 £38.36 (per METRE) 350 90° box top (per METRE) YBX350T1 £21.99 350 45° box bottom (per METRE) YBX350B1 £32.32 350 90° box fascia YBX350R1 (per METRE) £41.10



300mm 90° fascia box supports For red, green or black boxes - YBX000P0 Other Colours - YBX000B0 Overall door width from 0 to 3000mm £24.00 (four supports) Overall door width from 3001 to 5400mm £36 00 (six supports)

POWDER COATING

PLEASE NOTE PRICES BELOW ARE FOR **POWDER COATING ONLY**

- Full Box
- (per METRE) YSGACCS1 P.C.BOX £39.60 Half Box
 - (per METRE) YSGACCS1 P.C.FAC £22.47
- Powder Coating of Curtain
- Standard Stock Colours (per METRE²) Non Stock Colour POA
- Minimum Powder Coating Charge (NETT)
- Powder Coating of Guide Rails
- (For Anthracite, Light Grey, Silver Metallic, Ivory and 0
 - Heritage Green) YSGACCSI P.C.GUI

- 0 Powder Coating of End Plates
- (For Anthracite, Light Grey, Silver Metallic, Ivory and
 - Heritage Green) *FOC on textured woodgrain doors.

£29.45

£45.00

Please note: If any of the above are ordered as individual components a minimum charge of £65 will apply

SPARE PARTS



- Webbing (white,red, blue, brown, beige, black & green)
- **YGU060W0** (per metre) £6.31 1/2" X 6 counter sunk pozi self tappers B2P £5p each

YWI167WS

- 0 Sticky Backed Brush Strip (Monkey Fur) (per metre) YGU031B0 £3.31 \bigcirc
- 11177
- 0 Guide insert for 75mm guide rails
 - YGU032B0 £1.77(p/m)
 - Guide insert for 60mm & 90mm guide rails

YGU033B0 £1.77(p/m)



SECEUROGLIDE COMPACT Price of slat per metre (standard colour) (per METRE) YSL300A1 £3.77 Price of slat per metre (woodgrain finish) YSL302AL (per METRE) £13.89



SECEUROGLIDE Price of slat per metre (standard colour)

YSL770A1 £9.05 (per METRE) Price of slat per metre (woodgrain finish) (per METRE) YSL770AL £14.44



www.thegaragedoorcentre.co.uk

Ready Made Curtain


(The surcharge below does not include the cost of safety edge this needs to be added on (cut out for the RDU is included if needed) Per M²

CURT CD300 £109.75 Standard colours Woodgrain WOODGRAIN £139.12

Compact locking attachment assembly

£17.11 YAX020A0

EL30110 £0.46p



SECEUROGLIDE Ready Made Curtain

Compact Endlocks

(The surcharge below does not include the cost of safety edge this needs to be added on (cut out for the RDU is

included if needed) Per M²

Standard colours SGLIDE CD77 CURT £127.36 WOODGRAIN £160.53 Woodgrain

TOUCH UP POTS / **PENS & COVER CAPS**



- Colour 'touch-up' pots 25ml (brown, green, white, blue only) PC500E0 (price EACH) £5.50
- Colour 'touch-up' pens 12ml PC006P1 (price EACH) £17.71



- 0 13mm cover caps
 - (white, brown, green, blue, red, cream, grey or black) (per 100) YSGACCS1 13MM £14.16

SOMFY ROLLIXO



- Rollixo Remote Control Upgrade Kit
 - Contains: Remote Receiver, 2 x Transmitters, 1 x Bottom

£60.37

£62.10

£62.10

£69.99

£111.30

£68.87

£14.64

 \bigcirc Slat Transmitter

EC49900 £286.20 Bottom Slat Rubber (per METRE) BS670B0 £13.78

Bottom Slat Transmitter £95.22 somfy BS660B0 \bigcirc



٥

Rollixo Magnets (each) EC39302 £20.44 0

Rollixo Alarm Kit EC41001 £17.55 Wireless radio keypad SG101P0 £180.00

SOMFY SPARE PARTS

(These parts are only compatible with the Somfy SeceuroSmart System)



SURFACE mounted momentary single pole key switch for direct switching (price EACH) Keyed alike EC38102 Keyed different **EC38103**

Large face plate which can be added to the front of the surface mounted key switch when a flush mounted key switch is required

EC38104 £5.45 (price EACH)





(price EACH) EC39101 Doors Supplied with either 2 Single or 1 Multichannel Remote

SINGLE-CHANNEL remote transmitter (grey) (price EACH) EC351T0 £59.03 Doors Supplied with either 2 Single or 1 Multichannel Remote









- 0 Safety Edge (price EACH) 0 to 2500mm 501 to 3500mm
- £95.22 3501 to 4500mm £115.92 4501 to 5400mm £126.27 RubberSeal
 - (without Safety Edge) (price PER METRE) BS670B0
 - www.thegaragedoorcentre.co.uk




Calculating size and price









SeceuroGlide / SeceuroGlide Excel

Width (Price Band Width = Over Guide Width)

Drive Through Width = Over Guide Width minus 150mm for 75mm guides

Drive Through Width = Over Guide Width minus 180mm for 90mm guides

Curtain Width = Over Guide Width minus 90mm

Height (Price Band Height = Guide Height)

Total Height = Guide Height plus Headroom (may include bottom slat hang down)

Headroom up to 2.5m Guide Height = 300mm

Headroom up to 3.5m Guide Height = 350mm

Drive Through Height = Guide Height less 55mm

SeceuroGlide Compact

 $\underline{\textbf{Width}} \; (\text{Price Band Width = Over Guide Width})$

Drive Through Width = Over Guide Width minus 120mm for 60mm guides

Curtain Width = Over Guide Width minus 75mm (excluding endlocks)

Height (Price Band Height = Guide Height)

Total Height = Guide Height plus Headroom (may include bottom slat hang down)

Headroom up to 2.15m Guide Height = 205mm

Drive Through Height = Guide Height minus 50mm

SeceuroGlide Manual

Width (Price Band Width = Over Guide Width)

 $\underline{\hbox{Drive Through Width = Over Guide Width minus 150mm for 75mm guides}}$

Curtain Width = Over Guide Width minus 90mm

Height (Price Band Height = Over Guide Height)

 $\underline{\text{Total Height = Guide Height plus Headroom (may include bottom slat hang down)}}$

Headroom up to 2.5m Guide Height = 300mm

Drive Through Height = Guide Height minus 105mm

