


S-ribbed

Design overview of doors and side doors

Also available as an industrial sectional door
SPU 40 Plus up to a size of 7000 x 5000 mm



LTE

Single-skinned steel panels

Surface

Woodgrain

Colour

Traffic white

Max. size

Width 5000 mm

Height 3000 mm



LPU

Double-skinned insulated steel sandwich panels 42 mm

Surface

Woodgrain

Colours

Traffic white

15 preferred colours

RAL to choose

Max. size

Width 6000 mm

Height 3000 mm



LTH

Solid timber panels

Types of timber


Nordic Pine

Hemlock

Max. size

Width 5000 mm

Height 3000 mm



LTE, LPU, Woodgrain



LTH, Nordic Pine



LTH, Hemlock

The figures show a door for an opening of
2500 x 2125 mm
and a matching side door for an opening of
1000 x 2125 mm

M-ribbed

Design overview of doors and side doors

Also available as an industrial sectional door
SPU 40 Plus up to a size of 7000 x 5000 mm



LTE Single-skinned steel panels

Surface
Woodgrain

Colour
Traffic white

Max. size
Width 3000 mm
Height 3000 mm



EPU Double-skinned steel sandwich panels 42 / 20 mm

Surface
Woodgrain

Colours
Traffic white
15 preferred colours
RAL to choose

Max. size
Width 5000 mm
Height 3000 mm



LPU Double-skinned steel sandwich panels 42 mm

Surfaces
Woodgrain
Silkgrain
Micrograin

Colours
Traffic white
15 preferred colours
RAL to choose

Decograin surface finishes

Titan Metallic
Light Oak
Golden Oak
Dark Oak
Night Oak
Rosewood


Max. size
Width 6000 mm
Height 3000 mm



LTH Solid timber panels

Types of timber
Nordic Pine
Hemlock


Max. size
Width 5000 mm
Height 3000 mm



LTE, EPU, LPU, Woodgrain




LPU, Titan Metallic



LPU, Silkgrain



LPU, Light Oak



LPU, Micrograin



LPU, Golden Oak



LTH, Nordic Pine



LPU, Golden Oak



LTH, Hemlock



LPU, Night Oak



LPU, Rosewood

The figures show a door for an opening of
2500 x 2125 mm
and the matching side door for an opening of
1000 x 2125 mm

L-ribbed

Design overview of doors and side doors

Also available as an industrial sectional door
SPU 40 Plus up to a size of 7000 x 5000 mm



LPU
Double-skinned insulated steel sandwich panels
42 mm

Surfaces

Woodgrain
Silkgrain
Micrograin

Colours


Traffic white
15 preferred colours
RAL to choose

Decograin surface finish

Titan Metallic

Max. size

Width 6000 mm
Height 3000 mm




LTH
Solid timber panels

Types of timber

Nordic Pine
Hemlock

Max. size


Width 5000 mm
Height 3000 mm




LPU, Woodgrain



LPU, Titan Metallic



LPU, Silkgrain



LPU, Micrograin



LTH, Nordic Pine



LTH, Hemlock

The figures show a door for an opening of
2500 x 2125 mm
and a matching side door for an opening of
1000 x 2125 mm

Panel

Design overview of doors and side doors



LTE Single-skinned steel panels

Surface
Woodgrain

Colour
Traffic white

Max. size
Width 3000 mm
Height 3000 mm



EPU Double-skinned steel sandwich panels 42 / 20 mm

Surface
Woodgrain

Colours
Traffic white
15 preferred colours
RAL to choose

Max. size
Width 5000 mm
Height 3000 mm



LPU Double-skinned steel sandwich panels 42 mm

Surface
Woodgrain

Colours
Traffic white
15 preferred colours
RAL to choose

Decograin surface finishes

Light Oak
Golden Oak
Dark Oak
Night Oak
Rosewood

Max. size
Width 6000 mm
Height 3000 mm



LTH Solid timber panels

Types of timber
Nordic Pine
Hemlock

Max. size
Width 5000 mm
Height 3000 mm



LTE, EPU, LPU, Woodgrain



LPU, Light Oak



LTH, panelled, Nordic Pine



LPU, Golden Oak



LTH, panelled, Hemlock



LPU, Dark Oak



LPU, Night Oak



LPU, Rosewood


The figures show a door for an opening of 2500 × 2125 mm and a matching side door for an opening of 1000 × 2125 mm

Design L-ribbed

Design overview of doors and side doors



Also available as an industrial sectional door
SPU 40 Plus up to a size of 7000 x 5000 mm




LPU
Double-skinned insulated
steel sandwich panels
42 mm

Surface finish
Silkgrain

Colours
Traffic white
15 preferred colours
RAL to choose


Max. size
Width 6000 mm
Height 3000 mm



LPU, Silkgrain
Style 450




LPU, Silkgrain
Style 456



LPU, Silkgrain
Style 451



LPU, Silkgrain
Style 457, left arrangement,
mirrored style



LPU, Silkgrain
Style 461 with glazing



LPU, Silkgrain
Style 458



LPU, Silkgrain
Style 452



LPU, Silkgrain
Style 459



LPU, Silkgrain
Style 462 with glazing



LPU, Silkgrain
Style 469 with glazing



LPU, Silkgrain
Style 454, centre arrangement

The figures show a door for an opening of
2500 x 2125 mm
and a matching side door for an opening of
1000 x 2125 mm

Design timber doors

Design overview



LTH

Solid timber panels

Types of timber

Nordic Pine

Hemlock (not shown)

Max. size

Width 5000 mm

Height 3000 mm

Setting accents

Choose from 3 natural stones. In styles 403 and 404, natural stone is used as an attractive design feature. Variations in colour and structure are a natural characteristic.

Individual designs

Design your own timber door: A simple drawing is enough for us to manufacture an individual door for you using a computer-aided mill.



LTH Nordic Pine
Style 401



LTH Nordic Pine
Style 402



LTH Nordic Pine
Style 403



LTH Nordic Pine
Style 403 with natural stone



Tropical-green



Multicolour-red



Balmoral-rosso




LTH Nordic Pine
Style 404



LTH Nordic Pine
Style 404 with natural stone



LTH Nordic Pine
Style 405



LTH Nordic Pine
Style 405,
with hinged door fitting
kits and decorative
handles (optional)

On request, each garage door can be supplied with a matching side door.

The figures show a door for an opening of 2500 x 2125 mm