

New for 2012  
Masta-Gear  
The Balmoral Solid Panel Range  
Idigbo Timber Doors  
Personnel Doors



# the **coach house**

range of craftsman built garage doors

# price list



April 2012



## Welcome to the Woodrite garage door price list.

### Here are the top ten items to note when using this price list:

- 1** Prices are in sterling and exclude VAT and delivery. Net delivery charges per door: 1 door £57, 2 doors £45. Mainland England and Wales - please call for other areas.
- 2** All sizes are for the opening into which the door will fit and are shown width x height - suitable clearance is built into the door panel to allow opening without binding.
- 3** All up and over doors are priced including retractable gear. Canopy gear is available on doors up to 8'0" x 7'0" (2438mm x 2134mm) as a no cost option.
- 4** All doors are supplied with a base coat treatment ready for staining to the colour of your choice. Fully finished doors are available as an option in the colours listed.
- 5** Timber is a natural material and will have variations in colour, shade and grain that will change over time as part of the normal ageing process.
- 6** If you are ordering doors to be fitted side by side please tell us and we will select timbers to produce a sympathetic match of colour and shade.
- 7** Drawings illustrate a single 7'0" x 7'0" door. (3'0" wide for personnel doors) Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise. Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.
- 8** The proportions of the door panels and the lock handle position may vary dependent upon the door size ordered even within doors of the same style.
- 9** Doors are supplied with a lock hole unless otherwise specified. Up & Over doors have the lock handle in the lower third of the door.
- 10** Made to measure sizes are available in mm increments. For pricing, locate the size band into which your door falls in the made to measure price tables.

## The Coach House Collection

The Coach House Collection of garage doors sets the standard for design, durability and performance for timber garage doors. The ranges of doors are all hand-built from timber from managed renewable sources. Whatever style you select you can be confident you've chosen quality. Woodrite - "Good With Wood"!

### Masta-Gear up & over

Woodrite's Masta-Gear operating mechanism combines with a lightweight & strong aluminium sub-frame for panel-constructed doors or fixes directly to solid-constructed doors. Masta-Gear is the most versatile up & over door gear on the market today.

#### Masta-Gear panel-constructed doors

The door panel is made first and the aluminium sub-frame and Masta-Gear operating mechanism is then built onto the door panel for maximum integrity. All doors have edge-to-edge timbers with no visible sub-frame from the outside.

#### Masta-Gear solid-constructed doors

The door panel is made first and the Masta-gear operating mechanism is then mounted directly onto the door panel for maximum integrity and a rear face free from bracings.

Masta-Gear is available for all up & over ranges with retractable gear as standard, single doors (Up to 9'0" wide x 7'0" high) are supplied with cranked arms for increased drive through width at wing mirror height. Canopy gear as a no cost option where indicated. Masta-Gear is available in an extensive range of standard sizes and all sizes in-between within our made to measure service.



Panel-constructed



Solid-constructed

Page 20 -22

### Super-Chassis up & over

A super-strong steel chassis with integrated lifting gear is at the heart of our Super-Chassis gear. The door chassis is built to the door size and the door panel is then mounted into the chassis for improved rigidity.

Woodrite's door panel design is unique in that it "cloaks" the chassis. Only beautiful timber is visible edge-to-edge from the front of the door. This innovative panel design eliminates the need for the visible chassis found on other makes of door.

Super-Chassis gear is available for doors from the Buckingham, Somerset and Warwick ranges. A large range of standard sizes is available and all sizes in-between within our made to measure service.

Super-Chassis is available with straight arm retractable gear as standard and canopy gear as a no cost option in the sizes as indicated with each range.



Page 20 -22

### Side hinged & personnel

Side hinged garage doors and personnel doors are constructed using traditional build methods employing mortice and tenoned joints. The side, top and bottom rails are all machined using 43mm thick timbers and rebated centre rails eliminate gaps between panels for added security.

Side hinged garage doors and personnel doors are hung with three brass-effect hinges per leaf or with the option of a pair of classic strap hinges in black or silver colour or traditional strap hinges in black wrought iron. Side hinged doors have a night latch and finger pull (commonly used on front doors) with the option of a mortice lock and lever set - see individual furniture packs for details. Personnel doors have a mortice lock and lever set as standard. Side hinged doors have shoot bolts top and bottom to secure the inactive leaf and door stays to hold the door in the open position.



Page 22

## The Somerset Cedar Up & Over Range

A range of 12 up and over designs, many of which are also available as side hinged doors or matching personnel doors – see the York range for details. Doors are made with selected cedar mouldings and cedar faced ply. Up & Over doors are panel-built suitable for use with Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is available as a no cost option on single doors in the sizes listed with the range.


Page 4-5



## The Buckingham Cedar Up & Over Range

A range of 24 up and over designs, many of which are also available as side hinged doors or matching personnel doors – see the York range for details. Doors are made with selected cedar mouldings, cedar tongue and groove boards and cedar raised and fielded panels dependent on style. Up & Over doors are panel-built suitable for use with Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is available as a no cost option on single doors in the sizes listed with the range.

Page 6-9



## The Balmoral Cedar Up & Over Range

A range of 24 up and over designs, many of which are also available as side hinged doors or matching personnel doors – see the York range for details. Doors are made with selected cedar mouldings, cedar tongue and groove boards and cedar raised and fielded panels dependent on style. Up & Over doors are solid-built suitable for use with Masta-Gear and available in standard and made to measure sizes. Canopy gear is not available.

Page 10-13



## The Warwick Idigbo Up & Over, Side Hinged & Personnel Range

Idigbo is a hardwood that looks very like oak, yet is lower in price. A range of 8 up and over designs that are also available as side hinged doors or matching personnel doors. Doors are made with selected idigbo mouldings, idigbo tongue and groove boards and idigbo raised and fielded panels dependent on style. Up & Over doors are of solid-construction suitable for use with Masta-Gear with the option of panel-construction suitable for straight arm Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is not available.

Page 14-16



## The York Cedar Side Hinged & Personnel Range

A range of 28 side hinged and personnel designs. Doors are made with selected cedar mouldings, cedar tongue and groove boards and cedar raised and fielded panels dependent on style. York doors are of solid-construction and available in made to measure sizes.

Page 17-19



## How to Order

### 1. Operation

First select your type of operation - up and over or side hinged or personnel.

### 2. Style

Select your preferred design or short-list a few alternatives. If you are ordering doors to be installed side by side, make this clear on your order.

### 3. Size

Locate the size you require from the standard sizing tables or the size band if the door is made to measure.

All sizes are for the opening into which the door will fit and are shown width x height - suitable clearance is built into the door panel to allow opening without binding. See pages 22 for full details on door and opening sizes.

### 4. Gear

Panel-built up and over doors from the Somerset, Buckingham and Warwick ranges are available with Masta-Gear or Super-Chassis - specify your preference.

Solid-built up and over doors from Balmoral and Warwick ranges are available with Masta-Gear only.

If your door is to be automated, you may wish to specify that no lock handle is required - leaving the door face clear.

Side Hinged and personnel doors can be specified with different hardware by selecting the alternative hardware packs from the option listings.

### 5. Finish

Specify your finish - basecoat treated, primed for painting or one of the fully finished options. If you are trying to match to existing timbers please speak to a member of our customer service team for samples.

### 6. Frame

Specify your frame type, size and finish. If you are fitting within the reveal ensure you have allowed sufficient clearances for brickwork coursing tolerance - see page 22 for full details. Don't forget to specify architrave to cover steel frames.

### 7. Options

Specify all the options you require such as window leading and handle type.

### 8. Get in touch

Our customer service team will be delighted to assist at any stage of the ordering process. If you need advice on sizing, operation or any aspect of the process just call. We can also assist with bespoke design requirements - let us know what you'd like and we'll bring it to life in wood!

THE SOMERSET RANGE is made with selected cedar mouldings and cedar faced exterior grade ply. Doors are of panel-construction onto either Masta-Gear or Super-Chassis in standard or made to measure sizes as listed.

### STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Appley		Cannington		Chard		Churchill		Holcombe		Horton		Kingsdon		Standerwick		Metric (mm) Width x Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0" X 6'6"	1384	1200	1384	1200	1331	1140	1331	1140	1697	1439	1483	1230	1594	1335	1199	1067	1981 x 1981
7'0" X 7'0"	1384	1200	1384	1200	1331	1140	1331	1140	1705	1447	1483	1230	1602	1343	1199	1067	1981 x 2134
7'5" x 6'6"	1416	1252	1416	1252	1342	1163	1342	1163	1710	1470	1488	1254	1606	1366	1204	1091	2261 x 1981
7'5" x 7'0"	1416	1252	1416	1252	1342	1163	1342	1163	1718	1478	1488	1254	1615	1375	1204	1091	2261 x 2134
7'6" x 6'6"	1416	1252	1416	1252	1342	1199	1342	1199	1710	1505	1488	1290	1606	1402	1204	1091	2286 x 1981
7'6" x 7'0"	1416	1252	1416	1252	1342	1199	1342	1199	1718	1514	1488	1290	1615	1410	1204	1091	2286 x 2134
8'0" x 6'6"	1433	1325	1433	1325	1374	1277	1374	1277	1737	1618	1505	1392	1697	1669	1216	1124	2438 x 1981
8'0" x 7'0"	1433	1325	1433	1325	1374	1277	1374	1277	1746	1627	1505	1392	1707	1678	1216	1124	2438 x 2134
9'0" x 6'6"	1742	1618	1742	1618	1639	1615	1639	1615	2068	1838	1833	1609	2005	1863	1515	1431	2743 x 1981
9'0" x 7'0"	1742	1618	1742	1618	1639	1615	1639	1615	2079	1848	1831	1606	2013	1871	1515	1431	2743 x 2134
10'0" x 6'6"	1793	1754	1793	1754	1688	1709	1688	1709	2147	1967	1899	1719	2103	1986	1532	1453	3048 x 1981
10'0" x 7'0"	1793	1754	1793	1754	1688	1709	1688	1709	2158	1979	1899	1719	2061	1882	1532	1453	3048 x 2134
11'0" x 6'6"	2120	2801	2120	2801	1999	2747	1999	2747	2575	3229	2338	2967	2448	3010	2056	2685	3353 x 1981
11'0" x 7'0"	2120	2871	2120	2871	1999	2819	1999	2819	2599	3325	2336	3037	2459	3184	2056	2757	3353 x 2134
12'0" x 6'6"	2250	3004	2250	3004	2225	2950	2225	2950	2631	3377	2469	3191	2592	3339	2165	2888	3658 x 1981
12'0" x 7'0"	2250	3068	2250	3068	2225	3014	2225	3014	2644	3455	2446	3255	2605	3416	2142	2952	3658 x 2134
13'0" x 6'6"	2352	3279	2352	3279	2335	3194	2335	3194	3038	3792	2570	3398	2807	3561	2110	3037	3692 x 1981
13'0" x 7'0"	2346	3319	2346	3319	2335	3209	2335	3209	3053	3862	2580	3452	2821	3630	2119	3092	3692 x 2134
14'0" x 6'6"	2451	3164	2451	3164	2390	3093	2390	3093	3086	3726	2602	3315	2851	3491	2223	2936	4267 x 1981
14'0" x 7'0"	2456	3180	2456	3180	2400	3093	2400	3093	3102	3742	2611	3315	2867	3507	2223	2936	4267 x 2134
15'0" x 6'6"	2834	3496	2834	3496	2778	3408	2778	3408	3296	4082	2793	3655	3057	3843	2589	3250	4572 x 1981
15'0" x 7'0"	2834	3559	2834	3559	2778	3471	2778	3471	3313	4163	2793	3718	3074	3924	2589	3250	4572 x 2134
16'0" x 6'6"	3075	3734	3075	3734	2907	3532	2907	3532	3342	4226	2712	3671	2988	3872	2615	3374	4877 x 1981
16'0" x 7'0"	3125	3802	3125	3802	2947	3599	2947	3599	3361	4312	2712	3739	3007	3958	2615	3391	4877 x 2134

### MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths.  
Super-Chassis doors available from 6'0" - 8'0" high on doors up to 14'0" wide and from 6'0" - 7'0" high over 14'0" wide.

Imperial Width - Height	Masta		Super		Masta		Super		Masta		Super		Masta		Super		Masta		Super		Metric (mm) Width - Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super			
7'0"w - 7'6"h	1380	1573	1380	1573	1365	1546	1365	1546	1723	1869	1492	1645	1619	1765	1208	1381	2134w - 2286h				
7'0"w - 8'0"h	1392	1642	1392	1642	1365	1615	1365	1615	1738	1944	1499	1712	1634	1840	1216	1439	2134w - 2438h				
7'6"w - 7'6"h	1425	1632	1425	1632	1376	1606	1376	1606	1736	1937	1497	1704	1632	1833	1233	1441	2286w - 2286h				
7'6"w - 8'0"h	1434	1702	1434	1702	1376	1675	1376	1675	1752	2013	1504	1771	1648	1909	1233	1498	2286w - 2348h				
8'0"w - 7'6"h	1484	1735	1484	1735	1390	1683	1390	1683	1764	2051	1514	1807	1725	2102	1265	1518	2438w - 2286h				
8'0"w - 8'0"h	1492	1804	1492	1804	1398	1753	1398	1753	1781	2127	1521	1874	1741	2178	1267	1576	2438w - 2348h				
9'0"w - 7'6"h	1851	1932	1851	1932	1749	1905	1749	1905	2099	2273	1840	2021	2033	2296	1525	1705	2743w - 2286h				
9'0"w - 8'0"h	1864	2001	1864	2001	1763	1974	1763	1974	2121	2351	1852	2088	2056	2374	1527	1763	2743w - 2348h				
10'0"w - 7'6"h	1919	2124	1919	2124	1897	2095	1897	2095	2179	2501	1908	2230	2082	2404	1541	1864	3048w - 2286h				
10'0"w - 8'0"h	1937	2198	1937	2198	1897	2169	1897	2169	2209	2586	1926	2303	2112	2489	1544	1922	3048w - 2348h				
11'0"w - 7'6"h	2217	3336	2217	3336	2197	3306	2197	3306	2633	3800	2336	3502	2494	3661	2054	3219	3353w - 2286h				
11'0"w - 8'0"h	2275	3407	2275	3407	2237	3378	2237	3378	2743	3854	2468	3578	2638	3749	2186	3296	3353w - 2348h				
12'0"w - 7'6"h	2387	3442	2387	3442	2251	3401	2251	3401	2679	3931	2468	3718	2641	3892	2164	3414	3658w - 2286h				
12'0"w - 8'0"h	2397	3491	2397	3491	2397	3447	2397	3447	2785	3981	2600	3794	2786	3982	2296	3491	3658w - 2348h				
13'0"w - 7'6"h	2587	3679	2587	3679	2435	3602	2435	3602	3089	4339	2706	3915	2858	4108	2245	3555	3962w - 2286h				
13'0"w - 8'0"h	2597	3693	2597	3693	2447	3643	2447	3643	3226	4386	2636	3991	3039	4199	2275	3631	3962w - 2348h				
14'0"w - 7'6"h	2735	3642	2735	3642	2649	3468	2649	3468	3140	4221	2737	3778	2905	3986	2358	3399	4267w - 2286h				
14'0"w - 8'0"h	2779	-	2779	-	2679	-	2679	-	3273	-	2790	-	3088	-	2411	-	4267w - 2348h				
15'0"w - 7'6"h	2856	4022	2856	4022	2800	3944	2800	3944	3352	4643	2815	4135	3113	4384	2407	3776	4572w - 2286h				
15'0"w - 8'0"h	2879	-	2879	-	2823	-	2823	-	3333	-	2834	-	3149	-	2429	-	4572w - 2348h				
16'0"w - 7'6"h	2997	4265	2997	4265	2947	4071	2947	4071	3352	4744	2685	4152	2998	4391	2436	3904	4877w - 2286h				
16'0"w - 8'0"h	3020	-	3020	-	2997	-	2997	-	3189	-	2703	-	3035	-	2455	-	4877w - 2348h				

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.  
Minimum height on Super-Chassis doors for Canopy gear is 6'4" (1931mm)

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk

# panel-built cedar



## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Taunton		Tickenham		Washford		Yeovil		Metric (mm) Width x Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0" x 6'6"	1384	1200	1331	1140	1331	1140	1331	1140	1981 x 1981
7'0" x 7'0"	1384	1200	1331	1140	1331	1140	1331	1140	1981 x 2134
7'5" x 6'6"	1416	1252	1342	1163	1342	1163	1342	1163	2261 x 1981
7'5" x 7'0"	1416	1252	1342	1163	1342	1163	1342	1163	2261 x 2134
7'6" x 6'6"	1416	1252	1342	1199	1342	1199	1342	1199	2286 x 1981
7'6" x 7'0"	1416	1252	1342	1199	1342	1199	1342	1199	2286 x 2134
8'0" x 6'6"	1433	1325	1374	1277	1374	1277	1374	1277	2438 x 1981
8'0" x 7'0"	1433	1325	1374	1277	1374	1277	1374	1277	2438 x 2134
9'0" x 6'6"	1742	1618	1639	1615	1639	1615	1639	1615	2743 x 1981
9'0" x 7'0"	1742	1618	1639	1615	1639	1615	1639	1615	2743 x 2134
10'0" x 6'6"	1793	1754	1688	1709	1688	1709	1688	1709	3048 x 1981
10'0" x 7'0"	1793	1754	1688	1709	1688	1709	1688	1709	3048 x 2134
11'0" x 6'6"	2120	2801	1999	2747	1999	2747	1999	2747	3353 x 1981
11'0" x 7'0"	2120	2871	1999	2819	1999	2819	1999	2819	3353 x 2134
12'0" x 6'6"	2250	3004	2225	2950	2225	2950	2225	2950	3658 x 1981
12'0" x 7'0"	2250	3068	2225	3014	2225	3014	2225	3014	3658 x 2134
13'0" x 6'6"	2352	3279	2335	3194	2335	3194	2335	3194	3692 x 1981
13'0" x 7'0"	2346	3319	2335	3209	2335	3209	2335	3209	3692 x 2134
14'0" x 6'6"	2451	3164	2390	3093	2390	3093	2390	3093	4267 x 1981
14'0" x 7'0"	2456	3180	2400	3093	2400	3093	2400	3093	4267 x 2134
15'0" x 6'6"	2834	3496	2778	3408	2778	3408	2778	3408	4572 x 1981
15'0" x 7'0"	2834	3559	2778	3471	2778	3471	2778	3471	4572 x 2134
16'0" x 6'6"	3075	3734	2907	3532	2907	3532	2907	3532	4877 x 1981
16'0" x 7'0"	3125	3802	2947	3599	2947	3599	2947	3599	4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths.  
Super-Chassis doors available from 6'0" - 8'0" high on doors up to 14'0" wide and from 6'0" - 7'0" high over 14'0" wide.

Imperial Width - Height	Masta		Super		Masta		Super		Metric (mm) Width - Height
	Super	Super	Super	Super	Super	Super	Super		
7'0"w - 7'6"h	1380	1573	1365	1546	1365	1546	1365	1546	2134w - 2286h
7'0"w - 8'0"h	1392	1642	1365	1615	1365	1615	1365	1615	2134w - 2438h
7'6"w - 7'6"h	1425	1632	1376	1606	1376	1606	1376	1606	2286w - 2286h
7'6"w - 8'0"h	1434	1702	1376	1675	1376	1675	1376	1675	2286w - 2348h
8'0"w - 7'6"h	1484	1735	1390	1683	1390	1683	1390	1683	2438w - 2286h
8'0"w - 8'0"h	1492	1804	1398	1753	1398	1753	1398	1753	2438w - 2348h
9'0"w - 7'6"h	1851	1932	1749	1905	1749	1905	1749	1905	2743w - 2286h
9'0"w - 8'0"h	1864	2001	1763	1974	1763	1974	1763	1974	2743w - 2348h
10'0"w - 7'6"h	1919	2124	1897	2095	1897	2095	1897	2095	3048w - 2286h
10'0"w - 8'0"h	1937	2198	1897	2169	1897	2169	1897	2169	3048w - 2348h
11'0"w - 7'6"h	2217	3336	2197	3306	2197	3306	2197	3306	3353w - 2286h
11'0"w - 8'0"h	2275	3407	2237	3378	2237	3378	2237	3378	3353w - 2348h
12'0"w - 7'6"h	2387	3442	2251	3401	2251	3401	2251	3401	3658w - 2286h
12'0"w - 8'0"h	2397	3491	2397	3447	2397	3447	2397	3447	3658w - 2348h
13'0"w - 7'6"h	2587	3679	2435	3602	2435	3602	2435	3602	3962w - 2286h
13'0"w - 8'0"h	2597	3693	2447	3643	2447	3643	2447	3643	3962w - 2348h
14'0"w - 7'6"h	2735	3642	2649	3468	2649	3468	2649	3468	4267w - 2286h
14'0"w - 8'0"h	2779	-	2679	-	2679	-	2679	-	4267w - 2348h
15'0"w - 7'6"h	2856	4022	2800	3944	2800	3944	2800	3944	4572w - 2286h
15'0"w - 8'0"h	2879	-	2823	-	2823	-	2823	-	4572w - 2348h
16'0"w - 7'6"h	2997	4265	2947	4071	2947	4071	2947	4071	4877w - 2286h
16'0"w - 8'0"h	3020	-	2997	-	2997	-	2997	-	4877w - 2348h

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.  
Minimum height on Super-Chassis doors for Canopy gear is 6'4" (1931mm).

## OPTIONS

Single doors ≤ 10'0" wide  
Double doors > 10'0" wide

### FRAMES

Single doors ≤ 10'0" wide  
Double doors > 10'0" wide

Steel Frames*	75mm (Super) <sup>A</sup>	
	single	double
White/brown	115 / 170	
<sup>A</sup> 60mm for canopy doors * Super-Chassis Only		
Timber Frames	70mm x 70mm	70mm x 90mm
	single	single/double
Hardwood	225	295 / 395
Softwood	95	135 / 245
Cedar Clad softwood	175	215 / 355
Cedar Clad hardwood	305	375 / 505

Frame finishes single / double	single/double
Light Oak, Antique Oak, Chestnut, Mahogany, Walnut & Burnt Oak	40 / 55
Silver, Silver/Slate Grey, Ice Silver RAL	70 / 95
White primer	80 / 110
Black Frame and Chassis for Super-Chassis Doors	30 / 50
	75 / 145

### FINISHES

Light Oak, Antique Oak, Chestnut, Mahogany, Walnut & Burnt Oak	single/double
Silver, Silver/Slate Grey, Ice Silver RAL	115 / 195
White Primed	175 / 235
	245 / 425
	85 / 145

### HANDLES

\*Masta-Gear Only

Black (standard)	0
Brass effect or Chrome effect*	40 / 50

### GLAZING

Other options on request

Stippled Polycarb (standard)	single/double
Clear Polycarb	0
4mm toughened glass clear	40 / 80
4mm toughened glass stippled	40 / 80

### CRANKED ARM

Retractable gear upgrade - single doors

Masta-Gear	0
Standard on all doors up to 2743mm wide	
Super-Chassis	40
Available on door heights 1931mm, 1981mm & 2134mm on doors up to 2286mm wide	


For full details of options see page 9





panel-built cedar

STANDARD SIZE Retractable Up & Over Gear



Coach house buckingham

Table listing door models (Gawcott, Granborough, Hardwick\*, Ickford, Kingswood, Marston, Padbury, Quanton) with Imperial and Metric dimensions (Width x Height) and Masta/Super gear specifications.

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths. Super-Chassis doors available from 6'0" - 8'0" high on doors up to 14'0" wide and from 6'0" - 7'0" high over 14'0" wide.

Table listing door models with Imperial and Metric dimensions (Width - Height) and Masta/Super gear specifications.

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high. Minimum height on Super-Chassis doors for Canopy gear is 6'4" (1931mm)

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk





# panel-built cedar

# Coach house buckingham

**OPTIONS** Single doors ≤ 10'0" wide  
Double doors > 10'0" wide

## FINISHES

Light Oak, Antique Oak, Chestnut, Mahogany, Walnut & Burnt Oak  
Silver, Silver Grey, Ice Silver, Slate Grey  
RAL  
White Primed

single/double
115 / 195
175 / 235
245 / 425
85 / 145




Light Oak    Antique Oak    Chestnut    Mahogany  
Walnut    Burnt Oak    Silver    Silver Grey    Ice Silver    Slate Grey

## FRAMES

Single doors ≤ 10'0" wide Double doors > 10'0" wide

<sup>Δ</sup> 60mm for canopy doors  
\* Super-Chassis Only

	75mm (Super) <sup>Δ</sup>	70mm x 70mm	70mm x 90mm
	single/double	single	single/double
Steel white/brown*	115 / 170	-	-
Hardwood	-	225	295 / 395
Softwood	-	95	135 / 245
Cedar Clad softwood	-	175	215 / 355
Cedar Clad hardwood	-	335	375 / 505



Steel White    Steel Brown    Hardwood  
Softwood    Cedar Clad Softwood    Cedar Clad Hardwood

Frame finishes single / double

	single/double
Light Oak, Antique Oak, Chestnut, Mahogany, Walnut & Burnt Oak	40 / 55
Silver, Silver Grey, Ice Silver, Slate Grey	70 / 95
RAL	80 / 110
White primer	30 / 50
Black Frame and Chassis for Super-Chassis Doors	75 / 145

## HANDLES

Black (standard)  
Brass effect or Chrome effect\*  
\*Masta-Gear Only

0
40 / 50




Black Super-Chassis    Black Masta-Gear    Brass Effect Masta-Gear    Chrome Effect Masta-Gear

## GLAZING

Stippled Polycarb (standard)  
Clear Polycarb  
4mm toughened glass clear  
4mm toughened glass stippled

	Doors with windows	Granborough*	Sherington*
	single/double	single/double	single/double
Stippled Polycarb (standard)	0	175 / 340	175 / 340
Clear Polycarb	0	175 / 340	175 / 340
4mm toughened glass clear	40 / 80	215 / 420	215 / 420
4mm toughened glass stippled	40 / 80	215 / 420	215 / 420



Stippled Plain    Stippled Square Leading    Stippled Diamond Leading    Clear

Square or diamond leading is available on the following styles as a no cost option: Coleshill, Ickford and Radnage. \*The Granborough & Sherington which do not have windows as standard are available with glazing to the top row of features at the prices shown above. With the supplement added, leading options are then available as a no cost option.

## ROUNDED CHAMFER

(Not available on Somerset range doors)

85

## CRANKED ARM

Retractable gear upgrade - single doors

Masta-Gear


Standard on doors up to 2743mm wide x 2134mm high

Super-Chassis

Available on door heights 1931mm, 1981mm & 2134mm on doors up to 2286mm wide

0

40



Wide Board    Rounded Chamfer    Cranked Arm

## WIDE BOARD

Any door made with narrow boards can be ordered with wide boards.

+10%



Cedar Architrave

## CEDAR

Architrave 6mm x 75mm per linear metre\*

Architrave 6mm x 50mm per linear metre\*

Standard Board Tongue & Groove per linear metre

Wide Board Tongue & Groove per linear metre

\* 4mm chamfer to one edge, ideal as cover strips for frames


finished in standard colours 26 RAL 30

finished in standard colours 22 RAL 26

finished in standard colours 26 RAL 30

finished in standard colours 38 RAL 42

THE BALMORAL RANGE is made with selected cedar mouldings, cedar tongue and groove boards and raised and fielded cedar panels depending on design. Doors are of solid-construction onto Masta-Gear in standard or made to measure sizes as listed.



\*Chalfont double  
\* see illustration above for double door configuration

**new for 2012!**

**STANDARD SIZE Retractable Up & Over Gear**


Imperial Width x Height	Adstock	Bierton	Burnham	Chalfont*	Chalfont* <sup>wide</sup>	Chartridge	Chartridge wide	Coleshill	Metric (mm) Width x Height
	<i>new</i>				<i>new</i>		<i>new</i>		
	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	
7'0" X 6'6"	2913	2332	2096	1884	2073	1941	2135	2052	1981 x 1981
7'0" X 7'0"	2913	2332	2096	1884	2073	1941	2135	2052	1981 x 2134
7'5" x 6'6"	3012	2541	2304	2092	2301	2149	2364	2259	2261 x 1981
7'5" x 7'0"	3012	2541	2304	2092	2301	2149	2364	2259	2261 x 2134
7'6" x 6'6"	3012	2543	2304	2092	2301	2149	2364	2260	2286 x 1981
7'6" x 7'0"	3012	2543	2304	2092	2301	2149	2364	2260	2286 x 2134
8'0" x 6'6"	3015	2594	2352	2140	2354	2196	2415	2318	2438 x 1981
8'0" x 7'0"	3015	2594	2352	2140	2354	2196	2415	2318	2438 x 2134
9'0" x 6'6"	3489	3101	2701	2308	2539	2355	2590	2544	2743 x 1981
9'0" x 7'0"	3489	3101	2701	2308	2539	2355	2590	2544	2743 x 2134
10'0" x 6'6"	3739	3157	2839	2359	2595	2450	2695	2613	3048 x 1981
10'0" x 7'0"	3739	3157	2839	2359	2595	2450	2695	2613	3048 x 2134
11'0" x 6'6"	4041	3161	2881	2371	2608	2596	2855	2704	3353 x 1981
11'0" x 7'0"	4041	3161	2881	2371	2608	2596	2855	2704	3353 x 2134
12'0" x 6'6"	4244	3301	2962	2495	2745	2739	3013	2837	3658 x 1981
12'0" x 7'0"	4279	3339	3001	2534	2787	2777	3055	2875	3658 x 2134
13'0" x 6'6"	4822	3739	3281	2798	3078	3026	3329	3232	3692 x 1981
13'0" x 7'0"	4822	3739	3281	2798	3078	3026	3329	3232	3692 x 2134
14'0" x 6'6"	5085	3890	3586	2930	3223	3177	3495	3377	4267 x 1981
14'0" x 7'0"	5085	3890	3586	2930	3223	3177	3495	3377	4267 x 2134
15'0" x 6'6"	5205	4038	3711	3055	3360	3319	3651	3510	4572 x 1981
15'0" x 7'0"	5536	4073	3745	3090	3399	3354	3689	3545	4572 x 2134
16'0" x 6'6"	5727	4211	3870	3214	3535	3495	3845	3678	4877 x 1981
16'0" x 7'0"	5727	4211	3870	3214	3535	3495	3845	3678	4877 x 2134

**MADE TO MEASURE SIZE Retractable Up & Over Gear** By width

Masta Gear doors available from 6'0" - 8'0" high on all widths.

Imperial Width - Height	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Metric (mm) Width - Height
7'0"w - 7'6"h	2974	2358	2134	1910	2101	1967	2163	2179	2134w - 2286h
7'0"w - 8'0"h	3075	2460	2134	1978	2176	2041	2245	2179	2134w - 2438h
7'6"w - 7'6"h	3073	2568	2342	2118	2330	2175	2392	2397	2286w - 2286h
7'6"w - 8'0"h	3184	2679	2343	2192	2411	2255	2480	2397	2286w - 2348h
8'0"w - 7'6"h	3076	2620	2390	2165	2382	2221	2443	2463	2438w - 2286h
8'0"w - 8'0"h	3226	2740	2390	2246	2470	2308	2539	2464	2438w - 2348h
9'0"w - 7'6"h	3550	3126	2832	2333	2566	2380	2618	2708	2743w - 2286h
9'0"w - 8'0"h	3681	3265	2832	2426	2667	2473	2720	2708	2743w - 2348h
10'0"w - 7'6"h	3814	3183	2970	2385	2624	2475	2722	2786	3048w - 2286h
10'0"w - 8'0"h	4000	3369	3008	2522	2884	2618	2880	2825	3048w - 2348h
11'0"w - 7'6"h	4101	3225	3003	2452	2697	2660	2926	2934	3353w - 2286h
11'0"w - 8'0"h	4316	3373	3003	2550	2805	2777	3055	2934	3353w - 2348h
12'0"w - 7'6"h	4304	3365	3103	2576	2834	2803	3083	3086	3658w - 2286h
12'0"w - 8'0"h	4539	3531	3103	2687	2956	2932	3225	3086	3658w - 2348h
13'0"w - 7'6"h	4848	3764	3383	2841	3125	3052	3357	3461	3962w - 2286h
13'0"w - 8'0"h	5435	3984	3417	2999	3298	3222	3544	3495	3962w - 2348h
14'0"w - 7'6"h	5441	3950	3722	3007	3308	3237	3561	3659	4267w - 2286h
14'0"w - 8'0"h	5717	4154	3722	3143	3457	3385	3724	3659	4267w - 2348h
15'0"w - 7'6"h	5561	4099	3853	3132	3446	3379	3717	3811	4572w - 2286h
15'0"w - 8'0"h	5847	4320	3853	3280	3608	3539	3893	3811	4572w - 2348h
16'0"w - 7'6"h	5752	4236	3977	3257	3582	3521	3873	3962	4877w - 2286h
16'0"w - 8'0"h	6058	4477	3977	3417	3759	3694	4063	3962	4877w - 2348h

# solid-built cedar



\* see illustration above for double door configuration

# Coach house balmoral

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Coleshill wide		Gawcott	Gawcott wide	Granborough	Hampden*	Ickford	Kingswood	Marston	Metric (mm) Width x Height
	Masta	Masta	<b>new</b> Masta	<b>new</b> Masta	<b>new</b> Masta	Masta	<b>new</b> Masta	<b>new</b> Masta		
7'0" X 6'6"	2257	1941	2135	2530	1718	2063	2520	2520	<b>1981 x 1981</b>	
7'0" X 7'0"	2257	1941	2135	2530	1761	2063	2520	2520	<b>1981 x 2134</b>	
7'5" x 6'6"	2485	2149	2364	2644	1814	2279	2626	2626	<b>2261 x 1981</b>	
7'5" x 7'0"	2485	2149	2364	2644	1863	2279	2626	2626	<b>2261 x 2134</b>	
7'6" x 6'6"	2486	2149	2364	2644	1814	2281	2626	2626	<b>2286 x 1981</b>	
7'6" x 7'0"	2486	2149	2364	2644	1863	2281	2626	2626	<b>2286 x 2134</b>	
8'0" x 6'6"	2549	2196	2415	2718	1818	2333	2700	2700	<b>2438 x 1981</b>	
8'0" x 7'0"	2549	2196	2415	2718	1867	2333	2700	2700	<b>2438 x 2134</b>	
9'0" x 6'6"	2798	2355	2590	3124	2111	2567	3092	3092	<b>2743 x 1981</b>	
9'0" x 7'0"	2798	2355	2590	3124	2173	2567	3092	3092	<b>2743 x 2134</b>	
10'0" x 6'6"	2874	2450	2695	3273	2118	2654	3242	3242	<b>3048 x 1981</b>	
10'0" x 7'0"	2874	2450	2695	3273	2180	2654	3242	3242	<b>3048 x 2134</b>	
11'0" x 6'6"	2974	2596	2855	3563	2246	3337	3707	3707	<b>3353 x 1981</b>	
11'0" x 7'0"	2974	2596	2855	3563	2314	3337	3707	3707	<b>3353 x 2134</b>	
12'0" x 6'6"	3121	2739	3013	3763	2481	3440	3906	3906	<b>3658 x 1981</b>	
12'0" x 7'0"	3163	2777	3055	3797	2605	3478	3941	3941	<b>3658 x 2134</b>	
13'0" x 6'6"	3555	3026	3329	4207	2653	3849	4246	4246	<b>3692 x 1981</b>	
13'0" x 7'0"	3555	3026	3329	4207	2739	3849	4246	4246	<b>3692 x 2134</b>	
14'0" x 6'6"	3715	3177	3495	4467	2695	3964	4534	4534	<b>4267 x 1981</b>	
14'0" x 7'0"	3715	3177	3495	4467	2781	3964	4534	4534	<b>4267 x 2134</b>	
15'0" x 6'6"	3861	3319	3651	4654	2867	4071	4722	4722	<b>4572 x 1981</b>	
15'0" x 7'0"	3899	3354	3689	4985	3000	4106	5053	5053	<b>4572 x 2134</b>	
16'0" x 6'6"	4046	3495	3845	5243	2934	4209	5311	5311	<b>4877 x 1981</b>	
16'0" x 7'0"	4046	3495	3845	5243	3032	4209	5311	5311	<b>4877 x 2134</b>	


## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths.

Imperial Width - Height	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Metric (mm) Width - Height
7'0"w - 7'6"h	2397	1967	2163	2570	1966	2181	2574	2574	2134w - 2286h
7'0"w - 8'0"h	2397	2041	2245	2570	2009	2182	2695	2695	2134w - 2438h
7'6"w - 7'6"h	2637	2175	2392	2684	2075	2409	2673	2673	2286w - 2286h
7'6"w - 8'0"h	2637	2255	2480	2684	2124	2409	2805	2805	2286w - 2348h
8'0"w - 7'6"h	2710	2221	2443	2757	2078	2470	2747	2747	2438w - 2286h
8'0"w - 8'0"h	2710	2308	2539	2796	2128	2470	2927	2927	2438w - 2348h
9'0"w - 7'6"h	2979	2380	2618	3164	2465	2722	3139	3139	2743w - 2286h
9'0"w - 8'0"h	2979	2473	2720	3164	2526	2722	3291	3291	2743w - 2348h
10'0"w - 7'6"h	3064	2475	2722	3200	2472	2827	3288	3288	3048w - 2286h
10'0"w - 8'0"h	3107	2618	2880	3234	2572	2866	3495	3495	3048w - 2348h
11'0"w - 7'6"h	3228	2660	2926	3623	2452	3626	3817	3817	3353w - 2286h
11'0"w - 8'0"h	3228	2777	3055	3652	2526	3626	4008	4008	3353w - 2348h
12'0"w - 7'6"h	3394	2803	3083	3823	2724	3739	4016	4016	3658w - 2286h
12'0"w - 8'0"h	3394	2932	3225	3851	2817	3739	4228	4228	3658w - 2348h
13'0"w - 7'6"h	3807	3052	3357	4233	2857	4118	4321	4321	3962w - 2286h
13'0"w - 8'0"h	3845	3222	3544	4592	2985	4153	4884	4884	3962w - 2348h
14'0"w - 7'6"h	4025	3237	3561	4824	2934	4277	4941	4941	4267w - 2286h
14'0"w - 8'0"h	4025	3385	3724	4852	3027	4277	5193	5193	4267w - 2348h
15'0"w - 7'6"h	4192	3379	3717	5011	3131	4394	5128	5128	4572w - 2286h
15'0"w - 8'0"h	4192	3539	3893	5039	3236	4394	5400	5400	4572w - 2348h
16'0"w - 7'6"h	4358	3521	3873	5269	3163	4506	5386	5386	4877w - 2286h
16'0"w - 8'0"h	4358	3694	4063	5297	3268	4506	5689	5689	4877w - 2348h









tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk

THE BALMORAL RANGE is made with selected cedar mouldings, cedar tongue and groove boards and raised and fielded cedar panels depending on design. Doors are of solid-construction onto Masta-Gear in standard or made to measure sizes as listed.



\* see illustration above for double door configuration

# STANDARD SIZE Retractable Up & Over Gear **new for 2012!**

Imperial Width x Height	Padbury	Quainton	Salford	Sherington	Woburn	Uttoxeter	Wemford*	Whitchurch	Metric (mm) Width x Height
	 new		 new	 new				 new	
	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	
7'0" X 6'6"	2894	2508	2331	2629	1805	1985	1890	2518	1981 x 1981
7'0" X 7'0"	2894	2508	2331	2629	1805	1985	1937	2518	1981 x 2134
7'5" x 6'6"	3003	2717	2431	2742	2106	2317	1996	2624	2261 x 1981
7'5" x 7'0"	3003	2717	2431	2742	2106	2317	2050	2624	2261 x 2134
7'6" x 6'6"	3004	2717	2431	2742	2106	2317	1996	2624	2286 x 1981
7'6" x 7'0"	3004	2717	2431	2742	2106	2317	2050	2624	2286 x 2134
8'0" x 6'6"	3091	2720	2504	2816	2153	2368	1999	2627	2438 x 1981
8'0" x 7'0"	3091	2720	2504	2816	2153	2368	2054	2627	2438 x 2134
9'0" x 6'6"	3598	3243	2940	3224	2381	2619	2322	3092	2743 x 1981
9'0" x 7'0"	3598	3243	2940	3224	2381	2619	2390	3092	2743 x 2134
10'0" x 6'6"	3705	3440	3088	3373	2393	2632	2330	3339	3048 x 1981
10'0" x 7'0"	3705	3440	3088	3373	2393	2632	2398	3339	3048 x 2134
11'0" x 6'6"	3964	3350	3429	3764	2418	2660	2470	3506	3353 x 1981
11'0" x 7'0"	3964	3350	3429	3765	2418	2660	2545	3506	3353 x 2134
12'0" x 6'6"	4188	3492	3614	3965	2548	2803	2729	3686	3658 x 1981
12'0" x 7'0"	4223	3530	3649	4000	2587	2845	2866	3721	3658 x 2134
13'0" x 6'6"	4780	3612	3902	4410	2781	3059	2918	4124	3692 x 1981
13'0" x 7'0"	4760	3873	3902	4410	2781	3059	3013	4124	3692 x 2134
14'0" x 6'6"	5017	4086	4146	4671	2919	3210	2964	4378	4267 x 1981
14'0" x 7'0"	5017	4086	4146	4671	2919	3210	3059	4378	4267 x 2134
15'0" x 6'6"	5229	4185	4319	4393	3051	3357	3154	4497	4572 x 1981
15'0" x 7'0"	5560	4219	4651	4724	3086	3395	3300	4828	4572 x 2134
16'0" x 6'6"	5701	4361	4894	4982	3217	3538	3227	5009	4877 x 1981
16'0" x 7'0"	5701	4361	4894	4982	3217	3538	3336	5009	4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths.

Imperial Width - Height	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Metric (mm) Width - Height
7'0"w - 7'6"h	2919	2534	2378	2654	1904	2095	2163	2680	2134w - 2286h
7'0"w - 8'0"h	2919	2631	2499	2797	1905	2095	2210	2680	2134w - 2438h
7'6"w - 7'6"h	3030	2742	2478	2768	2206	2426	2282	2796	2286w - 2286h
7'6"w - 8'0"h	3030	2846	2609	2920	2206	2426	2337	2796	2286w - 2348h
8'0"w - 7'6"h	3117	2746	2551	2842	2258	2484	2286	2799	2438w - 2286h
8'0"w - 8'0"h	3155	2849	2731	3043	2259	2484	2340	2838	2438w - 2348h
9'0"w - 7'6"h	3624	3269	3000	3249	2565	2822	2711	3284	2743w - 2286h
9'0"w - 8'0"h	3624	3384	3151	3422	2565	2822	2779	3284	2743w - 2348h
10'0"w - 7'6"h	3730	3465	3147	3420	2571	2828	2719	3565	3048w - 2286h
10'0"w - 8'0"h	3765	3646	3354	3626	2591	2850	2829	3600	3048w - 2348h
11'0"w - 7'6"h	4041	3414	3730	3826	2606	2867	2697	3630	3353w - 2286h
11'0"w - 8'0"h	4041	3571	3730	4067	2606	2867	2779	3781	3353w - 2348h
12'0"w - 7'6"h	4265	3556	3936	4025	2749	3024	2996	3810	3658w - 2286h
12'0"w - 8'0"h	4265	3724	3936	4287	2749	3024	3099	3982	3658w - 2348h
13'0"w - 7'6"h	4823	3898	4209	4436	2949	3244	3143	4214	3962w - 2286h
13'0"w - 8'0"h	5154	4114	4540	5048	2984	3282	3283	4736	3962w - 2348h
14'0"w - 7'6"h	5391	4146	4805	5028	3134	3447	3227	4799	4267w - 2286h
14'0"w - 8'0"h	5391	4339	4805	4864	3134	3447	3330	5011	4267w - 2348h
15'0"w - 7'6"h	5603	4245	4998	4750	3279	3607	3444	4918	4572w - 2286h
15'0"w - 8'0"h	5603	4444	4998	5072	3279	3607	3560	5140	4572w - 2348h
16'0"w - 7'6"h	5743	4387	5272	5210	3422	3764	3479	5098	4877w - 2286h
16'0"w - 8'0"h	5743	4599	5272	5562	3422	3764	3595	5340	4877w - 2348h

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk

# solid-built cedar




# Coach house balmoral

**OPTIONS** Single doors ≤ 10'0" wide  
Double doors > 10'0" wide


## FINISHES

Light Oak, Antique Oak, Chestnut, Mahogany, Walnut & Burnt Oak  
Silver, Silver Grey, Ice Silver, Slate Grey  
RAL  
White Primed


single/double
115 / 195
175 / 235
245 / 425
85 / 145



Light Oak



Antique Oak



Chestnut



Mahogany



Walnut



Burnt Oak




Silver



Silver Grey



Ice Silver



Slate Grey

## FRAMES

Single doors ≤ 10'0" wide Double doors > 10'0" wide

	70mm x 70mm	70mm x 90mm
	single	single/double
Hardwood	225	295 / 395
Softwood	95	135 / 245
Cedar Clad softwood	175	215 / 355
Cedar Clad hardwood	335	375 / 505




Hardwood



Softwood



Cedar Clad Softwood



Cedar Clad Hardwood

Frame finishes single / double

Light Oak, Antique Oak, Chestnut, Mahogany, Walnut & Burnt Oak  
Silver, Silver Grey, Ice Silver, Slate Grey  
RAL  
White primer  
Black Frame and Chassis for Super-Chassis Doors

single/double
40 / 55
70 / 95
80 / 110
30 / 50
75 / 145

## HANDLES

Black (standard)  
Brass effect or Chrome effect

0
40 / 50



Black Masta-Gear



Brass Effect Masta-Gear



Chrome Effect Masta-Gear

## GLAZING

Stippled Polycarb (standard)  
Clear Polycarb  
4mm toughened glass clear  
4mm toughened glass stippled


	Doors with windows	Granborough*	Sherington*
	single/double	single/double	single/double
Stippled Polycarb (standard)	0	175 / 340	175 / 340
Clear Polycarb	0	175 / 340	175 / 340
4mm toughened glass clear	40 / 80	215 / 420	215 / 420
4mm toughened glass stippled	40 / 80	215 / 420	215 / 420

Square or diamond leading is available on the following styles as a no cost option:

Coleshill, Ickford and Radnage. \*The Granborough & Sherington which do not have windows as standard are available with glazing to the top row of features at the prices shown above. With the supplement added, leading options are then available as a no cost option.




Stippled Plain



Stippled Square Leading



Stippled Diamond Leading



Clear


**ROUNDED CHAMFER** (Standard) 0

**WIDE BOARD** +10%

Any door made with narrow boards can be ordered with wide boards.



Rounded Chamfer



Wide Board

## CEDAR

Architrave 6mm x 75mm per linear metre\*

Architrave 6mm x 50mm per linear metre\*

Standard Board Tongue & Groove per linear metre

Wide Board Tongue & Groove per linear metre

\* 4mm chamfer to one edge, ideal as cover strips for frames

finished in standard colours 26 RAL 30

finished in standard colours 22 RAL 26

finished in standard colours 26 RAL 30

finished in standard colours 38 RAL 42



Cedar Architrave

THE WARWICK RANGE is made with selected idigbo mouldings, idigbo tongue and groove boards and raised and fielded idigbo panels depending on design. Doors are of panel construction onto Super-Chassis or Masta-Gear (this page) or solid-construction (facing page) onto Masta-Gear in standard or made to measure sizes as listed. For finish options see page 16 for all other options see page 9.

# panel-built idigbo

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Brandon		Claverdon		Grendon		Hatton		Kenilworth		Langley		Stratford		Welford		Metric (mm) Width x Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
<b>7'0" X 6'6"</b>	3812	3354	3309	2850	3299	2841	3496	3078	3319	2861	3552	3094	2808	2449	4074	3462	<b>1981 x 1981</b>
<b>7'0" X 7'0"</b>	3812	3354	3309	2850	3299	2841	3496	3078	3319	2861	3552	3094	2808	2449	4074	3462	<b>1981 x 2134</b>
<b>7'5" X 6'6"</b>	3914	3493	3406	2985	3396	2976	3514	3214	3416	2995	3650	3229	2962	2584	4086	3512	<b>2261 x 1981</b>
<b>7'5" X 7'0"</b>	3914	3493	3406	2985	3396	2976	3514	3214	3416	2995	3650	3229	2978	2584	4086	3512	<b>2261 x 2134</b>
<b>7'6" X 6'6"</b>	3917	3568	3406	3057	3396	3047	3518	3288	3416	3067	3650	3301	2962	2655	4086	3583	<b>2286 x 1981</b>
<b>7'6" X 7'0"</b>	3917	3568	3406	3057	3396	3047	3518	3288	3416	3067	3650	3301	2978	2655	4086	3583	<b>2286 x 2134</b>
<b>8'0" X 6'6"</b>	4035	3762	3528	3196	3519	3106	3680	3372	3536	3206	3721	3448	3102	2830	4122	3695	<b>2438 x 1981</b>
<b>8'0" X 7'0"</b>	4035	3762	3528	3196	3519	3106	3680	3394	3536	3206	3721	3448	3102	2830	4122	3695	<b>2438 x 2134</b>
<b>9'0" X 6'6"</b>	4470	4255	4155	3740	4142	3727	4393	3918	4113	3744	4351	3936	3605	3390	4892	4407	<b>2743 x 1981</b>
<b>9'0" X 7'0"</b>	4470	4255	4155	3740	4142	3727	4393	3978	4113	3750	4351	3936	3605	3390	4892	4407	<b>2743 x 2134</b>
<b>10'0" X 6'6"</b>	4710	4604	4362	3856	4349	3844	4584	4278	4318	3912	4692	4386	3808	3502	5180	4805	<b>3048 x 1981</b>
<b>10'0" X 7'0"</b>	4710	4604	4362	3856	4349	3844	4584	4278	4318	3912	4692	4386	3808	3502	5180	4805	<b>3048 x 2134</b>
<b>11'0" X 6'6"</b>	5456	7390	4778	6530	4766	6517	5436	7016	4856	6507	5565	6916	4612	5900	6071	7353	<b>3353 x 1981</b>
<b>11'0" X 7'0"</b>	5456	7533	4784	6673	4766	6661	5436	7159	4856	6650	5565	7059	4612	6043	6071	7497	<b>3353 x 2134</b>
<b>12'0" X 6'6"</b>	5504	7777	4964	6905	4952	6892	5594	7396	4942	6878	5750	7287	4795	6269	6432	7899	<b>3658 x 1981</b>
<b>12'0" X 7'0"</b>	5510	7905	4994	7033	4974	7020	5594	7523	4942	7006	5704	7415	4749	6397	6386	8027	<b>3658 x 2134</b>
<b>13'0" X 6'6"</b>	6460	8407	5274	7426	5452	7405	6140	7965	5240	7385	6025	7778	4832	6721	7378	8399	<b>3692 x 1981</b>
<b>13'0" X 7'0"</b>	6478	8516	5292	7536	5472	7515	6160	8074	5240	7494	6203	8046	4850	6831	7397	8508	<b>3692 x 2134</b>
<b>14'0" X 6'6"</b>	6790	8397	5478	7402	5658	7381	6350	7946	5300	7357	6385	7909	5230	6691	7779	8572	<b>4267 x 1981</b>
<b>14'0" X 7'0"</b>	6790	8397	5498	7402	5676	7381	6368	7946	5300	7357	6404	7909	5250	6691	7798	8572	<b>4267 x 2134</b>
<b>15'0" X 6'6"</b>	7430	9225	6401	8215	6580	8194	6882	8767	6352	8166	6903	8717	5747	7498	8214	9211	<b>4572 x 1981</b>
<b>15'0" X 7'0"</b>	7510	9351	6401	8341	6580	8320	6882	8893	6352	8292	6903	8843	5747	7624	8214	9338	<b>4572 x 2134</b>
<b>16'0" X 6'6"</b>	7630	9633	6693	8701	6672	8680	7130	9209	6395	8402	7129	9137	5790	7875	8273	9464	<b>4877 x 1981</b>
<b>16'0" X 7'0"</b>	7630	9768	6693	8835	6672	8815	7130	9343	6395	8537	7129	9272	5790	8010	8273	9599	<b>4877 x 2134</b>

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths.  
Super-Chassis doors available from 6'0" - 8'0" high on doors up to 14'0" wide and from 6'0" - 7'0" high over 14'0" wide.









Imperial Width - Height	Masta		Super		Masta		Super		Masta		Super		Masta		Super		Masta		Super		Metric (mm) Width - Height
	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Super	Masta	Super	Masta	Super	Super	Masta	Super		
<b>7'0"w - 7'6"h</b>	3831	4183	3386	3839	3258	3830	3514	4067	3398	3849	3731	4083	2814	3425	4092	4291	2134w	-	2286h		
<b>7'0"w - 8'0"h</b>	3999	4471	3394	3955	3278	3945	3516	4189	3398	3977	3750	4222	2828	3541	4254	4572	2134w	-	2438h		
<b>7'6"w - 7'6"h</b>	3935	4397	3584	4058	3486	4048	3528	4289	3607	4068	3840	4302	2982	3644	4104	4412	2286w	-	2286h		
<b>7'6"w - 8'0"h</b>	4116	4697	3592	4173	3496	4164	3536	4411	3615	4196	3859	4440	2998	3759	4267	4694	2286w	-	2348h		
<b>8'0"w - 7'6"h</b>	4053	4591	3672	4269	3522	4260	3726	4628	3739	4277	3924	4462	3134	3831	4140	4524	2438w	-	2286h		
<b>8'0"w - 8'0"h</b>	4246	4903	3727	4385	3538	4375	3726	4743	3747	4405	3943	4600	3188	3946	4302	4806	2438w	-	2348h		
<b>9'0"w - 7'6"h</b>	4488	5083	4182	4778	4170	4765	4627	5022	4230	4736	4578	4974	4020	4216	4910	5236	2743w	-	2286h		
<b>9'0"w - 8'0"h</b>	4516	5421	4188	4894	4176	4881	4633	5138	4238	4864	4607	5112	4020	4331	5119	5555	2743w	-	2348h		
<b>10'0"w - 7'6"h</b>	4728	5625	4434	5311	4402	5298	4842	5539	4570	5267	4944	5641	4108	4744	5198	5826	3048w	-	2286h		
<b>10'0"w - 8'0"h</b>	4780	5987	4446	5426	4408	5414	4848	5655	4588	5395	4982	5789	4108	4860	5432	6169	3048w	-	2348h		
<b>11'0"w - 7'6"h</b>	5480	8258	5196	7858	5162	7845	5902	8343	5254	7637	5867	8044	4890	7203	6115	8422	3353w	-	2286h		
<b>11'0"w - 8'0"h</b>	5790	8658	5210	7973	5190	7960	5942	8471	5290	7753	5901	8165	4936	7318	6576	8772	3353w	-	2348h		
<b>12'0"w - 7'6"h</b>	5882	8830	5250	8242	5236	8229	6522	8732	5426	8017	6078	8424	5310	7581	6476	8953	3658w	-	2286h		
<b>12'0"w - 8'0"h</b>	6396	9254	5476	8357	5464	8344	6560	8860	5452	8133	6111	8545	5346	7696	6986	9351	3658w	-	2348h		
<b>13'0"w - 7'6"h</b>	7130	9442	5852	8769	5832	8748	7320	9308	5994	8530	6250	9040	5632	8039	7695	9434	3962w	-	2286h		
<b>13'0"w - 8'0"h</b>	7286	9890	5872	8885	5854	8864	7354	9436	6036	8646	6309	9072	5770	8155	7732	9833	3962w	-	2348h		
<b>14'0"w - 7'6"h</b>	7148	9323	6182	8660	6142	8639	7446	9204	6239	8418	6438	8690	5656	7925	8096	9497	4267w	-	2286h		
<b>14'0"w - 8'0"h</b>	7376	-	6210	-	6190	-	7504	-	6309	-	6583	-	5724	-	8429	-	4267w	-	2348h		
<b>15'0"w - 7'6"h</b>	7460	10276	6802	9624	6782	9604	7682	10176	6956	9378	6950	8694	6170	8882	8304	10472	4572w	-	2286h		
<b>15'0"w - 8'0"h</b>	7642	-	6802	-	6782	-	7694	-	6956	-	7027	-	6170	-	8637	-	4572w	-	2348h		
<b>16'0"w - 7'6"h</b>	7874	10694	6958	9982	6938	9962	7968	10664	7010	9634	7202	8698	6378	9292	8350	10730	4877w	-	2286h		
<b>16'0"w - 8'0"h</b>	8281	-	6970	-	6938	-	7988	-	7050	-	7278	-	6378	-	8695	-	4877w	-	2348h		

# solid-built idigbo

new for 2012!

Coach-house  
**warwick**

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Brandon	Claverdon	Grendon	Hatton	Kenilworth	Langley	Southam	Welford	Metric (mm) Width x Height
	 new Masta	 new Masta	 new Masta	 new Masta	 new Masta	 new Masta	 new Masta	 new Masta	
7'0" X 6'6"	4665	3882	3882	4103	3768	5017	3610	5040	1981 x 1981
7'0" X 7'0"	4665	3882	3882	4103	3768	5017	3610	5040	1981 x 2134
7'5" x 6'6"	5082	4298	4298	4517	4184	5433	4212	5253	2261 x 1981
7'5" x 7'0"	5082	4298	4298	4517	4184	5433	4212	5253	2261 x 2134
7'6" x 6'6"	5086	4298	4298	4521	4184	5433	4212	5253	2286 x 1981
7'6" x 7'0"	5086	4298	4298	4521	4184	5433	4212	5253	2286 x 2134
8'0" x 6'6"	5188	4391	4391	4635	4280	5440	4305	5401	2438 x 1981
8'0" x 7'0"	5188	4391	4391	4635	4280	5440	4305	5401	2438 x 2134
9'0" x 6'6"	6201	4710	4710	5088	4616	6486	4762	6185	2743 x 1981
9'0" x 7'0"	6201	4710	4710	5088	4616	6486	4762	6185	2743 x 2134
10'0" x 6'6"	6314	4900	4900	5226	4718	6879	4786	6483	3048 x 1981
10'0" x 7'0"	6314	4900	4900	5226	4718	6879	4786	6483	3048 x 2134
11'0" x 6'6"	6321	5191	5191	5408	4741	6701	4836	7413	3353 x 1981
11'0" x 7'0"	6321	5191	5191	5408	4741	6701	4836	7413	3353 x 2134
12'0" x 6'6"	6601	5477	5477	5674	4990	6983	5096	7813	3658 x 1981
12'0" x 7'0"	6678	5554	5554	5751	5067	7060	5173	7882	3658 x 2134
13'0" x 6'6"	7478	6052	6052	6463	5596	7223	5561	8492	3692 x 1981
13'0" x 7'0"	7478	6052	6052	6463	5596	7223	5561	8492	3692 x 2134
14'0" x 6'6"	7780	6354	6354	6754	5860	8171	5837	9069	4267 x 1981
14'0" x 7'0"	7780	6354	6354	6754	5860	8171	5837	9069	4267 x 2134
15'0" x 6'6"	-	-	-	-	-	-	-	-	4572 x 1981
15'0" x 7'0"	-	-	-	-	-	-	-	-	4572 x 2134
16'0" x 6'6"	-	-	-	-	-	-	-	-	4877 x 1981
16'0" x 7'0"	-	-	-	-	-	-	-	-	4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths.

Imperial Width - Height	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Metric (mm) Width - Height
7'0"w - 7'6"h	4716	3933	3933	4358	3820	5068	3809	5148	2134w - 2286h
7'0"w - 8'0"h	4920	4081	4081	4358	3956	5263	3809	5391	2134w - 2438h
7'6"w - 7'6"h	5137	4349	4349	4794	4236	5484	4411	5347	2286w - 2286h
7'6"w - 8'0"h	5359	4510	4510	4794	4384	5691	4412	5609	2286w - 2348h
8'0"w - 7'6"h	5240	4443	4443	4927	4331	5492	4517	5494	2438w - 2286h
8'0"w - 8'0"h	5480	4615	4615	4927	4491	5698	4517	5854	2438w - 2348h
9'0"w - 7'6"h	6253	4760	4760	5416	4666	6538	5130	6279	2743w - 2286h
9'0"w - 8'0"h	6530	4946	4946	5416	4852	6769	5130	6581	2743w - 2348h
10'0"w - 7'6"h	6365	4950	4950	5572	4770	6930	5142	6577	3048w - 2286h
10'0"w - 8'0"h	6738	5236	5236	5650	5044	7291	5182	6989	3048w - 2348h
11'0"w - 7'6"h	6450	5320	5320	5869	4904	6829	5212	7633	3353w - 2286h
11'0"w - 8'0"h	6745	5554	5554	5869	5101	7141	5212	8016	3353w - 2348h
12'0"w - 7'6"h	6729	5606	5606	6172	5153	7112	5498	8032	3658w - 2286h
12'0"w - 8'0"h	7062	5864	5864	6172	5375	7449	5498	8456	3658w - 2348h
13'0"w - 7'6"h	7529	6103	6103	6921	5681	7797	5898	8643	3962w - 2286h
13'0"w - 8'0"h	7968	6444	6444	6991	5997	8228	5967	9769	3962w - 2348h
14'0"w - 7'6"h	7900	6474	6474	7318	6015	8292	6268	9882	4267w - 2286h
14'0"w - 8'0"h	8307	6770	6770	7318	6286	8678	6268	10386	4267w - 2348h
15'0"w - 7'6"h	-	-	-	-	-	-	-	-	4572w - 2286h
15'0"w - 8'0"h	-	-	-	-	-	-	-	-	4572w - 2348h
16'0"w - 7'6"h	-	-	-	-	-	-	-	-	4877w - 2286h
16'0"w - 8'0"h	-	-	-	-	-	-	-	-	4877w - 2348h

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk

# solid-built idigbo



Coach house

# new for 2012! warwick

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Brandon	Claverdon	Hatton	Grendon	Kenilworth**	Langley	Welford		
Imperial Width	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	For heights >7' 0" - 8' 0" add	Metric (mm) Width
6' 0" - 7' 0"	4097	3608	3899	3587	3467	3776	4391	80	1829 - 2134
>7' 0" - 8' 0"	4294	3833	4085	3812	3691	4004	4738	90	>2134 - 2438
>8' 0" - 9' 0"	5083	4407	4798	4386	4209	4578	5531	100	>2438 x 2743
>9' 0" - 10' 0"	5245	4587	4949	4564	4387	4824	5828	110	>2743 x 3048

\*\* Also available as 1/3 - 2/3 opening

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Brandon	Claverdon	Hatton	Grendon	Kenilworth	Langley	Welford		
Imperial Width	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	For heights >7' 0" - 8' 0" add	Metric (mm) Width
2' 0" - 2' 6"	1905	1781	1771	1683	1604	1351	-	40	610 - 762
>2' 6" - 3' 0"	2000	1871	1860	1759	1675	1402	2371	50	>762 - 914
>3' 0" - 3' 6"	2093	1961	1951	1849	1765	1492	2375	60	>914 x 1066
>3' 6" - 4' 0"	2226	2085	2080	1977	1887	1592	2379	70	>1066 x 1220

## OPTIONS FOR WARWICK UP & OVER, SIDE HINGED & PERSONNEL DOORS

There are a number of options that apply to idigbo doors only and these are listed below.


For all other options for up and over doors - windows, handles, Gear and Chamfer options see page 15.

For all other options for side hinged and personnel doors - windows, handles, Furniture\* and Chamfer options see page 19.

\* Side hinged doors will be supplied with the hardware as shown but with extra heavy duty hinges.

### FINISHES

All doors are fully finished as standard in a choice of: Natural Oak, Old Oak and Brackley Oak,



Natural Oak


Old Oak

Brackley Oak

### FRAMES for up & over, side hinged and personnel doors

Single doors ≤ 10' 0" wide Double doors > 10' 0" wide. All frames are supplied fully finished to match the door.

Idigbo price per linear metre	70mm x 70mm	70mm rebated	70mm x 90mm	70mm x 90mm
	single	personnel	single/double	side hinged
	90	80	90 / 90	95



Idigbo

### IDIGBO

Architrave 6mm x 75mm per linear metre\*  
Architrave 6mm x 50mm per linear metre\*

finished in standard colours 52  
finished in standard colours 46



Idigbo

\* 4mm chamfer to one edge, ideal as cover strips for frames



# solid-built cedar

THE YORK RANGE is made with selected cedar mouldings, cedar tongue and groove boards and raised and fielded cedar panels depending on design. Doors are of solid-construction in made to measure sizes as listed.



## Coach house york

### MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Adstock	Appley	Bierton	Bledlow	Burnham	Cannington	Chalfont**		
								For heights >7' 0" - 8' 0" add	Metric (mm) Width
Imperial Width	new	new		new		new			
6' 0" - 7' 0"	2305	1679	2048	2069	2064	1667	1733	60	1829 - 2134
>7' 0" - 8' 0"	2555	1707	2147	2167	2091	1695	1846	70	>2134 - 2438
>8' 0" - 9' 0"	2734	1993	2542	2562	2265	1973	2105	80	>2438 x 2743
>9' 0" - 10' 0"	2880	2119	2623	2643	2291	2033	2194	90	>2743 x 3048

\*\* Also available as 1/3 - 2/3 opening

### MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Adstock	Appley	Bierton	Bledlow	Burnham	Cannington	Chalfont		
								For heights >7' 0" - 8' 0" add	Metric (mm) Width
Imperial Width	new	new	new	new	new	new	new		
2' 0" - 2' 6"	-	854	953	1055	966	899	802	30	610 - 762
>2' 6" - 3' 0"	1163	859	1000	1126	1006	911	838	40	>762 - 914
>3' 0" - 3' 6"	1200	885	1047	1135	1029	913	883	50	>914 x 1066
>3' 6" - 4' 0"	1273	897	1113	1207	1073	920	943	60	>1066 x 1220

### MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Chard	Chartridge	Churchill	Coleshill	Gawcott	Granborough	Hampden**		
								For heights >7' 0" - 8' 0" add	Metric (mm) Width
Imperial Width	new	new	new			new	new		
6' 0" - 7' 0"	1590	1804	1553	1949	1793	2208	1772	60	1829 - 2134
>7' 0" - 8' 0"	1646	1917	1581	2042	1906	2385	1869	70	>2134 - 2438
>8' 0" - 9' 0"	1935	2204	1858	2399	2193	2734	2183	80	>2438 x 2743
>9' 0" - 10' 0"	1945	2294	1917	2475	2282	2880	2208	90	>2743 x 3048

\*\* Also available as 1/3 - 2/3 opening

### MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)








	Chard	Chartridge	Churchill	Coleshill	Gawcott	Granborough	Hampden		
								For heights >7' 0" - 8' 0" add	Metric (mm) Width
Imperial Width	new	new	new	new	new	new	new		
2' 0" - 2' 6"	795	890	807	886	842	1029	833	30	610 - 762
>2' 6" - 3' 0"	806	936	811	930	880	1103	895	40	>762 - 914
>3' 0" - 3' 6"	808	981	813	975	925	1176	909	50	>914 x 1066
>3' 6" - 4' 0"	836	1042	819	1040	989	1224	937	60	>1066 x 1220

THE YORK RANGE of side hinged and personnel doors is made with selected cedar mouldings, cedar tongue and groove boards and raised and fielded cedar panels depending on design. Doors are of solid-construction in made to measure sizes as listed.

# solid-built cedar








## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Ickford	Kingswood	Marston	Padbury	Quinton	Salford	Sherington		
							For heights >7' 0" - 8' 0" add		
<b>Imperial Width</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>		<b>Metric (mm) Width</b>	
6' 0" - 7' 0"	2092	2149	2196	2458	1888	2073		2274	60
>7' 0" - 8' 0"	2192	2322	2369	2713	2002	2243		2451	70
>8' 0" - 9' 0"	2359	2703	2765	3236	2289	2676		2874	80
>9' 0" - 10' 0"	2447	2851	2914	3245	2412	2708	3006	90	








## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Ickford	Kingswood	Marston	Padbury	Quinton	Salford	Sherington		
							For heights >7' 0" - 8' 0" add		
<b>Imperial Width</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>		<b>Metric (mm) Width</b>	
2' 0" - 2' 6"	869	-	-	-	676	934		-	30
>2' 6" - 3' 0"	914	1276	1185	1381	701	1024		618	40
>3' 0" - 3' 6"	959	1292	1187	1383	746	1097		1477	50
>3' 6" - 4' 0"	1024	1307	1189	1385	796	1169	1549	60	








## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Standerwick	Taplow	Taunton	Tickenham	Washford	Whitchurch	Yeovil		
							For heights >7' 0" - 8' 0" add		
<b>Imperial Width</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>		<b>Metric (mm) Width</b>	
6' 0" - 7' 0"	1552	2391	1704	1596	1599	2334		1660	60
>7' 0" - 8' 0"	1580	2492	1733	1624	1627	2441		1688	70
>8' 0" - 9' 0"	1876	2887	1916	1929	1932	2847		1965	80
>9' 0" - 10' 0"	1884	2972	2042	1987	1990	3089	2025	90	

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Standerwick	Taplow	Taunton	Tickenham	Washford	Whitchurch	Yeovil		
							For heights >7' 0" - 8' 0" add		
<b>Imperial Width</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>	<b>new</b>		<b>Metric (mm) Width</b>	
2' 0" - 2' 6"	790	1025	1085	793	793	824		824	30
>2' 6" - 3' 0"	794	1075	1089	804	804	1266		835	40
>3' 0" - 3' 6"	796	1125	1094	806	806	1303		837	50
>3' 6" - 4' 0"	806	1194	1104	821	821	1376	852	60	



Coach house  
york

OPTIONS

FINISHES FOR CEDAR DOORS

Light Oak, Antique Oak, Chestnut, Mahogany, Walnut & Burnt Oak  
Silver and Silver Grey  
RAL  
White Primed

side / pers
165 / 150
215 / 200
310 / 275
105 / 90



FRAMES

Hardwood  
Softwood  
Cedar Clad softwood  
Cedar Clad hardwood

70mm x 90mm side hinged	70mm rebated personnel
295	275
135	130
230	225
390	370

Frame finishes  
Light Oak, Antique Oak, Chestnut, Mahogany, Walnut & Burnt Oak  
Silver, Silver Grey, Ice Silver, Slate Grey  
RAL  
White primer

side/pers
50 / 40
80 / 70
90 / 80
40 / 35



GLAZING

Stippled Polycarb (standard)  
Clear Polycarb  
4mm toughened glass clear  
4mm toughened glass stippled

Doors with windows	Granborough*	Sherington*
side / pers	side / pers	side / pers
0	175 / 95	175 / 95
0	175 / 95	175 / 95
40 / 40	215 / 115	215 / 115
40 / 40	215 / 115	215 / 115

Square or diamond leading is available on the following styles as a no cost option: Coleshill, Hatton and Ickford. \*The Granborough & Sherington which do not have windows as standard are available with glazing to the top row of features at the prices shown above. With the supplement added, leading options are then available as a no cost option.



FURNITURE PACKS

Contemporary Pack (standard)  
Classic Pack  
Traditional Pack

side / pers
0 / 0
65 / 45
85 / 65

Upgrade to Mortice lock & lever\*  
Black  
Brass effect  
Chrome effect

side & pers
85 / 20
65 / 0
75 / 10



Mortice & Lever in brass/silver effect or antique.

\* Personnel doors include a mortice lock and lever as standard

Contemporary Pack (Standard)

Classic Pack

Traditional Pack



Also available with silver effect hinges, finger pull, bolts and white stays.



Also available with silver effect hinges, finger pull, bolts and white stays.

THRESHOLDS

Hardwood 2'0" - 4'0" wide  
Hardwood 4'0" - 7'0" wide  
Hardwood 7'0" - 10'0" wide

side / pers
84 / 84
88 / -
96 / -



Hardwood Threshold

WIDE BOARD

+10%

Any door made with narrow boards can be ordered with wide boards.

ROUNDED CHAMFER

85

Doors finished with rounded chamfers (standard is flat)  
Not available on the Appley, Cannington, Chard, Churchill, Standerwick, Taunton, Tickenham, Washford & Yeovil.



Rounded Chamfer Cedar Architrave

CEDAR

Architrave 6mm x 75mm per linear metre\*  
Architrave 6mm x 50mm per linear metre\*  
Standard Board Tongue & Groove per linear metre  
Wide Board Tongue & Groove per linear metre

finished in standard colours 26 RAL 30  
finished in standard colours 22 RAL 26  
finished in standard colours 26 RAL 30  
finished in standard colours 38 RAL 42


\* 4mm chamfer to one edge, ideal as cover strips for frames

# Finishes


All doors are treated with a base coat ready for staining. Fully finished doors are also available in a range of colours. Woodrite uses the TEKNOS wood finish system for Cedar and Idigbo and recommends this for on site finishing - contact Woodrite for your nearest stockist. Photographic and printing processes make it impossible to guarantee colours from this brochure and images are intended as a guide only.



## Cedar




## Idigbo



1 LITRE TOP COAT (STANDARD CEDAR COLOURS & IDIGBO) 35  
 1 LITRE TOP COAT (SILVERS & SLATE GREY) 55

Delivered free when ordered with a door, + P&P when ordered separately.

The image right shows the effect of the base colour of the timber on the finished colour. All are Cedar, treated with our basecoat preservative (1), the first coat of Light Oak (2) and the final second topcoat of Light Oak (3). The colour variation across a light, medium and dark mottled timber can be seen from left to right. All Woodrite doors are made from timbers selected to blend well for depth of colour, however, by its very nature, uniformity for every door is not possible. Some doors will be made from predominantly darker timbers and some will be made from predominantly lighter timbers. Each will have a different density for the same colour finish so if you are matching to other timbers, talk to our customer services team about samples.



# Clearances & Dimensions

Doors should be fitted to a Woodrite steel frame or timber goalpost type frame. Doors can be fitted within or behind the garage reveal - see the details shown right.

When fitting within the reveal a 3mm gap for timber frames and 5mm gap for steel frames on all three sides should be included in the size to allow for brickwork coursing tolerances.

Door sizes represent the inside dimensions of the frame. Up and over door sizes are approximately 19mm narrower and 25mm shorter to allow for operating clearances and tolerances.

A 19 mm square weather bead should always be fitted to the under-side of the door frame lintel in front of the door to hide the top gap. This feature is integral on Woodrite steel up and over frames.


## Between the reveal fixing up & over

## Behind the reveal fixing up & over

### Super-Chassis to a Woodrite Steel Frame



### Super-Chassis to a Woodrite Steel Frame



### Super-Chassis & Masta-Gear to a Woodrite Timber Frame




### Super-Chassis & Masta-Gear to a Woodrite Timber Frame




## Opening Arcs & Clearances up & over

- A Projection in front of the opening from the door face.
- B Projection into the garage from the REAR of the door and the door frame.
- C Height clearance inside the garage - excluding any lock projection and deep bracing on double doors.
- D Kick-up inside the garage above the bottom edge of the frame.



### DOOR HEIGHT

	Masta-Gear Cranked		Masta-Gear Straight		Masta-Gear High		Super-Chassis Straight		Super-Chassis High	
	1981	2134	1981	2134	2286	2438	1981	2134	2286	2438
	6'6"	7'0"	6'6"	7'0"	7'6"	8'0"	6'6"	7'0"	7'6"	8'0"
<b>A</b>	888	1041	888	1041	1194	1347	935	1010	935	1010
<b>B</b>	1720	1890	1720	1890	2195	2195	1931	2084	1931	2084
<b>C</b>	1900	2053	1900	2053	2206	2359	1871	2024	1871	2024
<b>D</b>	25	25	25	25	25	25	40	40	40	40




- A Height to the bottom of the lifting arm.
- B Projection of lifting arm into the opening from the inside edge of the frame above height A.

### DOOR HEIGHT


	Masta-Gear Cranked		Masta-Gear Straight		Masta-Gear High		Super-Chassis Straight		Super-Chassis High	
	1981	2134	1981	2134	2286	2438	1981	2134	2286	2438
	6'6"	7'0"	6'6"	7'0"	7'6"	8'0"	6'6"	7'0"	7'6"	8'0"
<b>A</b>	1050	1126	820	972	1073	1225	905	980	1105	1260
<b>B</b>	23	23	63	63	63	63	45	45	55	55

# Between & behind the reveal fixing side hinged & personnel



**Behind**

When fitting behind the reveal stays must be set to allow the doors to open no further than 90°.



**Between**


## Opening Sizes

Typical opening sizes are tabulated below for the most common sizes of door fitted within the reveal.

Door size code	Door size width x height	70mm timber frame Brickwork aperture width x height	75mm steel frame Brickwork aperture width x height	60mm steel frame canopy gear Brickwork aperture width x height	70mm timber frame (side hinged) Brickwork aperture width x height
6666	1981mm x 1981mm	2127mm x 2054mm	2134mm x 2044mm	2104mm x 2044mm	2127mm x 2054mm
6670	1981mm x 2134mm	2127mm x 2207mm	2134mm x 2199mm	2104mm x 2199mm	2127mm x 2207mm
7066	2134mm x 1981mm	2280mm x 2054mm	2284mm x 2044mm	2254mm x 2044mm	2280mm x 2054mm
7070	2134mm x 2134mm	2280mm x 2207mm	2284mm x 2199mm	2254mm x 2199mm	2280mm x 2207mm
7364	2222mm x 1930mm	2368mm x 2003mm	2374mm x 1994mm	2343mm x 1994mm	2368mm x 2003mm
7566	2261mm x 1981mm	2407mm x 2054mm	2409mm x 2044mm	2379mm x 2044mm	2407mm x 2054mm
7570	2261mm x 2134mm	2407mm x 2207mm	2409mm x 2199mm	2379mm x 2199mm	2407mm x 2207mm
7666	2286mm x 1981mm	2432mm x 2054mm	2434mm x 2044mm	2404mm x 2044mm	2432mm x 2054mm
7670	2286mm x 2134mm	2432mm x 2207mm	2434mm x 2199mm	2404mm x 2199mm	2432mm x 2207mm
8066	2438mm x 1981mm	2584mm x 2054mm	2589mm x 2044mm	2559mm x 2044mm	2584mm x 2054mm
8070	2438mm x 2134mm	2584mm x 2207mm	2589mm x 2199mm	2559mm x 2199mm	2584mm x 2207mm
1466	4267mm x 1981mm	4413mm x 2054mm	4419mm x 2044mm	n/a	n/a
1470	4267mm x 2134mm	4413mm x 2207mm	4419mm x 2199mm	n/a	n/a

Typical opening sizes are tabulated below for the most common sizes of door fitted behind the reveal.


Door size code	Door size width x height	All frame sizes Brickwork aperture width x height
6666	1981 x 1981mm	2007 x 1981mm
6670	1981 x 2134mm	2007 x 2134mm
7066	2134 x 1981mm	2160 x 1981mm
7070	2134 x 2134mm	2160 x 2134mm
7364	2222 x 1930mm	2248 x 1930mm
7566	2261 x 1981mm	2287 x 1981mm
7570	2261 x 2134mm	2287 x 2134mm
7666	2286 x 1981mm	2312 x 1981mm
7670	2286 x 2134mm	2312 x 2134mm
8066	2438 x 1981mm	2464 x 1981mm
8070	2438 x 2134mm	2464 x 2134mm
1466	4267 x 1981mm	4293 x 1981mm
1470	4267 x 2134mm	4293 x 2134mm



## Frames

Dimension for each frame type as shown in the table.

Dimension	Super-Chassis Canopy 60mm steel frame	Super-Chassis Retractable 75mm steel frame	70mm x 70mm timber frame (single doors only)	70mm x 90mm timber frame	Personnel 70mm rebated timber frame (20mm rebate)
L	60mm	75mm	70mm	70mm	50mm
H	49mm	49mm	70mm	70mm	50mm
D	40mm	40mm	70mm	90mm	70mm



# Care & Maintenance



## Doors Finish

These notes are for guidance only and do not form any part of the guarantee given with your door. Woodrite Doors Limited uses only the top grades of timber available, however timber is a natural product therefore colour, grain and finish will vary from panel to panel.

A regular visual inspection of your door is essential, with periodic cleaning of the door panel using warm water and a soft clean cloth or sponge. Allow the door to dry naturally, never use detergents, abrasives, caustic or solvent based cleaners as they may damage the door surface. Bird droppings should be removed immediately as these can be particularly caustic. Initial application and periodic treatment should be carried out strictly in accordance with the wood stain manufacturer's instructions. Failure to follow these instructions will result in early deterioration of the timber panel.

## Doors Supplied Basecoated Light Oak (Western Red Cedar only)

### Preparation

Lightly de-nib all surfaces with fine grade abrasive paper, e.g P280 or P320, rubbing in the direction of the grain to produce a smooth finish and provide a key for subsequent coats of decorative stain. Wash the surface with clean warm water to remove any dirt, grease and all de-nibbing dust and allow surfaces to dry naturally.

### Method of Application

The stain should be applied in a full flowing coat, using a long synthetic bristle brush, laying off in the direction of the grain and using the minimum number of brush strokes necessary to produce an acceptable finish. Avoid over brushing, as this will reduce the protection afforded. Always pay special attention to any area of exposed end grain, tops and bottoms of doors and undersides of thresholds. Your door must be treated on both sides and all exposed timber to the sides, tops and bottoms.

## Plywood doors + Raised and Fielded panel doors

Decide on whether to start on the left or the right hand side of the door. Coat the cedar moulding around the first panel then complete the panel itself, carefully wiping excess stain from the face of the moulded section with a damp cloth. Treat each panel in the same way until all panels are coated.

The faces of each of the vertical uprights between panels should then be coated, with any excess coating on horizontal rails wiped off with damp cloth to avoid build up of stain at each vertical/horizontal join. The top horizontal rail should then be finished and finally the bottom horizontal rail.

## Tongue & Groove panels

Decide on whether to start on the left or the right hand side of the door. Coat the first section of boarding, leaving the outer rails until later. Brush the stain into the grooves

each side of the first board then fully coat the complete board. Carefully wipe off excess stain with a damp cloth from the outer vertical/horizontal rails to avoid build up of stain which may dry before the door can be completed. Brush stain in to the next groove and finish the board, remove excess as described above. Complete the full width of the door in the same manner. The top horizontal rail should be coated, followed by the bottom rail, finally finishing with the vertical rails.

Two coats of top coat stain should be applied to all exposed surfaces. The second coat should be applied to all exposed surfaces as soon as possible after the first coat has dried, but no sooner than 5 hours.

## Weather Conditions

Do not apply if there is a risk of rain, high winds or when air temperatures are below 8°C or above 25°C during application and drying periods. Protect from frost and rain until dry, failure to meet these requirements may adversely effect the drying, visual quality and durability of the finish.

**\*\*Please note these are guidance notes only – always use a top quality water based stain and ensure you read the stain manufacturer's instructions carefully prior to finishing your timber door\*\***

## Maintenance of Fully Finished Western Red Cedar Doors and Existing Coatings

The period between maintenance applications will vary and is dependent upon the degree of exposure, elevation and design of the door panel. A lightening of colour, reduction in sheen as the coating erodes and a loss of water repellency indicate the need for maintenance. Follow instructions for the Basecoated door – if a definite colour change is chosen, more than one coat maybe required.

## Doors Supplied White Primed (Western Red Cedar only)

Timber panels that have been supplied White Primed have been given one coat of a water borne tannin blocking primer that has been spray applied under factory conditions. Western Red Cedar can be problematic when using white or light colours as a finish - the soluble extractives contained within the timber that can leach through a water borne coating system.

To reduce the risk of this phenomenon occurring it is recommended that a solvent borne coating system is to be applied over the water borne primer. The primer is compatible with most commercially available solvent borne coating systems but it is always advisable to try a small test area. Even using a solvent borne system does not guarantee that it will not occur. Irrespective of the product selected, always follow the manufacturer's technical instructions and pay particular attention to end grain at the top and bottom of the doors.

## Doors Supplied Fully Finished RAL Colours (Western Red Cedar Only)

Timber panels that have been supplied factory fully finished have been given one coat of a water borne tannin blocking primer and two top coats that have been spray applied under factory conditions.

Western Red Cedar can be problematic when using white or light colours as a finish - the soluble extractives contained within the timber that can leach through a water borne coating system. To reduce the risk of this phenomenon occurring when re-treating, it is recommended that a solvent borne coating system is employed. Always follow the manufacturer's technical instructions and pay particular attention to end grain at the top and bottom of the doors.

## Fully Finished Idigbo Doors

To help optimise the life of surfaces factory treated, the following procedures should be followed. All vertical treated surfaces should be at least annually cleaned to remove all atmospheric soiling. If you need to re-stain your door a fine grade abrasive paper e.g. P280 or P320 should be used, rubbing in the direction of the grain to produce a smooth finish and provide a key for subsequent coats of stain. Wash the surface with a damp clean cloth or sponge and allow surfaces to dry naturally.

Apply new coat of stain in accordance with the manufacturer's instructions.

## Door Gear – Masta-Gear or Super-Chassis

Door lifting gear is guaranteed for a maximum of two years against any form or manufacturing defect from date of purchase. See the back page for applicable conditions.

## Upon Installation

Immediately after the door is fitted and after every 5000 operations of the door, or at least once a year, oil all pivot points, check screws and clamp connections for tightness. Keep the running tracks clean (do not grease them) check parts and replace any worn components as necessary.

Springs should be replaced after approximately 25000 operations by an experienced door fitter.

Do not oil the lock cylinder. If it is sticking lubricate with graphite dust.

Check the lifting cables on canopy doors every 6 months with normal usage (8 ops per day). Cables should be replaced by an expert if any wear is found.

## guarantee

Woodrite doors are guaranteed against any form of manufacturing defect or mechanical failure for a period of 2 years from the date of original purchase.

The exterior factory fully finished panel is guaranteed to provide a weatherproof membrane which will resist perforation of the substrate from the weather side due to corrosion for a period of up to 5 years, dependent on location and position of door and provided door has been maintained in accordance with the manufacturers instructions.

## conditions

1. During the comprehensive 2 year guarantee period Woodrite undertake to repair or replace (at its discretion), and without charge, products or components which have suffered any form of manufacturing defect. Claims must be notified within 3 days from the date of delivery or within a reasonable time after discovery of any defect.
2. Products covered by these guarantees must have been purchased through an authorised Woodrite garage door supplier or as original equipment attached to a newly built dwelling.
3. The warranties shall apply for normal use only. Normal use constitutes no more than 5 operations (open/close cycles) per day.
4. The warranties offered attach to Woodrite product only and no consequential damages will apply no matter how caused.
5. No liability will be accepted as a result of normal wear and tear, incorrect storage, incorrect handling, faulty installation, incorrect use or wilful damage.
6. Claims under this guarantee must be made through the original supplier and accompanied by relevant documentation indicating the date of purchase (e.g. receipt).
7. Woodrite's maximum liability shall be the original purchase price inclusive of Value Added Tax at the rate prevailing when supplied.
8. Any product which is the subject of a claim:
  - i) must have been correctly installed in accordance with the installation instructions supplied and thereafter properly maintained by a suitably experienced engineer on a regular basis as set out in the Maintenance and Operating Instructions provided with every door. (Additional copies of these instructions are available by contacting the installer or the manufacturing company). We recommend that regular maintenance is provided by a suitably experienced engineer.
  - ii) must have the manufacturers reference number still intact
  - iii) must not have been modified in any way.
9. Claims will not be accepted where the cause is due to:
  - i) impact or mechanical damage suffered during or following installation, e.g scratches, indentations, tears, scuffs or other surface abrasion.
  - ii) damage or discolouration caused by contact with any form of caustic, abrasive or corrosive substance, fumes, bird droppings, fire, smoke, floodwater, salts, acids, or from exposure to abnormal atmospheric pollution.
10. The Exterior Finish Guarantee applies only to the weatherside surface and where more than 5% of the surface area of the door is affected. Surfaces must be freely exposed to washing by rainfall and kept clear of accumulated dirt and debris and given equal exposure to local environmental conditions and consistent natural lighting conditions across the face of the door. Special attention is drawn to Clause (9) (i) (ii).
11. **Basecoated timber doors** are supplied with a dip immersion coat of Teknos low build matt water based basecoat of light oak. This operation is for temporary protection for transit and installation purposes only. If the timber panel becomes exposed to excessive water splashes or rain it may result in water marks or stains which could effect the final coating of the door. The topcoat finish must be applied immediately after installation to all surfaces. We recommend a Teknos high build microporous water based finishing stain or equivalent.
12. **Fully finished RAL colours** - Tannin bleed through is possible with Western Red Cedar on white and pale colours. Whilst Woodrite Doors Limited uses tannin blockers within the primer, Woodrite will not guarantee against this phenomenon.
13. **Idigbo** - The stain used will offer an up to 5 yr protection as per the normal guarantee, within this time scale you will find that the colour may fade. This is a natural process and does not effect the protection of the stain.
14. **Storage** - All doors are delivered with cardboard and shrink wrap protection, this should remain in place until final finishing on site. Doors must always be stored in an upright position and protected from possible contaminations prior to fixing.

Do not store doors in direct sunlight. Do not puncture the polythene shrink wrap before installation. Do not expose doors to water contaminations, as staining may occur.

15. Attempted repairs by non-qualified individuals shall invalidate this guarantee.

16. The specific terms of this guarantee shall only apply to products purchased on or after September 2010 within the UK and Eire.

17. Woodrite garage doors and associated products are sold subject to the Woodrite's Standard Terms and Conditions of Sale, copies of which are available upon request. Woodrite shall not be liable as a result of any representation, implied warranty or other term or condition or for any consequential loss or damage, costs, expenses or other claims whatsoever except as expressly set out in these Terms and Conditions of Sale.

### General Advice

**Door Cleaning.** Periodically clean the door panel using warm water and a soft cloth or sponge. Allow to dry naturally. Never use detergent, abrasive, caustic or solvent based cleaners as they may damage the door surface. Bird droppings should be removed immediately as these can be particularly caustic.

### Door Servicing and Maintenance

All doors should be operated and maintained in line with operating and maintenance instructions supplied with every door. Every six months visually inspect all wear items (including cables) for signs of wear. If wear is detected we recommend you contact your supplier to arrange for a replacement. Garage door springs are under extreme tension and should only be repaired or replaced by a suitably qualified engineer.

### Other performance issues affecting Woodrite garage doors are:

The fully finished factory option is supplied in various coloured woodstains and can provide up to 5 years erosion period (dependant on location and position of door). If the door becomes affected by rain soon after installation you may notice a milky coloured staining on the finish of the door and where the sealant is used, this will disappear when dry. This is common phenomenon in water based coatings and over a period of time this will disperse and disappear, this has no adverse effect on the quality and finish of the door.

Woodrite doors are individually handcrafted products manufactured to specific customer order. Due to the nature of the product and the hand finishing processes used they may occasionally display small blemishes which do not detract from the overall appearance of the product. These are regarded as being within manufacturers tolerance when such blemishes are not visible to the naked eye when viewed from a distance of three metres.

Similarly, Timber products will display colour variations across their surface and colour will vary from door to door. Ordering doors to match helps reduce the variation but will not eradicate it entirely.

Woodrite's timber doors are made from the finest timber obtained from managed and sustainable sources. Prior to fitting they must not be stored in direct sunlight or exposed to splashes or rain as colour fading and/or staining may result. Woodrite's product guarantee does not cover natural variations in colour, warping, swelling or shrinkage due to the ordinary natural processes of ageing, fading or the effects of weather or climate nor does it cover the incidence of similar degradation which could have been prevented by carrying out finishing and maintenance procedures as recommended by Woodrite. Doors that are not factory finished should be finished with a microporous stain, front and back, in accordance with the stain manufacturers instructions immediately after fitting.

Garage doors should be inspected upon delivery and viewed in natural daylight (not direct sunlight) from a standard distance of 3 metres to view their overall appearance. From this distance the door panel should appear free from visible marks or distortion, stains, blemishes, indentations or scuffs. If any marks are only visible within 3 metres they will not be considered under warranty.

These terms and conditions do not affect your statutory rights.

presented by:

