www.thegaragedoorcentre.co.uk 0800 525 442 ÜV-Certificated (Technical Control Association). Conformity with the DIN-EN 13241-1.

Vers. 1.3	10.2015	page 1

TUV-Certificatea (ıе	C
0		
Order		
Enquiry		

Company:	Order date:	
Alulux client no.:	Delivery date:	
Commission:	Number of doors:	

Aluminium lateral running doors. Doors with opening widths up to 562 mm

Vertico®

☐ High-grade steel floor guide channels, V2 A − only opening

Measurements in mm

Enquiry	Commission:	Number of doc	Drs:		
1 3					
It is essential to mark	appropriate closing edge			Measurements + data	
	closing edge	closing		Clear width in mm: Clear height in mm: + stop for closing edge	_ mm
□ Closilia e	uge mside right	□ Closilig eu	ge inside left		_ mm
Standard colours CD 7	77	Guide channels / Turn radius		stop for corner deflection "It is essential to indicate if emergency unlocking from outside,!	
☐ light grey 02	fir green 31 creamy white 32	□ white 01 □ brown 03		Garage depth in mm:	
alu-metallic 04	aluminium grey 35 steel blue 79 anthracite grey 80	alu-metallic 04 according to colour design package		+ Lintel height in mm:	_
	golden oak 83	Available guide channel and turn radius co 01, 03, 04. Please indicate always when or		Unit width in mm:	
CD 77 Renolit:				Unit height in mm:	
Associates / outro sh	Annaid adama Pan	olik soo booki Agaiwak ayku abaygal			
Accessoires / extra ch	arges special colours ken	olit, see back! Against extra charge!			
Renolit samples Colour Design p	(see overleaf for available		Universal radio red digital 992/20602		028
.0	g in RAL colour		☐ Universal radio red digital 992/2060	ceiver for other radio systems, IP 65, 26	
Screens, used w	•	y mounted hoods, 170 x 40 mm in,	Design hand trans with status reques	smitter 3 channel, with wall holder, st	
_		lic 04 🔲 colour design package		nitter 3 channel with wall holder + with cli od with status request , digital 663/20600	
_	ocking from outside, lockab	us request, digital 644/206023	Micro hand transr	mitter, 2 channel, digital 572/206001	
		on detector, digital 644/206024		-	
	ch **, 28994/202003	on actector, digital 044/200024	☐ Mini-hand transm for car viewing ho	nitter 4 channel with wall holder and with	clip
Flush key switch			☐ Homelink kit for v		
_	witch, 831 WT/201305		433 MHz		
Radio-Code but	ton, 3 channel with cover, o	digital 526/206021	☐ High-grade steel f	floor guide channels, V2 A – complete	

Order by Fax: Verl 05246 965-290

** connectable with radio push button, 2-channel


Radio-finger print reader, 2 channel 20 user-finger, digital 528/206022

Renolit-UNI-Foil colours for CD 77-Pro	file		
☐ cream white 137905 *** ☐ brilliant blue 515002 * ☐ emerald green 611005 * ☐ grey 715505 *	 wine red 300505 * dark blue 503005 * dark green 612505 * light grey 725105 * 	☐ light red 305405 * ☐ steel blue 515005 * ☐ anthracite grey 701605 * ☐ brown maroon 809905 **	☐ moss green 600505 * ☐ agate grey 703805 * ☐ black brown 851805 ** ☐ cobalt blue 501305*
☐ choco brown 887505 **	☐ white 915205 ***	☐ dark red 308105 *	
Renolit-DEKOR-Foil colours for CD 77-	Profile		
☐ walnut V 2178007**	☐ oregon pin 4 1192001 **	* ☐ dark oak FL-F1 2052089 **	☐ light oak 2052090 **
☐ sapeli 2065021 **	☐ mahagony 2097013 **	oregon pine 3 2115008 **	☐ black cherry 3202001 **
☐ golden oak 2178001 **	mountain pine 3069041 **	* 🗌 winter douglasie fir 3069037	** natural oak FL-G 3118076 **
☐ Rustic oak 1 3149008 **	stripe douglas fir 3152009 **	* ☐ light oak ST-G 3156003 **	☐ oak ST-F 3167002 **
☐ swamp oak ST-F 3167004 *	**□ natural oak ST-F2 3167011*	* □ grey oak 2140005 **	
 * = outside Renolit foil / inside of CD 77 prof metalic 04 (head pieces and guide chant plied in alu-metallic 04) 			e Renolit foil / inside of CD 77 profile in white and pieces and guide channels are supplied in 01)
Notes and sketches			
Attention: If you have made any er	ntries above, please incl	lude this page with your	fax order!
Company:	Client No.: _	page 2 of co	mmission:
Date:	Signature: _		

Fabrication according to DIN-EN 13241-1


Vertico[®]


Calculation of the unit measurements




Measurements + Garage depth	
Clear width in mm:	
Clear height in mm:	
n + stop for closing edge	nm
	nm
It is essential to indicate, if emergency unlocking from outside	
Garage depth in mm:	
+ Lintel height in mm:	
Unit width in mm:	
Unit height in mm:	

Aluminium Lateral Running Doors with opening widths up to 562 cm.










Vertico[®]

Control of walls and floors







Dimensions in mm.