

New for 2015  
Thetford  
Accoya Range

10 year  
finish warranty

# the **coach house**

range of craftsman built garage doors

# price list

April 2015





## Welcome to the Woodrite garage door price list.

### Here are the top ten items to note when using this price list:

- 1** Prices are in sterling and exclude VAT and delivery. Net delivery charges per door: 1 door £57, 2 doors £45. Mainland England and Wales - please call for other areas.
- 2** All sizes are for the opening into which the door will fit and are shown width x height - suitable clearance is built into the door panel to allow opening without binding.
- 3** All up and over doors are priced including retractable gear. Canopy gear is available on doors up to 8'0" x 7'0" (2438mm x 2134mm) as a no cost option.
- 4** Somerset, Buckingham, Balmoral and York doors are supplied with a base coat treatment ready for staining to the colour of your choice. Fully finished doors are available as an option in the colours listed. Warwick, Monmouth and Thetford doors are supplied fully finished as standard.
- 5** Timber is a natural material and will have variations in colour, shade and grain that will change over time as part of the normal ageing process.
- 6** If you are ordering doors to be fitted side by side please tell us and we will select timbers to produce a sympathetic match of colour and shade.
- 7** Drawings illustrate a single 7'0" x 7'0" door. (3'0" wide for personnel doors) Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise. Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.
- 8** The proportions of the door panels and the lock handle position may vary dependent upon the door size ordered even within doors of the same style.
- 9** Doors are supplied with a lock hole unless otherwise specified. Up & Over doors have the lock handle in the lower third of the door.
- 10** Made to measure sizes are available in mm increments. For pricing, locate the size band into which your door falls in the made to measure price tables.

## The Coach House Collection

The Coach House Collection of garage doors sets the standard for design, durability and performance for timber garage doors. The ranges of doors are all hand-built from timber from managed renewable sources. Whatever style you select you can be confident you've chosen quality. Woodrite - "Good With Wood"!

### Masta-Gear up & over

Woodrite's Masta-Gear operating mechanism combines with a lightweight & strong aluminium sub-frame for panel-constructed doors or fixes directly to solid-constructed doors. Masta-Gear is the most versatile up & over door gear on the market today.

#### Masta-Gear panel-constructed doors

The door panel is made first and the aluminium sub-frame and Masta-Gear operating mechanism is then built onto the door panel for maximum integrity. All doors have edge-to-edge timbers with no visible sub-frame from the outside.

#### Masta-Gear solid-constructed doors

The door panel is made first and the Masta-gear operating mechanism is then mounted directly onto the door panel for maximum integrity and a rear face free from bracings.

Masta-Gear is available for all up & over ranges with retractable gear as standard, single doors (Up to 9'0" wide x 7'0" high) are supplied with cranked arms for increased drive through width at wing mirror height. Canopy gear as a no cost option where indicated. Masta-Gear is available in an extensive range of standard sizes and all sizes in-between within our made to measure service.



Panel-constructed



Solid-constructed

Page 31 -33

### Super-Chassis up & over

A super-strong steel chassis with integrated lifting gear is at the heart of our Super-Chassis gear. The door chassis is built to the door size and the door panel is then mounted into the chassis for improved rigidity.

Woodrite's door panel design is unique in that it "cloaks" the chassis. Only beautiful timber is visible edge-to-edge from the front of the door. This innovative panel design eliminates the need for the visible chassis found on other makes of door.

Super-Chassis gear is available for doors from the Buckingham, Somerset, Monmouth, Thetford and Warwick ranges. A large range of standard sizes is available and all sizes in-between within our made to measure service.

Super-Chassis is available with straight arm retractable gear as standard and canopy gear as a no cost option in the sizes as indicated with each range.



Panel-constructed

Page 31 -33

### Side hinged & personnel

Side hinged garage doors and personnel doors are constructed using traditional build methods employing mortice and tenoned joints. The side, top and bottom rails are all machined using 43mm thick timbers and rebated centre rails eliminate gaps between panels for added security.

Side hinged garage doors and personnel doors are hung with three brass-effect hinges per leaf or with the option of a pair of classic strap hinges in black or silver colour or traditional strap hinges in black wrought iron. Side hinged doors have a night latch and finger pull (commonly used on front doors) with the option of a mortice lock and lever set - see individual furniture packs for details. Personnel doors have a mortice lock and lever set as standard. Side hinged doors have shoot bolts top and bottom to secure the inactive leaf and door stays to hold the door in the open position. All Thetford doors are supplied with stainless steel fixing, hinges and mortice lock as standard (non-stainless options are not available).



Solid-constructed

Page 34



## The Somerset Cedar Up & Over Range

A range of 12 up and over designs, many of which are also available as side hinged doors or matching personnel doors – see the York range for details. Doors are made with selected cedar mouldings and cedar faced ply. Up & Over doors are panel-built and suitable for use with Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is available as a no cost option on single doors in the sized listed with the range.

Page 4-5



## The Buckingham Cedar Up & Over Range

A range of 24 up and over designs, many of which are also available as side hinged doors or matching personnel doors – see the York range for details. Doors are made with selected cedar mouldings, cedar tongue and groove boards and cedar raised and fielded panels dependent on style. Up & Over doors are panel-built suitable for use with Masta-Gear and Super-Chassis and available in standard and made to measure sizes.

Canopy gear is available as a no cost option on single doors in the sizes listed with the range.

Page 6-9



## The Balmoral Cedar Up & Over Range

A range of 24 up and over designs, many of which are also available as side hinged doors or matching personnel doors – see the York range for details. Doors are made with selected cedar mouldings, cedar tongue and groove boards and cedar raised and fielded panels dependent on style. Up & Over doors are solid-built suitable for use with Masta-Gear and available in standard and made to measure sizes. Canopy gear is not available.

Page 10-13



## The Monmouth Oak Up & Over Range

A range of 12 up and over designs that are fully finished as standard. Doors are made with selected oak mouldings and oak faced ply. Up & Over doors are panel-built and suitable for use with Masta-Gear and Super-Chassis and available in standard and made to measure sizes.

Canopy gear is available as a no cost option on single doors in the sized listed with the range.

Page 14-15



## The Warwick Idigbo Up & Over, Side Hinged & Personnel Range

Idigbo is a hardwood that looks very like oak, yet is lower in price. A range of 24 up and over designs that are also available as side hinged doors or matching personnel doors. Doors are made with selected idigbo mouldings, idigbo tongue and groove boards and idigbo raised and fielded panels dependent on style. Up & Over doors are of solid-construction suitable for use with Masta-Gear with the option of panel-construction suitable for straight arm Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is not available.

Page 16-23



## The Thetford Accoya Up & Over, Side Hinged & Personnel Range

The Thetford range has 6 designs in solid-built & panel-built up and over garage doors, side hinged garage doors and personnel doors made with selected Accoya mouldings and tongue and grooved boards dependent on style. Up & Over doors are of solid-construction suitable for use with Masta-Gear with the option of panel-construction suitable for straight arm Masta-Gear and Super-Chassis and available in standard and made to measure sizes.

Page 24-27



## The York Cedar Side Hinged & Personnel Range

A range of 28 side hinged and personnel designs. Doors are made with selected cedar mouldings, cedar tongue and groove boards and cedar raised and fielded panels dependent on style. York doors are of solid-construction and available in made to measure sizes.

Page 28-31



## How to Order

### 1. Operation

First select your type of operation - up and over or side hinged or personnel.

### 2. Style

Select your preferred design or short-list a few alternatives. If you are ordering doors to be installed side by side, make this clear on your order.

### 3. Size

Locate the size you require from the standard sizing tables or the size band if the door is made to measure.

All sizes are for the opening into which the door will fit and are shown width x height - suitable clearance is built into the door panel to allow opening without binding. See page 32 onwards for full details on door and opening sizes.

### 4. Gear

Panel-built up and over doors from the Somerset, Buckingham, Monmouth, Thetford and Warwick ranges are available with Masta-Gear or Super-Chassis - specify your preference.

Solid-built up and over doors from Balmoral, Thetford and Warwick ranges are available with Masta-Gear only.

If your door is to be automated, you may wish to specify that no lock handle is required - leaving the door face clear.

Side Hinged and personnel doors can be specified with different hardware by selecting the alternative hardware packs from the option listings (Thetford doors are only available with stainless steel as stated).

### 5. Finish

Specify your finish - basecoat treated, primed for painting or one of the fully finished options. If you are trying to match to existing timbers please speak to a member of our customer service team for samples.

### 6. Frame

Specify your frame type, size and finish. If you are fitting within the reveal ensure you have allowed sufficient clearances for brickwork coursing tolerance - see page 32 onwards for full details. Don't forget to specify architrave to cover steel frames.

### 7. Options

Specify all the options you require such as window leading and handle type.

### 8. Get in touch

Our customer service team will be delighted to assist at any stage of the ordering process. If you need advice on sizing, operation or any aspect of the process just call. We can also assist with bespoke design requirements - let us know what you'd like and we'll bring it to life in wood!

THE SOMERSET RANGE is made with selected cedar mouldings and cedar faced exterior grade ply.  
Doors are of panel-construction onto either Masta-Gear or Super-Chassis in standard or made to measure sizes as listed.

### STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Appley		Cannington		Chard		Churchill		Holcombe		Horton		Kingsdon		Standerwick		Metric (mm) Width x Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0" X 6'6"	1641	1443	1639	1442	1496	1298	1527	1329	2050	1840	1730	1532	1859	1649	1346	1148	2134 x 1981
7'0" X 7'0"	1641	1484	1639	1482	1496	1339	1527	1370	2058	1889	1730	1573	1867	1698	1346	1189	2134 x 2134
7'5" x 6'6"	1650	1522	1648	1521	1505	1377	1535	1408	2065	1925	1738	1611	1874	1734	1354	1227	2261 x 1981
7'5" x 7'0"	1650	1522	1648	1521	1505	1377	1535	1408	2073	1934	1738	1611	1882	1743	1354	1227	2261 x 2134
7'6" x 6'6"	1650	1522	1648	1521	1505	1377	1535	1408	2066	1926	1738	1611	1875	1735	1354	1227	2286 x 1981
7'6" x 7'0"	1650	1595	1648	1594	1505	1450	1535	1481	2075	2008	1738	1684	1884	1817	1354	1300	2286 x 2134
8'0" x 6'6"	1666	1619	1664	1617	1521	1474	1521	1473	2092	2032	1755	1708	2227	2149	1340	1292	2438 x 1981
8'0" x 7'0"	1666	1631	1664	1630	1521	1486	1521	1486	2101	2054	1755	1720	2237	2171	1340	1305	2438 x 2134
9'0" x 6'6"	1936	2040	1942	2045	1760	1864	1783	1887	2399	2491	2053	2156	2470	2539	1590	1693	2743 x 1981
9'0" x 7'0"	1936	2084	1942	2089	1760	1908	1783	1931	2410	2545	2050	2198	2478	2591	1590	1737	2743 x 2134
10'0" x 6'6"	2041	2258	2052	2251	1833	2031	1892	2090	2534	2732	2177	2375	2586	2769	1654	1853	3048 x 1981
10'0" x 7'0"	2060	2268	2052	2260	1833	2041	1892	2100	2546	2754	2177	2385	2356	2564	1654	1862	3048 x 2134
11'0" x 6'6"	2616	3059	2556	2999	2433	2876	2461	2904	3155	3572	2733	3176	2925	3160	2342	2785	3353 x 1981
11'0" x 7'0"	2614	3070	2554	3010	2433	2889	2461	2917	3167	3597	2731	3187	2935	3365	2342	2798	3353 x 2134
12'0" x 6'6"	2750	3273	2666	3189	2550	3074	2571	3095	3203	3700	2867	3391	3074	3570	2452	2975	3658 x 1981
12'0" x 7'0"	2750	3286	2666	3203	2550	3087	2571	3108	3217	3727	2867	3404	3087	3597	2452	2988	3658 x 2134
13'0" x 6'6"	2941	3605	2984	3648	2684	3348	2835	3499	3806	4362	3098	3762	3406	3962	2575	3239	3962 x 1981
13'0" x 7'0"	2948	3618	2991	3661	2692	3362	2842	3512	3821	4390	3105	3775	3421	3990	2582	3252	3962 x 2134
14'0" x 6'6"	2968	3566	2992	3590	2707	3305	2842	3440	3850	4340	3126	3723	3448	3937	2582	3180	4267 x 1981
14'0" x 7'0"	3009	3566	3032	3590	2747	3305	2883	3440	3900	4356	3166	3723	3497	3954	2623	3180	4267 x 2134
15'0" x 6'6"	3326	3736	3322	3732	3036	3446	3171	3582	4227	4526	3483	3894	3823	4122	2911	3321	4572 x 1981
15'0" x 7'0"	3326	3764	3322	3760	3036	3474	3171	3609	4245	4571	3483	3921	3840	4167	2911	3349	4572 x 2134
16'0" x 6'6"	3360	3878	3484	4002	3068	3586	3203	3722	4277	4684	3389	3908	3743	4150	2942	3461	4877 x 1981
16'0" x 7'0"	3360	3904	3484	4028	3068	3612	3203	3748	4296	4729	3389	3934	3762	4195	2942	3487	4877 x 2134

### MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6' 0" - 8' 0" high on all widths.  
Super-Chassis doors available 6' 0" - 8' 0" high on doors up to 12' 0" wide, 6' 0" - 7' 6" high on doors from 12' 0" to 13' 0" wide and 6' 0" - 7' 0" high on doors from 13' 0" - 16' 0" wide

Imperial Width - Height	Masta Super		Masta Super		Masta Super		Masta Super		Masta Super		Masta Super		Masta Super		Masta Super		Metric (mm) Width - Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0"w - 7'0"h	1641	1770	1639	1768	1496	1625	1527	1655	2058	2174	1730	1858	1867	1983	1346	1474	2134w - 2134h
7'0"w - 7'6"h	1654	1835	1653	1833	1502	1682	1540	1721	2080	2248	1743	1924	1889	2057	1359	1540	2134w - 2286h
7'0"w - 8'0"h	1697	1900	1728	1931	1552	1755	1615	1819	2130	2321	1786	1989	1939	2130	1390	1593	2134w - 2438h
7'6"w - 7'0"h	1650	1820	1648	1819	1505	1675	1535	1706	2075	2233	1738	1909	1884	2042	1354	1525	2286w - 2134h
7'6"w - 7'6"h	1663	1892	1661	1890	1510	1739	1549	1777	2097	2313	1752	1980	1906	2122	1368	1596	2286w - 2286h
7'6"w - 8'0"h	1704	1961	1735	1991	1559	1816	1623	1879	2147	2390	1793	2049	1956	2200	1397	1654	2286w - 2438h
8'0"w - 7'0"h	1666	1844	1664	1842	1521	1698	1521	1698	2101	2266	1755	1933	2237	2383	1340	1517	2438w - 2134h
8'0"w - 7'6"h	1680	1927	1678	1926	1534	1782	1534	1782	2124	2360	1768	2016	2259	2476	1353	1601	2438w - 2286h
8'0"w - 8'0"h	1722	1979	1753	2010	1577	1834	1609	1866	2176	2421	1811	2068	2311	2537	1384	1641	2438w - 2438h
9'0"w - 7'0"h	1936	2257	1942	2263	1760	2081	1783	2104	2410	2718	2050	2371	2478	2765	1590	1911	2743w - 2134h
9'0"w - 7'6"h	1950	2329	1955	2335	1774	2153	1797	2176	2434	2801	2064	2443	2502	2847	1603	1983	2743w - 2286h
9'0"w - 8'0"h	2035	2414	2073	2452	1859	2238	1914	2294	2530	2897	2149	2528	2598	2943	1677	2056	2743w - 2438h
10'0"w - 7'0"h	2060	2583	2052	2575	1833	2356	1892	2414	2546	3068	2177	2699	2356	2879	1654	2177	3048w - 2134h
10'0"w - 7'6"h	2073	3250	2066	3243	1846	3024	1905	3082	2571	3748	2190	3367	2381	3558	1668	2845	3048w - 2286h
10'0"w - 8'0"h	2130	3270	2164	3305	1895	3035	2004	3144	2639	3779	2246	3387	2449	3589	1704	2845	3048w - 2438h
11'0"w - 7'0"h	2614	3337	2554	3278	2433	3156	2461	3185	3167	3865	2731	3454	2935	3632	2342	3066	3353w - 2134h
11'0"w - 7'6"h	2639	3530	2579	3470	2456	3347	2484	3375	3203	4067	2756	3646	2972	3837	2365	3256	3353w - 2286h
11'0"w - 8'0"h	2929	3553	2899	3523	2746	3370	2804	3428	3506	4103	3046	3670	3275	3872	2656	3279	3353w - 2438h
12'0"w - 7'0"h	2750	3554	2666	3470	2550	3354	2571	3375	3217	3994	2867	3671	3087	3864	2452	3256	3658w - 2134h
12'0"w - 7'6"h	2773	3664	2689	3580	2573	3464	2594	3485	3253	4118	2890	3781	3124	3988	2475	3366	3658w - 2286h
12'0"w - 8'0"h	3064	3688	3009	3633	2864	3488	2914	3538	3558	4155	3181	3805	3428	4025	2766	3389	3658w - 2438h
13'0"w - 7'0"h	2941	3913	2984	3956	2684	3657	2835	3807	3821	4685	3098	4070	3421	4285	2575	3547	3962w - 2134h
13'0"w - 7'6"h	2996	4076	3039	4118	2740	3819	2890	3970	3892	4862	3153	4232	3492	4462	2630	3710	3962w - 2286h
13'0"w - 8'0"h	3288	-	3395	-	3031	-	3247	-	4197	-	3444	-	3797	-	2922	-	3962w - 2438h
14'0"w - 7'0"h	3002	3861	3025	3884	2740	3600	2876	3735	3900	4651	3159	4018	3497	4249	2615	3475	4267w - 2134h
14'0"w - 7'6"h	3024	-	3047	-	2762	-	2898	-	3939	-	3181	-	3537	-	2638	-	4267w - 2286h
14'0"w - 8'0"h	3315	-	3404	-	3054	-	3254	-	4246	-	3472	-	3843	-	2929	-	4267w - 2438h
15'0"w - 7'0"h	3326	4137	3322	4133	3036	3847	3171	3983	4245	4945	3483	4295	3840	4541	2911	3722	4572w - 2134h
15'0"w - 7'6"h	3349	-	3345	-	3059	-	3194	-	4285	-	3506	-	3881	-	2927	-	4572w - 2286h
15'0"w - 8'0"h	3688	-	3749	-	3398	-	3598	-	4642	-	3846	-	4238	-	3273	-	4572w - 2438h
16'0"w - 7'0"h	3360	4172	3484	4296	3068	3880	3203	4015	4296	4996	3389	4201	3762	4462	2942	3754	4877w - 2134h
16'0"w - 7'6"h	3320	-	3507	-	3091	-	3226	-	4275	-	3350	-	3741	-	2965	-	4877w - 2286h
16'0"w - 8'0"h	3660	-	3911	-	3430	-	3631	-	4633	-	3690	-	4100	-	3305	-	4877w - 2438h

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.  
Minimum height on Super-Chassis doors for Canopy gear is 6'4" (1931mm).

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodriddoors.co.uk web: www.woodriddoors.co.uk

# panel-built cedar



## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Taunton		Tickenham		Washford		Yeovil		Metric (mm) Width x Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0" x 6'6"	1631	1433	1595	1397	1610	1412	1633	1435	2134 x 1981
7'0" x 7'0"	1631	1474	1595	1438	1610	1453	1633	1476	2134 x 2134
7'5" x 6'6"	1640	1512	1603	1476	1619	1491	1642	1514	2261 x 1981
7'5" x 7'0"	1640	1512	1603	1476	1619	1491	1642	1514	2261 x 2134
7'6" x 6'6"	1640	1512	1603	1476	1619	1491	1642	1514	2286 x 1981
7'6" x 7'0"	1640	1585	1603	1549	1619	1564	1642	1587	2286 x 2134
8'0" x 6'6"	1656	1609	1589	1541	1604	1556	1627	1579	2438 x 1981
8'0" x 7'0"	1656	1621	1589	1554	1604	1569	1627	1592	2438 x 2134
9'0" x 6'6"	1908	2012	1886	1990	1935	2038	1906	2009	2743 x 1981
9'0" x 7'0"	1908	2056	1886	2034	1935	2082	1906	2053	2743 x 2134
10'0" x 6'6"	2028	2227	1995	2193	2043	2241	2034	2232	3048 x 1981
10'0" x 7'0"	2028	2236	1995	2203	2043	2251	2034	2242	3048 x 2134
11'0" x 6'6"	2587	3030	2499	2942	2547	2990	2537	2980	3353 x 1981
11'0" x 7'0"	2585	3041	2499	2955	2547	3003	2535	2992	3353 x 2134
12'0" x 6'6"	2721	3244	2609	3132	2656	3180	2647	3170	3658 x 1981
12'0" x 7'0"	2721	3257	2609	3145	2656	3193	2647	3183	3658 x 2134
13'0" x 6'6"	2916	3580	2850	3515	2893	3558	2918	3582	3962 x 1981
13'0" x 7'0"	2923	3593	2858	3528	2901	3571	2925	3595	3962 x 2134
14'0" x 6'6"	2943	3541	2858	3456	2901	3499	2978	3575	4267 x 1981
14'0" x 7'0"	2984	3541	2898	3456	2941	3499	3018	3575	4267 x 2134
15'0" x 6'6"	3301	3712	3186	3597	3229	3640	3308	3718	4572 x 1981
15'0" x 7'0"	3301	3739	3186	3624	3229	3667	3308	3746	4572 x 2134
16'0" x 6'6"	3334	3852	3217	3736	3261	3779	3339	3857	4877 x 1981
16'0" x 7'0"	3334	3878	3217	3762	3261	3805	3339	3883	4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta Gear doors available from 6'0" - 8'0" high on all widths. Super-Chassis doors available 6'0" - 8'0" high on doors up to 12'0" wide, 6'0" - 7'6" high on doors from 12'0" to 13'0" wide and 6'0" - 7'0" high on doors from 13'0" - 16'0" wide								Metric (mm) Width - Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0"w - 7'0"h	1631	1760	1595	1723	1610	1739	1633	1762	2134w - 2134h
7'0"w - 7'6"h	1644	1825	1608	1789	1623	1804	1646	1827	2134w - 2286h
7'0"w - 8'0"h	1687	1890	1683	1886	1698	1902	1721	1925	2134w - 2438h
7'6"w - 7'0"h	1640	1810	1603	1774	1619	1789	1642	1812	2286w - 2134h
7'6"w - 7'6"h	1653	1882	1617	1845	1632	1861	1655	1884	2286w - 2286h
7'6"w - 8'0"h	1694	1951	1691	1947	1706	1962	1729	1985	2286w - 2438h
8'0"w - 7'0"h	1656	1834	1589	1766	1604	1781	1627	1804	2438w - 2134h
8'0"w - 7'6"h	1670	1918	1602	1850	1617	1865	1640	1888	2438w - 2286h
8'0"w - 8'0"h	1712	1969	1677	1934	1692	1949	1715	1972	2438w - 2438h
9'0"w - 7'0"h	1908	2229	1886	2207	1935	2255	1906	2227	2743w - 2134h
9'0"w - 7'6"h	1921	2301	1900	2279	1948	2327	1919	2299	2743w - 2286h
9'0"w - 8'0"h	2007	2386	2018	2397	2066	2445	2037	2416	2743w - 2438h
10'0"w - 7'0"h	2028	2551	1995	2517	2043	2565	2034	2557	3048w - 2134h
10'0"w - 7'6"h	2042	3219	2008	3185	2056	3233	2047	3224	3048w - 2286h
10'0"w - 8'0"h	2098	3238	2107	3247	2155	3295	2146	3286	3048w - 2438h
11'0"w - 7'0"h	2585	3308	2499	3222	2547	3270	2535	3259	3353w - 2134h
11'0"w - 7'6"h	2610	3501	2522	3412	2570	3460	2511	3405	3353w - 2286h
11'0"w - 8'0"h	2900	3524	2842	3466	2890	3513	2880	3504	3353w - 2438h
12'0"w - 7'0"h	2721	3524	2609	3413	2656	3460	2647	3451	3658w - 2134h
12'0"w - 7'6"h	2744	3635	2632	3523	2679	3570	2670	3561	3658w - 2286h
12'0"w - 8'0"h	3034	3658	2952	3576	3000	3624	2990	3614	3658w - 2438h
13'0"w - 7'0"h	2916	3888	2850	3823	2893	3866	2918	3890	3962w - 2134h
13'0"w - 7'6"h	2971	4051	2762	3848	2949	4028	2973	4053	3962w - 2286h
13'0"w - 8'0"h	3263	-	3262	-	3305	-	3329	-	3962w - 2438h
14'0"w - 7'0"h	2977	3836	2891	3750	2934	3794	3011	3870	4267w - 2134h
14'0"w - 7'6"h	2999	-	2789	-	2832	-	3033	-	4267w - 2286h
14'0"w - 8'0"h	3290	-	3145	-	3188	-	3390	-	4267w - 2438h
15'0"w - 7'0"h	3301	4113	3186	3998	3229	4041	3308	4119	4572w - 2134h
15'0"w - 7'6"h	3324	-	3209	-	3252	-	3331	-	4572w - 2286h
15'0"w - 8'0"h	3663	-	3613	-	3657	-	3735	-	4572w - 2438h
16'0"w - 7'0"h	3334	4146	3217	4029	3261	4073	3339	4151	4877w - 2134h
16'0"w - 7'6"h	3295	-	3240	-	3284	-	3362	-	4877w - 2286h
16'0"w - 8'0"h	3634	-	3645	-	3688	-	3766	-	4877w - 2438h

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high. Minimum height on Super-Chassis doors for Canopy gear is 6'4" (1931mm).

## OPTIONS

Single doors ≤ 10'0" wide  
Double doors > 10'0" wide

### FRAMES

<b>Steel Frames*</b> White/brown	75mm (Super) <sup>A</sup> single/double 115 / 170	
<sup>A</sup> 60mm for canopy doors * Super-Chassis Only		
<b>Timber Frames</b>	70mm x 70mm	70mm x 90mm
Hardwood	single 322	single/double 322 / 392
Softwood	184	184 / 217
Cedar Clad softwood	313	313 / 364
Cedar Clad hardwood	451	451 / 542
<b>Frame finishes single / double</b> Light Oak, Antique Oak, Chestnut, Mahogany, Walnut, Burnt Oak, Teak, Pale Oak	single/double 40 / 55	
Silver, Silver/Slate Grey, Ice Silver	70 / 95	
RAL	80 / 110	
White primer	30 / 50	
Black Frame and Chassis for Super-Chassis Doors	75 / 145	

### FINISHES

Light Oak, Antique Oak, Chestnut, Mahogany, Walnut, Burnt Oak, Teak, Pale Oak	single/double 115 / 195
Silver, Silver/Slate Grey, Ice Silver	175 / 235
RAL	245 / 425
White Primed	85 / 145

### HANDLES

Black (standard)	0
Brass effect or Chrome effect*	40 / 50

### GLAZING

Other options on request	single/double
Stippled Polycarb (standard)	0
Clear Polycarb	0
4mm toughened glass clear	40 / 80
4mm toughened glass stippled	40 / 80

### CRANKED ARM


Retractable gear upgrade - single doors	
Masta-Gear	0
Standard on all doors up to 2743mm wide	
Super-Chassis	40
Available on door heights 1931mm, 1981mm & 2134mm on doors up to 2286mm wide	

For full details of options see page 9





THE BUCKINGHAM RANGE is made with selected cedar mouldings, cedar tongue and groove boards and raised and fielded cedar panels depending on design. Doors are of panel-construction onto either Masta-Gear or Super-Chassis in standard or made to measure sizes as listed. Certain styles are available in solid-construction - see the Balmoral range for details.



STANDARD SIZE Retractable Up & Over Gear

Table with columns for style (Adstock, Bierton, Bledlow, Burnham, Chalfont\*, Chartridge, Chesham\*, Coleshill), Imperial and Metric dimensions, and a grid of size options (width x height) with corresponding Masta and Super chassis dimensions.

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths. Super-Chassis doors available 6'0" - 8'0" high on doors up to 12'0" wide, 6'0" - 7'6" high on doors from 12'0" to 13'0" wide and 6'0" - 7'0" high on doors from 13'0" - 16'0" wide

Large table listing made-to-measure sizes with columns for Imperial Width-Height, chassis type (Masta/Super), and Metric Width-Height. Includes a note about canopy gear availability.

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high. Minimum height on Super-Chassis doors for Canopy gear is 6'4" (1931mm).

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk







# panel-built cedar

# Coach house buckingham

**OPTIONS** Single doors ≤ 10'0" wide  
Double doors > 10'0" wide

## FINISHES


Light Oak, Antique Oak, Chestnut, Mahogany, Walnut, Burnt Oak, Teak, Pale Oak

Silver, Silver/Slate Grey, Ice Silver

RAL

White Primed

single/double
115 / 195
175 / 235
245 / 425
85 / 145



Light Oak    Antique Oak    Chestnut    Mahogany



Walnut    Burnt Oak    Teak    Pale Oak    Silver    Silver Grey    Ice Silver    Slate Grey

## FRAMES

Single doors ≤ 10'0" wide Double doors > 10'0" wide

<sup>Δ</sup> 60mm for canopy doors  
\* Super-Chassis Only

	75mm (Super) <sup>Δ</sup>	70mm x 70mm	70mm x 90mm
	single/double	single	single/double
Steel white/brown*	115 / 170	-	-
Hardwood	-	322	322 / 392
Softwood	-	184	184 / 217
Cedar Clad softwood	-	313	313 / 364
Cedar Clad hardwood	-	451	451 / 542

Frame finishes single / double

Light Oak, Antique Oak, Chestnut, Mahogany, Walnut, Burnt Oak, Teak, Pale Oak

Silver, Silver Grey, Ice Silver, Slate Grey

RAL

White primer

Black Frame and Chassis for Super-Chassis Doors

single/double
40 / 55
70 / 95
80 / 110
30 / 50
75 / 145



Steel White    Steel Brown    Hardwood



Softwood    Cedar Clad Softwood    Cedar Clad Hardwood

## HANDLES

Black (standard)

Brass effect or Chrome effect\*

\*Masta-Gear Only

0
40 / 50



Black Super-Chassis    Black Masta-Gear    Brass Effect Masta-Gear    Chrome Effect Masta-Gear

## GLAZING

Stippled Polycarb (standard)

Clear Polycarb

4mm toughened glass clear

4mm toughened glass stippled

	Doors with windows	Granborough*	Sherington*
	single/double	single/double	single/double
Stippled Polycarb (standard)	0	175 / 340	175 / 340
Clear Polycarb	0	175 / 340	175 / 340
4mm toughened glass clear	40 / 80	215 / 420	215 / 420
4mm toughened glass stippled	40 / 80	215 / 420	215 / 420

Square or diamond leading is available on the following styles as a no cost option:

Coleshill, Ickford and Radnage. \*The Granborough & Sherington which do not have windows

as standard are available with glazing to the top row of features at the prices shown above.

With the supplement added, leading options are then available as a no cost option.



Stippled Plain    Stippled Square Leading    Stippled Diamond Leading    Clear

## ROUNDED CHAMFER

(Not available on Somerset range doors)

## CRANKED ARM

Retractable gear upgrade - single doors

Masta-Gear

Standard on doors up to 2743mm wide x 2134mm high

Super-Chassis

Available on door heights 1931mm, 1981mm &

2134mm on doors up to 2286mm wide

85



Wide Board    Rounded Chamfer    Cranked Arm

## WIDE BOARD

Any door made with narrow boards can be ordered with wide boards.

+10%



Cedar Architrave

## CEDAR

Architrave 6mm x 75mm per linear metre\*

Architrave 6mm x 50mm per linear metre\*

Standard Board Tongue & Groove per linear metre

Wide Board Tongue & Groove per linear metre

\* 4mm chamfer to one edge, ideal as cover strips for frames


finished in standard colours 26 RAL 30

finished in standard colours 22 RAL 26

finished in standard colours 26 RAL 30

finished in standard colours 38 RAL 42

THE BALMORAL RANGE is made with selected cedar mouldings, cedar tongue and groove boards and raised and fielded cedar panels depending on design. Doors are of solid-construction onto Masta-Gear in standard or made to measure sizes as listed.



\* see illustration above for double door configuration

### STANDARD SIZE Retractable Up & Over Gear


Imperial Width x Height	Adstock	Bierton	Burnham	Chalfont*	Chalfont* <sup>wide</sup>	Chartridge	Chartridge wide	Coleshill	Metric (mm) Width x Height
	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	
7'0" X 6'6"	4187	3181	2656	2402	2642	2471	2718	2690	2134 x 1981
7'0" X 7'0"	4187	3181	2656	2402	2642	2471	2718	2690	2134 x 2134
7'5" x 6'6"	4276	3236	2711	2457	2703	2527	2779	2745	2261 x 1981
7'5" x 7'0"	4275	3236	2711	2457	2703	2527	2779	2745	2261 x 2134
7'6" x 6'6"	4276	3238	2711	2457	2703	2527	2779	2747	2286 x 1981
7'6" x 7'0"	4275	3238	2711	2457	2703	2527	2779	2747	2286 x 2134
8'0" x 6'6"	4280	3290	2761	2506	2757	2575	2832	2798	2438 x 1981
8'0" x 7'0"	4280	3290	2761	2506	2757	2575	2832	2798	2438 x 2134
9'0" x 6'6"	4932	3842	3083	2886	3174	2985	3284	3276	2743 x 1981
9'0" x 7'0"	4932	3842	3083	2886	3174	2985	3284	3276	2743 x 2134
10'0" x 6'6"	5327	3978	3298	3013	3314	3157	3472	3424	3048 x 1981
10'0" x 7'0"	5327	3978	3298	3013	3314	3157	3472	3424	3048 x 2134
11'0" x 6'6"	5857	4320	3741	3068	3375	3318	3650	3558	3353 x 1981
11'0" x 7'0"	5857	4320	3741	3068	3375	3318	3650	3558	3353 x 2134
12'0" x 6'6"	6099	4474	3833	3204	3524	3477	3825	3704	3658 x 1981
12'0" x 7'0"	6099	4474	3833	3204	3524	3477	3825	3704	3658 x 2134
13'0" x 6'6"	7044	5132	4268	3607	3968	3880	4268	4274	3962 x 1981
13'0" x 7'0"	7044	5132	4268	3607	3968	3880	4268	4274	3962 x 2134
14'0" x 6'6"	7351	5290	4580	3743	4118	4039	4443	4425	4267 x 1981
14'0" x 7'0"	7384	5323	4613	3776	4154	4072	4479	4458	4267 x 2134
15'0" x 6'6"	7531	5478	4749	3913	4304	4230	4653	4604	4572 x 1981
15'0" x 7'0"	7531	5478	4749	3913	4304	4230	4653	4604	4572 x 2134
16'0" x 6'6"	7763	5631	4885	4049	4454	4388	4827	4750	4877 x 1981
16'0" x 7'0"	7763	5631	4885	4049	4454	4388	4827	4750	4877 x 2134

### MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6' 0" - 8' 0" high on all widths.

Imperial Width - Height	Masta								Metric (mm) Width - Height
	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	
7'0"w - 7'0"h	4187	3181	2656	2402	2642	2471	2718	2690	2134w - 2134h
7'0"w - 7'6"h	4224	3218	2706	2438	2682	2508	2758	2831	2134w - 2286h
7'0"w - 8'0"h	4343	3322	2706	2510	2762	2586	2845	2831	2134w - 2438h
7'6"w - 7'0"h	4275	3238	2711	2457	2703	2526	2779	2747	2286w - 2134h
7'6"w - 7'6"h	4312	3274	2761	2494	2743	2563	2819	2896	2286w - 2286h
7'6"w - 8'0"h	4442	3387	2760	2572	2829	2647	2912	2896	2286w - 2438h
8'0"w - 7'0"h	4280	3290	2761	2506	2757	2575	2832	2798	2438w - 2134h
8'0"w - 7'6"h	4316	3327	2810	2543	2797	2612	2873	2957	2438w - 2286h
8'0"w - 8'0"h	4447	3450	2810	2628	2891	2482	2730	2957	2438w - 2438h
9'0"w - 7'0"h	4932	3842	3083	2886	3174	2985	3284	3276	2743w - 2134h
9'0"w - 7'6"h	4968	3878	3227	2922	3215	3022	3324	3454	2743w - 2286h
9'0"w - 8'0"h	5123	4020	3227	3020	3322	3120	3432	3454	2743w - 2438h
10'0"w - 7'0"h	5327	3978	3298	3013	3314	3157	3472	3424	3048w - 2134h
10'0"w - 7'6"h	5327	3978	3406	3013	3314	3157	3472	3575	3048w - 2286h
10'0"w - 8'0"h	5505	4128	3406	3117	3429	3268	3595	3575	3048w - 2438h
11'0"w - 7'0"h	5857	4320	3741	3068	3375	3318	3650	3558	3353w - 2134h
11'0"w - 7'6"h	5857	4320	3748	3068	3375	3318	3650	3728	3353w - 2286h
11'0"w - 8'0"h	6035	4471	3748	3172	3490	3442	3786	3728	3353w - 2438h
12'0"w - 7'0"h	6099	4474	3833	3204	3524	3477	3825	3704	3658w - 2134h
12'0"w - 7'6"h	6099	4474	3859	3204	3524	3477	3825	3893	3658w - 2286h
12'0"w - 8'0"h	6301	4643	3859	3322	3654	3614	3976	3893	3658w - 2438h
13'0"w - 7'0"h	7044	5132	4268	3607	3968	3880	4268	4274	3962w - 2134h
13'0"w - 7'6"h	7044	5132	4294	3607	3968	3880	4268	4481	3962w - 2286h
13'0"w - 8'0"h	7270	5321	4294	3738	4112	4024	4426	4481	3962w - 2438h
14'0"w - 7'0"h	7384	5323	4613	3776	4154	4072	4479	4458	4267w - 2134h
14'0"w - 7'6"h	7384	5323	4639	3776	4154	4072	4479	4684	4267w - 2286h
14'0"w - 8'0"h	7634	5530	4639	3920	4312	4229	4652	4684	4267w - 2438h
15'0"w - 7'0"h	7531	5478	4749	3913	4304	4230	4653	4604	4572w - 2134h
15'0"w - 7'6"h	7531	5478	4782	3913	4304	4230	4653	4849	4572w - 2286h
15'0"w - 8'0"h	7793	5705	4782	4070	4477	4400	4840	4849	4572w - 2438h
16'0"w - 7'0"h	7763	5631	4885	4049	4454	4388	4827	4750	4877w - 2134h
16'0"w - 7'6"h	7763	5631	4918	4049	4454	4388	4827	5014	4877w - 2286h
16'0"w - 8'0"h	8048	5876	4918	4219	4641	4571	5028	5014	4877w - 2438h

# solid-built cedar



\* see illustration above for double door configuration

# Coach house balmoral

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Coleshill wide		Gawcott	Gawcott wide	Granborough	Hampden*	Ickford	Kingswood	Marston	Metric (mm) Width x Height
	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta		
7'0" X 6'6"	2960	2471	2718	3412	2133	3099	3391	3391	2134 x 1981	
7'0" X 7'0"	2960	2471	2718	3412	2177	3099	3391	3391	2134 x 2134	
7'5" x 6'6"	3020	2527	2779	3500	2209	3155	3479	3479	2261 x 1981	
7'5" x 7'0"	3019	2526	2779	3500	2259	3155	3479	3479	2261 x 2134	
7'6" x 6'6"	3021	2527	2779	3500	2209	3157	3479	3479	2286 x 1981	
7'6" x 7'0"	3021	2526	2779	3500	2259	3157	3479	3479	2286 x 2134	
8'0" x 6'6"	3078	2575	2832	3589	2213	3210	3567	3567	2438 x 1981	
8'0" x 7'0"	3078	2575	2832	3589	2263	3210	3567	3567	2438 x 2134	
9'0" x 6'6"	3603	2985	3284	4176	2719	3875	4137	4137	2743 x 1981	
9'0" x 7'0"	3603	2985	3284	4176	2719	3875	4137	4137	2743 x 2134	
10'0" x 6'6"	3767	3157	3472	4428	2800	3901	4388	4388	3048 x 1981	
10'0" x 7'0"	3767	3157	3472	4428	2800	3901	4388	4388	3048 x 2134	
11'0" x 6'6"	3914	3318	3650	4806	2822	4505	5004	5004	3353 x 1981	
11'0" x 7'0"	3914	3318	3650	4806	2891	4505	5004	5004	3353 x 2134	
12'0" x 6'6"	4075	3477	3825	5043	3069	4621	5241	5241	3658 x 1981	
12'0" x 7'0"	4075	3477	3825	5043	3157	4621	5241	5241	3658 x 2134	
13'0" x 6'6"	4701	3880	4268	5726	3307	5253	5738	5738	3962 x 1981	
13'0" x 7'0"	4701	3880	4268	5726	3395	5253	5738	5738	3962 x 2134	
14'0" x 6'6"	4867	4039	4443	6030	3350	5373	6078	6078	4267 x 1981	
14'0" x 7'0"	4903	4072	4479	6063	3471	5406	6111	6111	4267 x 2134	
15'0" x 6'6"	5064	4230	4653	6289	3571	5526	6337	6337	4572 x 1981	
15'0" x 7'0"	5064	4230	4653	6289	3672	5526	6337	6337	4572 x 2134	
16'0" x 6'6"	5225	4388	4827	6600	3612	5641	6648	6648	4877 x 1981	
16'0" x 7'0"	5225	4388	4827	6600	3713	5641	6648	6648	4877 x 2134	

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width


Masta Gear doors available from 6' 0" - 8' 0" high on all widths.

Imperial Width - Height	Masta Gear doors available from 6' 0" - 8' 0" high on all widths.								Metric (mm) Width - Height
	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	
7'0"w - 7'0"h	2960	2471	2718	3412	2177	3099	3391	3391	2134w - 2134h
7'0"w - 7'6"h	3114	2508	2758	3449	2266	3230	3427	3427	2134w - 2286h
7'0"w - 8'0"h	3114	2586	2845	3449	2310	3230	3570	3570	2134w - 2438h
7'6"w - 7'0"h	3021	2526	2779	3500	2259	3157	3479	3479	2286w - 2134h
7'6"w - 7'6"h	3186	2563	2819	3537	2354	3298	3515	3515	2286w - 2286h
7'6"w - 8'0"h	3185	2647	2912	3536	2404	3297	3669	3669	2286w - 2438h
8'0"w - 7'0"h	3078	2575	2832	3589	2263	3210	3567	3567	2438w - 2134h
8'0"w - 7'6"h	3253	2612	2873	3626	2359	3360	3604	3604	2438w - 2286h
8'0"w - 8'0"h	3253	2703	2974	3626	2409	3360	3771	3771	2438w - 2438h
9'0"w - 7'0"h	3603	2985	3284	4176	2719	3901	4137	4137	2743w - 2134h
9'0"w - 7'6"h	3799	3022	3324	4213	2756	4070	4174	4174	2743w - 2286h
9'0"w - 8'0"h	3799	3120	3432	4213	2756	4070	4352	4352	2743w - 2438h
10'0"w - 7'0"h	3767	3157	3472	4428	2800	3875	4388	4388	3048w - 2134h
10'0"w - 7'6"h	3933	3157	3472	4285	2800	4026	4388	4388	3048w - 2286h
10'0"w - 8'0"h	3933	3268	3595	4285	2800	4026	4591	4591	3048w - 2438h
11'0"w - 7'0"h	3914	3318	3650	4806	2891	4505	5004	5004	3353w - 2134h
11'0"w - 7'6"h	4100	3318	3650	4806	2968	4665	5004	5004	3353w - 2286h
11'0"w - 8'0"h	4100	3442	3786	4806	3037	4665	5230	5230	3353w - 2438h
12'0"w - 7'0"h	4075	3477	3825	5043	3157	4621	5241	5241	3658w - 2134h
12'0"w - 7'6"h	4282	3477	3825	5043	3253	4791	5241	5241	3658w - 2286h
12'0"w - 8'0"h	4282	3614	3976	5043	3341	4791	5491	5491	3658w - 2438h
13'0"w - 7'0"h	4701	3880	4268	5726	3395	5253	5738	5738	3962w - 2134h
13'0"w - 7'6"h	4930	3880	4268	5726	3491	5432	5738	5738	3962w - 2286h
13'0"w - 8'0"h	4930	4024	4426	5726	3579	5432	6012	6012	3962w - 2438h
14'0"w - 7'0"h	4903	4072	4479	6063	3471	5406	6111	6111	4267w - 2134h
14'0"w - 7'6"h	5152	4072	4479	6063	3567	5594	6111	6111	4267w - 2286h
14'0"w - 8'0"h	5152	4229	4652	6063	3655	5594	6408	6408	4267w - 2438h
15'0"w - 7'0"h	5064	4230	4653	6289	3672	5526	6337	6337	4572w - 2134h
15'0"w - 7'6"h	5334	4230	4653	6289	3781	5724	6337	6337	4572w - 2286h
15'0"w - 8'0"h	5334	4400	4840	6289	3882	5724	6658	6658	4572w - 2438h
16'0"w - 7'0"h	5225	4388	4827	6600	3713	5641	6648	6648	4877w - 2134h
16'0"w - 7'6"h	5516	4388	4827	6600	3821	5849	6648	6648	4877w - 2286h
16'0"w - 8'0"h	5516	4571	5028	6600	3923	5849	7005	7005	4877w - 2438h

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk



THE BALMORAL RANGE is made with selected cedar mouldings, cedar tongue and groove boards and raised and fielded cedar panels depending on design. Doors are of solid-construction onto Masta-Gear in standard or made to measure sizes as listed.



\* see illustration above for double door configuration

### STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Padbury	Quainton	Salford	Sherington	Woburn	Uttoxeter	Wemford*	Whitchurch	Metric (mm) Width x Height
	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	
7'0" X 6'6"	4032	3533	3049	3574	2232	2231	2138	3447	2134 x 1981
7'0" X 7'0"	4032	3533	3049	3574	2232	2231	2176	3447	2134 x 2134
7'5" x 6'6"	4128	3589	3137	3662	2252	2326	2214	3535	2261 x 1981
7'5" x 7'0"	4128	3589	3137	3662	2251	2326	2257	3534	2261 x 2134
7'6" x 6'6"	4130	3589	3137	3662	2252	2326	2214	3535	2286 x 1981
7'6" x 7'0"	4130	3589	3137	3662	2251	2326	2257	3534	2286 x 2134
8'0" x 6'6"	4230	3593	3226	3751	2300	2330	2219	3539	2438 x 1981
8'0" x 7'0"	4230	3593	3226	3751	2300	2330	2262	3539	2438 x 2134
9'0" x 6'6"	4924	4184	3885	4342	2492	2716	2590	4196	2743 x 1981
9'0" x 7'0"	4924	4184	3885	4342	2624	2716	2644	4196	2743 x 2134
10'0" x 6'6"	5123	4501	4135	4593	2793	2874	2672	4589	3048 x 1981
10'0" x 7'0"	5123	4501	4135	4593	2793	2874	2726	4589	3048 x 2134
11'0" x 6'6"	5467	4720	4579	5114	3020	3087	3040	4811	3353 x 1981
11'0" x 7'0"	5467	4720	4579	5117	3020	3087	3115	4811	3353 x 2134
12'0" x 6'6"	5730	4878	4799	5355	3164	3218	3080	5029	3658 x 1981
12'0" x 7'0"	5730	4878	4799	5355	3164	3218	3155	5029	3658 x 2134
13'0" x 6'6"	6645	4956	5184	6039	3465	3551	3318	5704	3962 x 1981
13'0" x 7'0"	6645	5470	5184	6039	3465	3551	3393	5704	3962 x 2134
14'0" x 6'6"	6913	5708	5468	6343	3609	3682	3360	5999	4267 x 1981
14'0" x 7'0"	6946	5741	5501	6376	3642	3715	3469	6032	4267 x 2134
15'0" x 6'6"	7198	5855	5710	6603	3788	3848	3582	6173	4572 x 1981
15'0" x 7'0"	7198	5855	5710	6603	3788	3848	3669	6173	4572 x 2134
16'0" x 6'6"	7366	6013	6003	6914	3931	3979	3623	6390	4877 x 1981
16'0" x 7'0"	7366	6013	6003	6914	3931	3979	3709	6390	4877 x 2134

### MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6' 0" - 8' 0" high on all widths.

Imperial Width - Height	Masta								Metric (mm) Width - Height
	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	
7'0"w - 7'0"h	4032	3533	3049	3574	2232	2231	2176	3447	2134w - 2134h
7'0"w - 7'6"h	4068	3570	3086	3611	2347	2346	2296	3602	2134w - 2286h
7'0"w - 8'0"h	4068	3635	3229	3754	2347	2346	2371	3602	2134w - 2438h
7'6"w - 7'0"h	4130	3589	3137	3662	2251	2326	2257	3534	2286w - 2134h
7'6"w - 7'6"h	4166	3625	3174	3699	2367	2451	2388	3702	2286w - 2286h
7'6"w - 8'0"h	4165	3697	3328	3853	2366	2450	2474	3701	2286w - 2438h
8'0"w - 7'0"h	4230	3593	3226	3751	2300	2330	2262	3539	2438w - 2134h
8'0"w - 7'6"h	4267	3630	3262	3788	2422	2456	2393	3706	2438w - 2286h
8'0"w - 8'0"h	4267	3702	3429	3954	2422	2456	2479	3706	2438w - 2438h
9'0"w - 7'0"h	4924	4184	3885	4342	2624	2716	2644	4196	2743w - 2134h
9'0"w - 7'6"h	4961	4221	3921	4378	2758	2864	2800	4387	2743w - 2286h
9'0"w - 8'0"h	4961	4306	4100	4557	2758	2864	2908	4387	2743w - 2438h
10'0"w - 7'0"h	5123	4501	4135	4593	2793	2874	2726	4589	3048w - 2134h
10'0"w - 7'6"h	5123	4501	4135	4593	2904	2996	2845	4768	3048w - 2286h
10'0"w - 8'0"h	5123	4599	4337	4795	2904	2996	2953	4768	3048w - 2438h
11'0"w - 7'0"h	5467	4720	4579	5117	3020	3087	3115	4811	3353w - 2134h
11'0"w - 7'6"h	5467	4720	4805	5117	3144	3220	3274	4811	3353w - 2286h
11'0"w - 8'0"h	5467	4818	4805	5343	3144	3220	3424	4989	3353w - 2438h
12'0"w - 7'0"h	5730	4878	4799	5355	3164	3218	3155	5029	3658w - 2134h
12'0"w - 7'6"h	5730	4878	5049	5355	3301	3363	3314	5029	3658w - 2286h
12'0"w - 8'0"h	5730	4989	5049	5605	3301	3363	3464	5231	3658w - 2438h
13'0"w - 7'0"h	6622	5470	5184	6039	3465	3551	3393	5704	3962w - 2134h
13'0"w - 7'6"h	6645	5470	5458	6039	3609	3706	3551	5704	3962w - 2286h
13'0"w - 8'0"h	6645	5594	5458	6313	3609	3706	3702	5930	3962w - 2438h
14'0"w - 7'0"h	6946	5741	5501	6376	3642	3715	3469	6032	4267w - 2134h
14'0"w - 7'6"h	6946	5741	5799	6376	3799	3881	3627	6032	4267w - 2286h
14'0"w - 8'0"h	6946	5878	5799	6674	3799	3881	3778	6282	4267w - 2438h
15'0"w - 7'0"h	7198	5855	5710	6603	3788	3848	3669	6173	4572w - 2134h
15'0"w - 7'6"h	7198	5855	6031	6603	3957	4026	3849	6173	4572w - 2286h
15'0"w - 8'0"h	7198	5998	6031	6924	3957	4026	4022	6434	4572w - 2438h
16'0"w - 7'0"h	7366	6013	6003	6914	3931	3979	3709	6390	4877w - 2134h
16'0"w - 7'6"h	7366	6013	6360	6914	4115	4168	3890	6390	4877w - 2286h
16'0"w - 8'0"h	7366	6170	6360	7271	4115	4168	4062	6676	4877w - 2438h

# solid-built cedar



# Coach house balmoral

**OPTIONS** Single doors ≤ 10'0" wide  
Double doors > 10'0" wide

## FINISHES



Light Oak, Antique Oak, Chestnut, Mahogany, Walnut, Burnt Oak, Teak, Pale Oak

Silver, Silver/Slate Grey, Ice Silver

RAL

White Primed


single/double
115 / 195
175 / 235
245 / 425
85 / 145



## FRAMES

Single doors ≤ 10'0" wide Double doors > 10'0" wide

	70mm x 70mm single	70mm x 90mm single/double
Hardwood	322	322 / 392
Softwood	184	184 / 217
Cedar Clad softwood	313	313 / 364
Cedar Clad hardwood	451	451 / 542



Frame finishes single / double

Light Oak, Antique Oak, Chestnut, Mahogany, Walnut, Burnt Oak, Teak, Pale Oak

Silver, Silver Grey, Ice Silver, Slate Grey

RAL

White primer

Black Frame and Chassis for Super-Chassis Doors

single/double
40 / 55
70 / 95
80 / 110
30 / 50
75 / 145

## HANDLES

Black (standard)

Brass effect or Chrome effect

0
40 / 50



Black Masta-Gear

Brass Effect Masta-Gear

Chrome Effect Masta-Gear

## GLAZING

Stippled Polycarb (standard)

Clear Polycarb

4mm toughened glass clear


4mm toughened glass stippled

	Doors with windows	Granborough*	Sherington*
	single/double	single/double	single/double
Stippled Polycarb (standard)	0	175 / 340	175 / 340
Clear Polycarb	0	175 / 340	175 / 340
4mm toughened glass clear	40 / 80	215 / 420	215 / 420
4mm toughened glass stippled	40 / 80	215 / 420	215 / 420

Square or diamond leading is available on the following styles as a no cost option:

Coleshill, Ickford and Radnage. \*The Granborough & Sherington which do not have windows as standard are available with glazing to the top row of features at the prices shown above.

With the supplement added, leading options are then available as a no cost option.



**ROUNDED CHAMFER** (Standard) 0

**WIDE BOARD** +10%

Any door made with narrow boards can be ordered with wide boards.



Rounded Chamfer

Wide Board

## CEDAR

Architrave 6mm x 75mm per linear metre\*

Architrave 6mm x 50mm per linear metre\*

Standard Board Tongue & Groove per linear metre

Wide Board Tongue & Groove per linear metre

\* 4mm chamfer to one edge, ideal as cover strips for frames

finished in standard colours 26 RAL 30

finished in standard colours 22 RAL 26

finished in standard colours 26 RAL 30

finished in standard colours 38 RAL 42



Cedar Architrave

THE MONMOUTH RANGE of panel-built up and over garage doors is made with oak faced exterior grade ply and oak mouldings. They are available with either Masta-Gear or Super-Chassis lifting gear in a range of single and double standard and made to measure sizes.

# panel-built oak

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Broadoak		Fairoak		Kingsoak		Oakdale		Oakgrove		Oakhampton		Oakhaven		Oakley		Metric (mm) Width x Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0" X 6'6"	2775	2563	2747	2535	2578	2366	2598	2386	3193	3067	2928	2716	2973	2847	2251	2039	2134 x 1981
7'0" X 7'0"	2775	2609	2747	2581	2578	2412	2598	2432	3193	3122	2928	2762	2973	2901	2251	2084	2134 x 2134
7'5" x 6'6"	2789	2659	2761	2631	2592	2462	2612	2482	3207	3170	2942	2812	2986	2949	2265	2134	2261 x 1981
7'5" x 7'0"	2789	2740	2761	2711	2592	2542	2612	2563	3207	3260	2942	2892	2986	3039	2265	2215	2261 x 2134
7'6" x 6'6"	2789	2659	2761	2631	2592	2462	2612	2482	3207	3171	2942	2812	2986	2950	2265	2134	2286 x 1981
7'6" x 7'0"	2789	2741	2761	2712	2592	2543	2612	2564	3207	3262	2942	2893	2986	3042	2265	2216	2286 x 2134
8'0" x 6'6"	2828	2784	2800	2756	2631	2587	2570	2526	3249	3307	2981	2937	3026	3084	2222	2178	2438 x 1981
8'0" x 7'0"	2869	2799	2800	2770	2631	2601	2570	2540	3249	3331	2981	2951	3026	3109	2222	2192	2438 x 2134
9'0" x 6'6"	3518	3602	3472	3597	3254	3379	3260	3385	3926	4170	3703	3828	3749	3992	2899	3023	2743 x 1981
9'0" x 7'0"	3518	3651	3472	3646	3254	3428	3260	3434	3926	4231	3701	3875	3746	4051	2899	3072	2743 x 2134
10'0" x 6'6"	3752	3942	3668	3899	3361	3592	3454	3685	4160	4536	3938	4169	3981	4356	2985	3216	3048 x 1981
10'0" x 7'0"	3752	3953	3668	3910	3361	3603	3454	3696	4160	4560	3938	4180	3981	4380	2985	3227	3048 x 2134
11'0" x 6'6"	4463	4967	4292	4796	4231	4735	4230	4734	5018	5644	4645	5148	4708	5131	4088	4591	3353 x 1981
11'0" x 7'0"	4461	4979	4290	4808	4231	4749	4230	4748	5018	5673	4643	5161	4706	5360	4088	4606	3353 x 2134
12'0" x 6'6"	4835	5428	4603	5196	4561	5155	4540	5134	5105	5837	5017	5610	5080	5811	4398	4991	3658 x 1981
12'0" x 7'0"	4835	5443	4603	5211	4561	5169	4540	5148	5105	5867	5017	5625	5080	5841	4398	5006	3658 x 2134
13'0" x 6'6"	5140	5854	5165	5915	4790	5540	5031	5781	5963	6777	5337	6087	5497	6311	4615	5365	3962 x 1981
13'0" x 7'0"	5148	5869	5173	5930	4798	5555	5039	5796	5963	6808	5345	6102	5497	6342	4623	5380	3962 x 2134
14'0" x 6'6"	5215	5855	5189	5865	4853	5529	5054	5730	6040	6796	5412	6088	5572	6328	4638	5314	4267 x 1981
14'0" x 7'0"	5223	5855	5234	5865	4898	5529	5099	5730	6077	6814	5457	6088	5609	6346	4683	5314	4267 x 2134
15'0" x 6'6"	5628	6100	5567	6039	5229	5702	5431	5903	6495	7060	5862	6334	6025	6589	5015	5487	4572 x 1981
15'0" x 7'0"	5628	6131	5567	6070	5229	5733	5431	5934	6495	7110	5862	6365	6025	6640	5015	5518	4572 x 2134
16'0" x 6'6"	6053	6293	5851	6444	5300	5893	5502	6095	6569	7270	5724	6317	5887	6588	5085	5677	4877 x 1981
16'0" x 7'0"	6053	6323	5851	6473	5300	5922	5502	6124	6569	7321	5724	6347	5887	6638	5085	5707	4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths.

Super-Chassis doors available 6'0" - 8'0" high on doors up to 12'0" wide, 6'0" - 7'6" high on doors from 12'0" to 13'0" wide and 6'0" - 7'0" high on doors from 13'0" - 16'0" wide

Imperial Width - Height	Masta Super		Masta Super		Masta Super		Masta Super		Masta Super		Masta Super		Masta Super		Masta Super		Metric (mm) Width - Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0"w - 7'0"h	2775	2609	2747	2900	2578	2731	2598	2751	3193	3441	2928	3081	2973	3220	2251	2403	2134w - 2134h
7'0"w - 7'6"h	2799	3013	2811	2984	2622	2795	2663	2836	3257	3534	2993	3165	3037	3314	2315	2488	2134w - 2286h
7'0"w - 8'0"h	2867	3103	2887	3124	2670	2906	2739	2975	3284	3634	3019	3256	3064	3413	2312	2548	2134w - 2438h
7'6"w - 7'0"h	2789	2992	2761	2964	2592	2795	2612	2815	3207	3514	2942	3145	2986	3293	2265	2467	2286w - 2134h
7'6"w - 7'6"h	2854	3083	2825	3055	2636	2866	2677	2906	3271	3615	3006	3236	3051	3394	2329	2559	2286w - 2286h
7'6"w - 8'0"h	2879	3178	2900	3198	2682	2981	2751	3050	3297	3719	3032	3331	3077	3498	2324	2623	2286w - 2438h
8'0"w - 7'0"h	2869	3036	2800	3007	2631	2838	2570	2777	3249	3569	2981	3188	3026	3346	2222	2430	2438w - 2134h
8'0"w - 7'6"h	2893	3141	2864	3113	2695	2943	2634	2882	3313	3684	3045	3294	3091	3462	2287	2535	2438w - 2286h
8'0"w - 8'0"h	2920	3216	2940	3237	2722	3018	2710	3006	3340	3770	3072	3369	3117	3547	2283	2579	2438w - 2438h
9'0"w - 7'0"h	3518	3845	3472	3840	3254	3621	3260	3628	3926	4424	3701	4068	3746	4244	2899	3266	2743w - 2134h
9'0"w - 7'6"h	3583	3937	3578	3932	3359	3713	3366	3720	4032	4528	3806	4161	3852	4348	3004	3358	2743w - 2286h
9'0"w - 8'0"h	3616	4049	3660	4093	3393	3826	3448	3881	4065	4652	3840	4273	3886	4473	3007	3440	2743w - 2438h
10'0"w - 7'0"h	3752	4305	3668	4262	3361	3954	3454	4048	4160	4911	3938	4531	3981	4732	2985	3579	3048w - 2134h
10'0"w - 7'6"h	3776	5063	3733	5020	3426	4712	3519	4806	4225	5682	4003	5289	4045	5503	3050	4337	3048w - 2286h
10'0"w - 8'0"h	3830	5113	3847	5131	3459	4743	3633	4917	4279	5746	4057	5340	4099	5567	3053	4337	3048w - 2438h
11'0"w - 7'0"h	4461	5278	4290	5107	4231	5048	4230	5047	5018	5971	4643	5460	4706	5659	4088	4905	3353w - 2134h
11'0"w - 7'6"h	4512	5516	4341	5345	4280	5284	4279	5283	5067	6221	4694	5697	4757	5910	4136	5140	3353w - 2286h
11'0"w - 8'0"h	4908	5577	4735	5440	4640	5345	4673	5378	5427	6295	5053	5759	5116	5985	4496	5201	3353w - 2438h
12'0"w - 7'0"h	4835	5742	4603	5509	4561	5468	4540	5447	5105	6166	5017	5924	5080	6140	4398	5305	3658w - 2134h
12'0"w - 7'6"h	4921	5888	4651	5656	4610	5614	4589	5593	5154	6327	5066	6070	5129	6301	4447	5451	3658w - 2286h
12'0"w - 8'0"h	5280	5949	5045	5751	4970	5675	4983	5689	5514	6403	5426	6131	5488	6378	4806	5512	3658w - 2438h
13'0"w - 7'0"h	5148	6198	5173	6260	4798	5885	5039	6126	5971	7137	5345	6432	5505	6672	4623	5710	3962w - 2134h
13'0"w - 7'6"h	5197	6403	5258	6465	4883	6090	5124	6331	6057	7359	5430	6636	5591	6893	4708	5914	3962w - 2286h
13'0"w - 8'0"h	5557	-	5716	-	5244	-	5582	-	6416	-	5790	-	5951	-	5068	-	3962w - 2438h
14'0"w - 7'0"h	5224	6184	5234	6195	4898	5859	5099	6060	6085	7144	5457	6418	5617	6676	4683	5644	4267w - 2134h
14'0"w - 7'6"h	5272	-	5282	-	4946	-	5147	-	6134	-	5505	-	5666	-	4731	-	4267w - 2286h
14'0"w - 8'0"h	5985	-	5740	-	5307	-	5605	-	6494	-	5866	-	6026	-	5091	-	4267w - 2438h
15'0"w - 7'0"h	5628	6548	5567	6488	5229	6150	5431	6352	6495	7527	5862	6783	6025	7057	5015	5935	4572w - 2134h
15'0"w - 7'6"h	6030	-	5616	-	5278	-	5480	-	6544	-	5911	-	6074	-	5063	-	4572w - 2286h
15'0"w - 8'0"h	6091	-	5775	-	5339	-	5639	-	6605	-	5972	-	6135	-	5124	-	4572w - 2438h
16'0"w - 7'0"h	6002	6621	5851	6772	5300	6221	5502	6423	6569	7620	5724	6645	5887	6937	5085	6006	4877w - 2134h
16'0"w - 7'6"h	6051	-	6253	-	5702	-	5904	-	6809	-	5964	-	6126	-	5486	-	4877w - 2286h
16'0"w - 8'0"h	6112	-	6411	-	5763	-	6063	-	6870	-	6025	-	6188	-	5548	-	4877w - 2438h

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high. Minimum height on Super-Chassis doors for Canopy gear is 6'4" (1931mm).

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodriddoors.co.uk web: www.woodriddoors.co.uk



# panel-built oak

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Oakmere		Oakridge		Oakwood		Sevenoak		Metric (mm) Width x Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0" X 6'6"	2796	2584	2696	2484	2713	2501	2778	2566	2134 x 1981
7'0" X 7'0"	2796	2630	2696	2530	2713	2547	2778	2612	2134 x 2134
7'5" x 6'6"	2810	2680	2710	2580	2727	2597	2792	2662	2261 x 1981
7'5" x 7'0"	2810	2760	2710	2660	2727	2677	2792	2742	2261 x 2134
7'6" x 6'6"	2810	2680	2710	2580	2727	2597	2792	2662	2286 x 1981
7'6" x 7'0"	2810	2761	2710	2661	2727	2678	2792	2743	2286 x 2134
8'0" x 6'6"	2849	2805	2667	2623	2685	2641	2750	2706	2438 x 1981
8'0" x 7'0"	2849	2819	2667	2638	2685	2655	2750	2720	2438 x 2134
9'0" x 6'6"	3498	3623	3437	3561	3490	3615	3458	3583	2743 x 1981
9'0" x 7'0"	3498	3672	3437	3610	3490	3664	3458	3632	2743 x 2134
10'0" x 6'6"	3728	3959	3630	3861	3684	3915	3694	3925	3048 x 1981
10'0" x 7'0"	3728	3970	3630	3872	3684	3926	3694	3935	3048 x 2134
11'0" x 6'6"	4483	4987	4254	4758	4308	4812	4317	4820	3353 x 1981
11'0" x 7'0"	4481	4999	4254	4773	4308	4826	4315	4833	3353 x 2134
12'0" x 6'6"	4854	5448	4565	5158	4618	5212	4627	5220	3658 x 1981
12'0" x 7'0"	4854	5462	4565	5173	4618	5226	4627	5235	3658 x 2134
13'0" x 6'6"	5135	5886	5013	5764	5061	5812	5108	5859	3962 x 1981
13'0" x 7'0"	5143	5900	5021	5778	5069	5827	5116	5873	3962 x 2134
14'0" x 6'6"	5210	5886	5036	5713	5085	5761	5249	5925	4267 x 1981
14'0" x 7'0"	5255	5886	5081	5713	5130	5761	5294	5925	4267 x 2134
15'0" x 6'6"	5660	6132	5413	5885	5461	5933	5627	6100	4572 x 1981
15'0" x 7'0"	5660	6163	5413	5916	5461	5964	5627	6130	4572 x 2134
16'0" x 6'6"	5731	6324	5483	6075	5531	6124	5697	6290	4877 x 1981
16'0" x 7'0"	5731	6353	5483	6105	5531	6153	5697	6319	4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta Gear doors available from 6'0" - 8'0" high on all widths. Super-Chassis doors available 6'0" - 8'0" high on doors up to 12'0" wide, 6'0" - 7'6" high on doors from 12'0" to 13'0" wide and 6'0" - 7'0" high on doors from 13'0" - 16'0" wide								Metric (mm) Width - Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0"w - 7'0"h	2796	2948	2696	2849	2713	2866	2778	2931	2134w - 2134h
7'0"w - 7'6"h	2860	3033	2760	2933	2778	2950	2842	3015	2134w - 2286h
7'0"w - 8'0"h	2887	3123	2836	3072	2853	3090	2918	3155	2134w - 2438h
7'6"w - 7'0"h	2810	3013	2710	2913	2727	2930	2792	2995	2286w - 2134h
7'6"w - 7'6"h	2874	3104	2774	3004	2791	3021	2856	3086	2286w - 2286h
7'6"w - 8'0"h	2900	3198	2849	3147	2866	3164	2931	3229	2286w - 2438h
8'0"w - 7'0"h	2849	3056	2667	2875	2685	2892	2750	2957	2438w - 2134h
8'0"w - 7'6"h	2913	3161	2732	2980	2749	2997	2814	3062	2438w - 2286h
8'0"w - 8'0"h	2940	3236	2808	3104	2825	3121	2890	3186	2438w - 2438h
9'0"w - 7'0"h	3498	3866	3437	3804	3490	3858	3458	3826	2743w - 2134h
9'0"w - 7'6"h	3604	3958	3542	3896	3596	3950	3564	3918	2743w - 2286h
9'0"w - 8'0"h	3637	4070	3625	4057	3679	4111	3646	4079	2743w - 2438h
10'0"w - 7'0"h	3728	4322	3630	4224	3684	4277	3694	4287	3048w - 2134h
10'0"w - 7'6"h	3793	5080	3695	4982	3749	5035	3758	5045	3048w - 2286h
10'0"w - 8'0"h	3847	5130	3809	5093	3863	5147	3873	5156	3048w - 2438h
11'0"w - 7'0"h	4481	5298	4254	5072	4308	5125	4315	5132	3353w - 2134h
11'0"w - 7'6"h	4532	5536	4303	5307	4357	5361	4365	5369	3353w - 2286h
11'0"w - 8'0"h	4891	5597	4697	5403	4751	5456	4759	5465	3353w - 2438h
12'0"w - 7'0"h	4854	5761	4565	5472	4618	5525	4627	5534	3658w - 2134h
12'0"w - 7'6"h	4903	5907	4614	5618	4667	5671	4676	5680	3658w - 2286h
12'0"w - 8'0"h	5263	5969	5007	5713	5061	5767	5069	5775	3658w - 2438h
13'0"w - 7'0"h	5143	6230	5021	6108	5070	6156	5116	6203	3962w - 2134h
13'0"w - 7'6"h	5228	6435	5106	6313	5155	6361	5201	6408	3962w - 2286h
13'0"w - 8'0"h	5589	-	5565	-	5613	-	5659	-	3962w - 2438h
14'0"w - 7'0"h	5255	6216	5082	6042	5130	6090	5294	6255	4267w - 2134h
14'0"w - 7'6"h	5303	-	4805	-	4853	-	5342	-	4267w - 2286h
14'0"w - 8'0"h	5663	-	5263	-	5312	-	5801	-	4267w - 2438h
15'0"w - 7'0"h	5660	6580	5413	6334	5461	6382	5627	6548	4572w - 2134h
15'0"w - 7'6"h	5708	-	5462	-	5510	-	5676	-	4572w - 2286h
15'0"w - 8'0"h	5770	-	5621	-	5669	-	5835	-	4572w - 2438h
16'0"w - 7'0"h	5681	6652	5483	6404	5531	6452	5697	6618	4877w - 2134h
16'0"w - 7'6"h	6083	-	5885	-	5933	-	6099	-	4877w - 2286h
16'0"w - 8'0"h	6144	-	6043	-	6092	-	6257	-	4877w - 2438h

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.  
Minimum height on Super-Chassis doors for Canopy gear is 6'4" (1931mm).

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk



### OPTIONS

Single doors ≤ 10'0" wide  
Double doors > 10'0" wide

#### FRAMES

Timber Frames  
Oak per linear m

70mm x 70mm	70mm x 90mm
single 98	single/double 98



Oak

All frames are supplied fully finished to match the door.

Single doors ≤ 10'0" wide  
Double doors > 10'0" wide

<sup>A</sup> 60mm for canopy doors  
<sup>\*</sup> Super-Chassis Only

75mm (Super) <sup>A</sup>
single/double 115 / 170

Steel white/brown\*


#### FINISHES

All doors are fully finished as standard in a choice of:  
Natural Oak, Old Oak and Brackley Oak, Rustic Oak, Conker, Red Oak, Green Oak, Golden Oak, Mid Oak, Chocolate, Aged Oak, Midnight Oak



For full details of other options see pages 9

THE WARWICK RANGE is made with selected idigbo mouldings, idigbo tongue and groove boards and raised and fielded idigbo panels depending on design. Doors are of panel construction onto Super-Chassis or Masta-Gear in standard or made to measure sizes as listed. For finish and frame options see page 23 for all other options see page 13.



### STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Alcester		Brandon		Bidford		Baddesley		Kenilworth*		Claverdon		Charlton*		Hatton		Metric (mm) Width x Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0" X 6'6"	3914	3528	3674	3337	4049	3581	3559	3177	3210	2832	3175	2798	3207	2830	3497	3101	2134 x 1981
7'0" X 7'0"	3914	3590	3674	3399	4049	3644	3559	3240	3210	2895	3175	2861	3207	2892	3497	3163	2134 x 2134
7'5" x 6'6"	3934	3659	3835	3550	4077	3720	3652	3383	3303	3038	3269	3003	3300	3035	3597	3313	2261 x 1981
7'5" x 7'0"	3934	3769	3835	3661	4077	3831	3652	3493	3303	3148	3269	3113	3300	3145	3597	3423	2261 x 2134
7'6" x 6'6"	3934	3659	3837	3552	4078	3722	3652	3383	3303	3038	3269	3003	3300	3035	3599	3314	2286 x 1981
7'6" x 7'0"	3934	3771	3837	3664	4078	3834	3652	3494	3303	3149	3269	3115	3300	3147	3599	3426	2286 x 2134
8'0" x 6'6"	3957	3799	3944	3778	4261	4022	3747	3596	3398	3251	3365	3218	3395	3247	3763	3596	2438 x 1981
8'0" x 7'0"	4013	3818	4001	3797	4317	4042	3804	3615	3454	3270	3421	3237	3451	3267	3819	3616	2438 x 2134
9'0" x 6'6"	4743	4736	4537	4521	4913	4897	4210	4213	3973	3977	3973	3976	3862	3865	4319	4303	2743 x 1981
9'0" x 7'0"	4743	4803	4537	4588	4913	4964	4210	4280	3973	4044	3973	4043	3862	3932	4319	4370	2743 x 2134
10'0" x 6'6"	4961	5154	4807	4997	5183	5373	4492	4697	4182	4386	4183	4387	4069	4274	4530	4720	3048 x 1981
10'0" x 7'0"	4961	5169	4807	5012	5183	5388	4492	4712	4182	4401	4183	4402	4069	4289	4530	4735	3048 x 2134
11'0" x 6'6"	5759	6449	5996	6597	6401	7002	5445	6087	5000	5642	5021	5663	4801	5442	5665	6266	3353 x 1981
11'0" x 7'0"	5810	6469	6047	6617	6452	7022	5495	6107	5051	5662	5072	5683	4851	5462	5715	6286	3353 x 2134
12'0" x 6'6"	6157	6919	6247	6920	6655	7328	5481	6195	5231	5945	5254	5968	4963	5676	5912	6586	3658 x 1981
12'0" x 7'0"	6157	6939	6247	6940	6655	7348	5481	6215	5231	5965	5254	5988	4963	5697	5912	6606	3658 x 2134
13'0" x 6'6"	7134	8100	6888	7640	7437	8189	6022	6939	5642	6560	5685	6603	5428	6345	6524	7277	3962 x 1981
13'0" x 7'0"	7146	8120	6899	7660	7448	8209	6033	6959	5654	6580	5696	6623	5439	6365	6536	7297	3962 x 2134
14'0" x 6'6"	7746	8127	7573	7740	8197	8364	6982	7314	6306	6638	6350	6683	6124	6456	7204	7372	4267 x 1981
14'0" x 7'0"	7758	8127	7584	7740	8209	8364	6993	7314	6317	6638	6362	6683	6135	6456	7216	7372	4267 x 2134
15'0" x 6'6"	-	-	8220	8146	8846	8772	7603	7700	6927	7024	6975	7071	6697	6794	7848	7774	4572 x 1981
15'0" x 7'0"	-	-	8220	8188	8846	8814	7603	7742	6927	7066	6975	7113	6697	6836	7848	7817	4572 x 2134
16'0" x 6'6"	-	-	8413	8504	9041	9132	7897	8158	6924	7185	7230	7491	6903	7164	8039	8129	4877 x 1981
16'0" x 7'0"	-	-	8420	8551	9048	9179	7904	8205	6931	7232	7237	7538	6910	7211	8046	8176	4877 x 2134

### MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6' 0" - 8'0" high on all widths.


Super-Chassis doors available 6' 0" - 8'0" high on doors up to 12'0" wide, 6'0" - 7'6" high on doors from 12'0" to 13'0" wide and 6'0" - 7'0" high on doors from 13'0" - 16'0" wide

Imperial Width - Height	Masta Super		Masta Super		Masta Super		Masta Super		Masta Super		Masta Super		Masta Super		Masta Super		Metric (mm) Width - Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0"w - 7'0"h	3914	4026	3674	3836	4049	4080	3559	3676	3210	3331	3175	3297	3207	3329	3497	3600	2134w - 2134h
7'0"w - 7'6"h	3923	4114	3742	3924	4058	4168	3568	3764	3306	3507	3272	3473	3216	3417	3506	3688	2134w - 2286h
7'0"w - 8'0"h	4125	4398	3742	4006	4058	4250	3568	3846	3306	3589	3272	3554	3216	3498	3506	3770	2134w - 2438h
7'6"w - 7'0"h	3934	4115	3837	4008	4078	4178	3652	3838	3303	3493	3269	3459	3300	3491	3599	3770	2286w - 2134h
7'6"w - 7'6"h	4003	4212	3906	4105	4147	4275	3721	3935	3466	3684	3432	3650	3369	3587	3668	3867	2286w - 2286h
7'6"w - 8'0"h	4203	4501	3904	4192	4146	4362	3720	4023	3465	3772	3430	3738	3368	3675	3666	3954	2286w - 2438h
8'0"w - 7'0"h	4013	4143	4001	4122	4317	4366	3804	3940	3454	3595	3421	3562	3451	3591	3819	3940	2438w - 2134h
8'0"w - 7'6"h	4021	4259	4009	4238	4325	4482	3812	4056	3564	3812	3531	3779	3460	3707	3828	4056	2438w - 2286h
8'0"w - 8'0"h	4223	4522	4009	4299	4326	4543	3812	4117	3564	3873	3531	3840	3460	3769	3828	4118	2438w - 2438h
9'0"w - 7'0"h	4743	5068	4537	4853	4913	5229	4210	4545	3973	4309	3973	4308	3862	4197	4319	4636	2743w - 2134h
9'0"w - 7'6"h	4752	5166	4545	4952	4625	5328	4367	4792	4096	4522	4096	4521	3870	4296	4327	4734	2743w - 2286h
9'0"w - 8'0"h	4987	5514	4545	5063	4921	5439	4367	4904	4096	4633	4096	4633	3870	4407	4327	4846	2743w - 2438h
10'0"w - 7'0"h	4961	5650	4807	5493	5183	5869	4492	5193	4182	4882	4183	4883	4069	4770	4530	5216	3048w - 2134h
10'0"w - 7'6"h	5020	6660	4866	6503	5243	6879	4700	6351	4369	6019	4370	6021	4129	5779	4589	6226	3048w - 2286h
10'0"w - 8'0"h	5294	6933	4866	6503	5243	6879	4700	6351	4369	6019	4370	6021	4129	5779	4589	6226	3048w - 2438h
11'0"w - 7'0"h	5810	6878	6047	7026	6452	7432	5495	6516	5051	6071	5072	6092	4851	5872	5715	6695	3353w - 2134h
11'0"w - 7'6"h	5821	7145	6058	7293	6463	7698	5513	6789	4998	6274	5224	6500	4863	6138	5727	6962	3353w - 2286h
11'0"w - 8'0"h	6490	7405	6466	7293	6871	7698	5922	6789	5406	6274	5633	6500	5271	6138	6135	6962	3353w - 2438h
12'0"w - 7'0"h	6157	7348	6247	7349	6655	7757	5481	6624	5231	6374	5254	6397	4963	6105	5912	7015	3658w - 2134h
12'0"w - 7'6"h	6651	7492	6741	7494	7149	7901	6002	6795	5674	6468	5903	6696	5457	6250	6407	7159	3658w - 2286h
12'0"w - 8'0"h	7365	7797	7150	7494	7557	7901	6410	6795	6083	6468	6312	6696	5866	6250	6815	7159	3658w - 2438h
13'0"w - 7'0"h	7146	8571	6899	8111	7448	8660	6033	7411	5654	7031	5696	7074	5439	6816	6536	7748	3962w - 2134h
13'0"w - 7'6"h	8037	8796	7790	8336	8339	8885	6951	7662	6508	7219	6756	7467	6331	7041	7427	7972	3962w - 2286h
13'0"w - 8'0"h	8441	-	7802	-	8351	-	6963	-	6520	-	6768	-	6292	-	7439	-	3962w - 2438h
14'0"w - 7'0"h	7758	8578	7584	8191	8209	8816	6993	7765	6317	7089	6362	7134	6135	6907	7216	7823	4267w - 2134h
14'0"w - 7'6"h	8166	-	7993	-	8617	-	7428	-	6702	-	6952	-	6544	-	7624	-	4267w - 2286h
14'0"w - 8'0"h	8569	-	7993	-	8769	-	7428	-	6702	-	6952	-	6544	-	7624	-	4267w - 2438h
15'0"w - 7'0"h	-	-	8220	8760	8846	9386	7603	8314	6927	7638	6975	7685	6697	7407	7848	8388	4572w - 2134h
15'0"w - 7'6"h	-	-	8231	-	8857	-	7769	-	6929	-	7181	-	6709	-	7859	-	4572w - 2286h
15'0"w - 8'0"h	-	-	8231	-	8857	-	7769	-	6929	-	7181	-	6709	-	7859	-	4572w - 2438h
16'0"w - 7'0"h	-	-	8420	8960	9048	9588	7904	8614	6931	7641	7237	7947	6910	7620	8046	8585	4877w - 2134h
16'0"w - 7'6"h	-	-	8431	-	9060	-	7949	-	6939	-	7296	-	6922	-	8057	-	4877w - 2286h
16'0"w - 8'0"h	-	-	8431	-	9060	-	7949	-	6939	-	7296	-	6922	-	8057	-	4877w - 2438h

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high. Minimum height on Super-Chassis doors for Canopy gear is 6'4" (1931mm).

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk

# panel-built idigbo



# Coach-house warwick

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Grendon		Grafton		Henley*		Aston		Kineton		Welford		Bentley		Langley		Metric (mm) Width x Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0" X 6'6"	3161	2784	3748	3371	2703	2325	3717	3320	3825	3447	3801	3447	4106	3762	3445	3068	2134 x 1981
7'0" X 7'0"	3161	2846	3748	3433	2777	2462	3717	3383	3825	3510	3801	3510	4106	3825	3445	3130	2134 x 2134
7'5" x 6'6"	3254	2989	3768	3502	2803	2537	3820	3536	3844	3579	3821	3579	4139	3907	3538	3273	2261 x 1981
7'5" x 7'0"	3254	3099	3768	3612	2883	2728	3820	3646	3844	3689	3821	3689	4139	4017	3538	3383	2261 x 2134
7'6" x 6'6"	3254	2989	3768	3502	2803	2537	3822	3538	3844	3579	3821	3579	4141	3909	3538	3273	2286 x 1981
7'6" x 7'0"	3254	3101	3768	3614	2883	2730	3822	3649	3844	3691	3821	3691	4141	4021	3538	3384	2286 x 2134
8'0" x 6'6"	3351	3203	3908	3760	2823	2675	3991	3824	3867	3719	3843	3719	4417	4303	3582	3435	2438 x 1981
8'0" x 7'0"	3407	3223	3964	3779	2960	2775	4047	3843	3923	3738	3899	3738	4473	4322	3638	3454	2438 x 2134
9'0" x 6'6"	3954	3957	4535	4539	3406	3409	4548	4533	4669	4673	4586	4673	4988	5026	4216	4219	2743 x 1981
9'0" x 7'0"	3954	4024	4535	4606	3507	3577	4548	4600	4669	4740	4586	4740	4988	5093	4216	4287	2743 x 2134
10'0" x 6'6"	4164	4368	4796	5000	3465	3669	4778	4968	4994	5198	4910	5198	5479	5717	4540	4706	3048 x 1981
10'0" x 7'0"	4164	4383	4796	5015	3566	3785	4778	4982	4994	5213	4910	5213	5479	5732	4540	4721	3048 x 2134
11'0" x 6'6"	5002	5644	5872	6562	4703	5344	6062	6663	5832	6522	5749	6522	6061	6734	5410	5982	3353 x 1981
11'0" x 7'0"	5052	5664	5923	6582	4902	5513	6113	6684	5883	6542	5799	6542	6112	6754	5460	6003	3353 x 2134
12'0" x 6'6"	5235	5949	5956	6718	4784	5497	6318	6991	6230	6992	6147	6992	6910	7394	5640	6285	3658 x 1981
12'0" x 7'0"	5235	5969	5956	6738	4933	5666	6318	7011	6230	7012	6147	7012	6910	7414	5640	6305	3658 x 2134
13'0" x 6'6"	5654	6572	6938	7903	4969	5886	6926	7679	6783	7749	6736	7749	7773	8621	5972	6911	3962 x 1981
13'0" x 7'0"	5665	6592	6949	7923	5129	6055	6937	7699	6794	7769	6747	7769	7785	8641	6212	6931	3962 x 2134
14'0" x 6'6"	6319	6652	7471	7851	5483	5815	7615	7782	7631	8012	7583	8012	8341	8603	6864	6989	4267 x 1981
14'0" x 7'0"	6330	6652	7482	7851	5642	5963	7626	7782	7642	8012	7594	8012	8352	8603	6875	6989	4267 x 2134
15'0" x 6'6"	6943	7040	-	-	6107	6213	8267	8193	-	-	-	-	-	-	7485	7374	4572 x 1981
15'0" x 7'0"	6943	7082	-	-	6279	6417	8267	8236	-	-	-	-	-	-	7485	7416	4572 x 2134
16'0" x 6'6"	7199	7460	-	-	6140	6401	8466	8557	-	-	-	-	-	-	7658	7712	4877 x 1981
16'0" x 7'0"	7206	7507	-	-	6309	6610	8473	8604	-	-	-	-	-	-	7665	7759	4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths.  
 Super-Chassis doors available 6'0" - 8'0" high on doors up to 12'0" wide, 6'0" - 7'6" high on doors from 12'0" to 13'0" wide and 6'0" - 7'0" high on doors from 13'0" - 16'0" wide

Imperial Width - Height	Masta		Super		Masta		Super		Masta		Super		Masta		Super		Masta		Super		Metric (mm) Width - Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super			
7'0"w - 7'0"h	3161	3283	3748	3870	2777	2898	3717	3819	3825	3946	3801	3946	4106	4261	3445	3567	2134w	-	2134h		
7'0"w - 7'6"h	3257	3458	3757	3957	2860	3061	3725	3907	3833	4034	3809	4034	4115	4349	3541	3742	2134w	-	2286h		
7'0"w - 8'0"h	3258	3540	3757	4039	2934	3217	3726	3989	3968	4251	3944	4251	4115	4431	3608	3891	2134w	-	2438h		
7'6"w - 7'0"h	3254	3445	3768	3958	2883	3074	3822	3993	3844	4035	3821	4035	4141	4365	3538	3729	2286w	-	2134h		
7'6"w - 7'6"h	3418	3636	3837	4055	3033	3252	3891	4090	3913	4132	3889	4132	4210	4462	3702	3920	2286w	-	2286h		
7'6"w - 8'0"h	3416	3723	3835	4142	3113	3420	3890	4178	4046	4354	4023	4354	4209	4549	3767	4074	2286w	-	2438h		
8'0"w - 7'0"h	3407	3547	3964	4104	2960	3100	4047	4168	3923	4063	3899	4063	4473	4647	3638	3779	2438w	-	2134h		
8'0"w - 7'6"h	3517	3765	3972	4220	3049	3297	4056	4284	3931	4179	3907	4179	4481	4763	3748	3996	2438w	-	2286h		
8'0"w - 8'0"h	3517	3826	3973	4281	3131	3439	4056	4345	4066	4375	4042	4375	4482	4824	3815	4124	2438w	-	2438h		
9'0"w - 7'0"h	3954	4289	4535	4871	3507	3843	4548	4865	4669	5005	4586	5005	4988	5358	4216	4552	2743w	-	2134h		
9'0"w - 7'6"h	4077	4502	4544	4969	3617	4042	4557	4963	4678	5103	4594	5103	4997	5456	4339	4764	2743w	-	2286h		
9'0"w - 8'0"h	4077	4614	4544	5081	3718	4255	4557	5075	4846	5383	4763	5383	4997	5568	4406	4943	2743w	-	2438h		
10'0"w - 7'0"h	4164	4864	4796	5496	3566	4266	4778	5464	4994	5694	4910	5694	5479	6213	4540	5202	3048w	-	2134h		
10'0"w - 7'6"h	4351	6001	4855	6505	3726	5377	4837	6473	5053	6704	4970	6704	5538	7222	4727	6339	3048w	-	2286h		
10'0"w - 8'0"h	4351	6001	4855	6505	3828	5478	4837	6473	5233	6883	5149	6883	5538	7222	4821	6433	3048w	-	2438h		
11'0"w - 7'0"h	5052	6073	5923	6991	4902	5922	6113	7093	5883	6951	5799	6951	6112	7163	5460	6412	3353w	-	2134h		
11'0"w - 7'6"h	5205	6481	5934	7258	5062	6337	6124	7359	5894	7218	5811	7218	6123	7430	5613	6820	3353w	-	2286h		
11'0"w - 8'0"h	5614	6481	6343	7258	5619	6486	6532	7359	6482	7397	6399	7397	6531	7430	5794	6592	3353w	-	2438h		
12'0"w - 7'0"h	5235	6378	5956	7147	4933	6075	6318	7420	6230	7421	6147	7421	6910	7823	5640	6714	3658w	-	2134h		
12'0"w - 7'6"h	5884	6677	6450	7291	5575	6368	6812	7565	6724	7565	6641	7565	7404	7968	6289	7013	3658w	-	2286h		
12'0"w - 8'0"h	6293	6677	6859	7291	6132	6516	7221	7565	7357	7790	7274	7790	7813	7968	6470	6786	3658w	-	2438h		
13'0"w - 7'0"h	5665	7043	6949	8374	5129	6506	6937	8150	6794	8220	6747	8220	7785	9092	6212	7382	3962w	-	2134h		
13'0"w - 7'6"h	6725	7436	7840	8599	6169	6879	7829	8374	7686	8445	7638	8445	8676	9317	6772	7775	3962w	-	2286h		
13'0"w - 8'0"h	6736	-	7852	-	6329	-	7841	-	7922	-	7874	-	8688	-	6905	-	3962w	-	2438h		
14'0"w - 7'0"h	6330	7103	7482	8302	5642	6414	7626	8233	7642	8463	7594	8463	8352	9054	6875	7440	4267w	-	2134h		
14'0"w - 7'6"h	6921	-	7890	-	6199	-	8035	-	8051	-	8003	-	8760	-	7260	-	4267w	-	2286h		
14'0"w - 8'0"h	6921	-	7890	-	6348	-	8035	-	8320	-	8272	-	8760	-	6881	-	4267w	-	2438h		
15'0"w - 7'0"h	6943	7654	-	-	6279	6988	8267	8807	-	-	-	-	-	-	7485	7988	4572w	-	2134h		
15'0"w - 7'6"h	7150	-	-	-	6452	-	8278	-	-	-	-	-	-	-	7692	-	4572w	-	2286h		
15'0"w - 8'0"h	7150	-	-	-	6614	-	8278	-	-	-	-	-	-	-	7313	-	4572w	-	2438h		
16'0"w - 7'0"h	7206	7916	-	-	6309	7019	8473	9013	-	-	-	-	-	-	7665	8168	4877w	-	2134h		
16'0"w - 7'6"h	7265	-	-	-	6482	-	8484	-	-	-	-	-	-	-	7885	-	4877w	-	2286h		
16'0"w - 8'0"h	7265	-	-	-	6644	-	8484	-	-	-	-	-	-	-	7506	-	4877w	-	2438h		

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.  
 Minimum height on Super-Chassis doors for Canopy gear is 6'4" (1931mm).

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk



# panel-built idigbo

\*Whitnash double



\* see illustration above for double door configuration

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Burford		Gaydon		Dorchester		Thrapston		Stratford		Thames		Whitnash*		Kennington		Metric (mm) Width x Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0" X 6'6"	3751	3354	3695	3317	3943	3565	4025	3629	2777	2399	2596	2219	2777	2399	3748	3371	2134 x 1981
7'0" X 7'0"	3763	3429	3695	3380	3943	3628	4025	3962	2777	2462	2596	2281	2777	2462	3748	3433	2134 x 2134
7'5" x 6'6"	3853	3568	3715	3449	3963	3697	4091	3806	2870	2605	2666	2400	2870	2605	3768	3502	2261 x 1981
7'5" x 7'0"	3866	3962	3715	3559	3963	3807	4091	3916	2870	2715	2666	2510	2870	2715	3768	3612	2261 x 2134
7'6" x 6'6"	3855	3570	3715	3449	3963	3697	4094	3809	2870	2605	2666	2400	2870	2605	3768	3502	2286 x 1981
7'6" x 7'0"	3868	3695	3715	3561	3963	3809	4094	3921	2870	2716	2666	2512	2870	2716	3768	3614	2286 x 2134
8'0" x 6'6"	3962	3795	3737	3589	3985	3837	4210	4043	2965	2817	2737	2589	2965	2817	3908	3760	2438 x 1981
8'0" x 7'0"	4033	3829	3793	3608	4041	3857	4266	4062	3021	2836	2793	2608	3021	2836	3964	3779	2438 x 2134
9'0" x 6'6"	4605	4590	4470	4474	4730	4737	4939	4923	3453	3457	2991	3177	3453	3457	4535	4539	2743 x 1981
9'0" x 7'0"	4622	4673	4470	4541	4730	4804	4939	4990	3453	3524	3173	3244	3453	3524	4535	4606	2743 x 2134
10'0" x 6'6"	4932	5122	4717	4921	5067	5274	5216	5406	3661	3865	3334	3538	3661	3865	4796	5000	3048 x 1981
10'0" x 7'0"	4949	5154	4717	4936	5067	5289	5216	5421	3661	3880	3334	3553	3661	3880	4796	5015	3048 x 2134
11'0" x 6'6"	5976	6578	5619	6309	5906	6596	6330	7041	4460	5101	4117	4759	4460	5101	5872	6562	3353 x 1981
11'0" x 7'0"	6046	6617	5669	6329	5956	6616	6491	7062	4510	5121	4168	4779	4510	5121	5923	6582	3353 x 2134
12'0" x 6'6"	6268	6941	6015	6777	6304	7065	6710	7383	4689	5403	4300	5013	4689	5403	5956	6718	3658 x 1981
12'0" x 7'0"	6289	6982	6015	6797	6304	7085	6710	7403	4689	5423	4300	5033	4689	5423	5956	6738	3658 x 2134
13'0" x 6'6"	6928	7681	6522	7488	7005	7971	7440	8193	5023	5940	4554	5471	5023	5940	6938	7903	3962 x 1981
13'0" x 7'0"	6962	7724	6533	7508	7017	7991	7452	8213	5034	5960	4565	5491	5034	5960	6949	7923	3962 x 2134
14'0" x 6'6"	7681	7848	7370	7750	7853	8234	8144	8311	5685	6017	5169	5501	5685	6017	7471	7851	4267 x 1981
14'0" x 7'0"	7717	7873	7381	7750	7864	8234	8155	8311	5696	6017	5180	5501	5696	6017	7482	7851	4267 x 2134
15'0" x 6'6"	8384	8310	-	-	-	-	8025	8735	6306	6402	5742	5838	6306	6402	-	-	4572 x 1981
15'0" x 7'0"	8411	8379	-	-	-	-	8025	8777	6306	6444	5742	5880	6306	6444	-	-	4572 x 2134
16'0" x 6'6"	8584	8674	-	-	-	-	8237	9111	6478	6739	5918	6179	6478	6739	-	-	4877 x 1981
16'0" x 7'0"	8619	8750	-	-	-	-	8244	9158	6485	6786	5925	6226	6485	6786	-	-	4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6' 0" - 8' 0" high on all widths.

Super-Chassis doors available 6' 0" - 8' 0" high on doors up to 12' 0" wide, 6' 0" - 7' 6" high on doors from 12' 0" to 13' 0" wide and 6' 0" - 7' 0" high on doors from 13' 0" - 16' 0" wide

Imperial Width - Height	Masta		Super		Masta		Super		Masta		Super		Masta		Super		Masta		Super		Metric (mm) Width - Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super			
7'0"w - 7'0"h	3763	3865	3695	3816	3943	4064	4025	4128	2777	2898	2596	2718	2596	2718	3906	4027	2134w	-	2134h		
7'0"w - 7'6"h	3784	3966	3703	3904	3951	4152	4034	4216	2873	3074	2720	2921	2655	2856	3914	4115	2134w	-	2286h		
7'0"w - 8'0"h	3796	4060	3838	4121	4086	4369	4034	4298	2873	3156	2721	3003	2706	2989	4116	4399	2134w	-	2438h		
7'6"w - 7'0"h	3868	4039	3715	3905	3963	4153	4094	4265	2870	3060	2666	2856	2731	2921	3925	4116	2286w	-	2134h		
7'6"w - 7'6"h	3950	4149	3783	4002	4032	4250	4163	4362	3033	3252	2858	3076	2858	3076	3994	4213	2286w	-	2286h		
7'6"w - 8'0"h	3962	4250	3917	4224	4165	4472	4161	4449	3032	3339	2856	3163	2914	3221	4195	4502	2286w	-	2438h		
8'0"w - 7'0"h	4033	4154	3793	3933	4041	4181	4266	4387	3021	3161	2793	2933	3039	3179	4003	4144	2438w	-	2134h		
8'0"w - 7'6"h	4055	4284	3801	4049	4050	4297	4274	4503	3130	3378	2932	3179	3120	3368	4012	4260	2438w	-	2286h		
8'0"w - 8'0"h	4070	4360	3936	4245	4184	4493	4318	4608	3131	3439	2932	3241	3192	3501	4214	4523	2438w	-	2438h		
9'0"w - 7'0"h	4622	4938	4470	4806	4730	5069	4939	5256	3453	3789	3173	3509	3263	3599	4683	5019	2743w	-	2134h		
9'0"w - 7'6"h	4647	5053	4479	4904	4739	5167	4947	5354	3576	4002	3326	3752	3344	3769	4691	5117	2743w	-	2286h		
9'0"w - 8'0"h	4663	5181	4647	5184	4907	5447	4947	5466	3576	4113	3326	3864	3416	3953	4927	5464	2743w	-	2438h		
10'0"w - 7'0"h	4949	5635	4717	5417	5067	5770	5216	5902	3661	4361	3334	4034	3377	4022	4913	5613	3048w	-	2134h		
10'0"w - 7'6"h	5025	6661	4776	6426	5126	6780	5275	6911	3848	5499	3552	5203	3509	5104	4972	6622	3048w	-	2286h		
10'0"w - 8'0"h	5042	6678	4955	6606	5306	6959	5275	6911	3848	5499	3552	5203	3581	5177	5245	6896	3048w	-	2438h		
11'0"w - 7'0"h	6046	7026	5669	6738	5956	7025	6491	7471	4510	5530	4168	5188	4562	5582	5773	6841	3353w	-	2134h		
11'0"w - 7'6"h	6077	7312	5680	7004	5967	7291	6502	7737	4663	5939	4360	5635	4674	5950	5784	7108	3353w	-	2286h		
11'0"w - 8'0"h	6504	7331	6268	7184	6555	7471	6910	7737	5072	5939	4768	5635	5184	6051	6452	7368	3353w	-	2438h		
12'0"w - 7'0"h	6289	7391	6015	7206	6304	7494	6710	7812	4689	5832	4300	5442	4592	5735	6332	7310	3658w	-	2134h		
12'0"w - 7'6"h	6805	7557	6510	7350	6798	7639	7204	7957	5339	6131	4989	5782	5188	5981	6827	7455	3658w	-	2286h		
12'0"w - 8'0"h	7234	7578	7142	7575	7431	7863	7613	7957	5747	6131	5398	5782	5698	6082	7540	7760	3658w	-	2438h		
13'0"w - 7'0"h	6962	8175	6533	7959	7017	8442	7452	8664	5034	6411	4565	5942	4760	6137	7169	8594	3962w	-	2134h		
13'0"w - 7'6"h	7877	8422	7425	8183	7908	8667	8343	8889	6094	6804	5666	6377	5753	6463	8060	8819	3962w	-	2286h		
13'0"w - 8'0"h	7911	-	7661	-	8114	-	8355	-	6105	-	5678	-	5866	-	8464	-	3962w	-	2438h		
14'0"w - 7'0"h	7717	8324	7381	8201	7864	8685	8155	8762	5696	6468	5180	5952	5274	6046	7781	8601	4267w	-	2134h		
14'0"w - 7'6"h	8150	-	7789	-	8273	-	8563	-	6287	-	5813	-	5783	-	8189	-	4267w	-	2286h		
14'0"w - 8'0"h	8175	-	8058	-	8542	-	7794	-	6287	-	5813	-	5885	-	8593	-	4267w	-	2438h		
15'0"w - 7'0"h	8411	8951	-	-	-	-	8025	9349	6306	7015	5742	6452	5966	6676	-	-	4572w	-	2134h		
15'0"w - 7'6"h	8448	-	-	-	-	-	8036	-	6512	-	5992	-	6093	-	-	-	4572w	-	2286h		
15'0"w - 8'0"h	8475	-	-	-	-	-	8036	-	6512	-	5992	-	6209	-	-	-	4572w	-	2438h		
16'0"w - 7'0"h	8619	9159	-	-	-	-	8244	9567	6485	7195	5925	6635	5997	6707	-	-	4877w	-	2134h		
16'0"w - 7'6"h	8557	-	-	-	-	-	8525	-	6705	-	6197	-	6124	-	-	-	4877w	-	2286h		
16'0"w - 8'0"h	8585	-	-	-	-	-	8525	-	6705	-	6197	-	6240	-	-	-	4877w	-	2438h		

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high. Minimum height on Super-Chassis doors for Canopy gear is 6'4" (1931mm).

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodriddoors.co.uk web: www.woodriddoors.co.uk

# solid-built idigbo

THE WARWICK RANGE is made with selected idigbo mouldings, idigbo tongue and groove boards and raised and fielded idigbo panels depending on design. Doors are of solid construction onto Masta-Gear in standard or made to measure sizes as listed. For finish and frame options see page 23 for all other options see page 13.



## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Alcester	Brandon	Baddesley	Kenilworth*	Kenilworth* <sup>wide</sup>	Claverdon	Claverdon wide	Hatton	Metric (mm) Width x Height
	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	
7'0" X 6'6"	5837	4963	4085	3653	4018	3770	4147	4289	2134 x 1981
7'0" X 7'0"	5837	4963	4085	3653	4018	3770	4147	4289	2134 x 2134
7'5" x 6'6"	5948	5200	4309	3876	4264	3993	4393	4526	2261 x 1981
7'5" x 7'0"	5948	5199	4308	3876	4264	3993	4392	4526	2261 x 2134
7'6" x 6'6"	5948	5202	4309	3876	4264	3993	4393	4529	2286 x 1981
7'6" x 7'0"	5948	5202	4308	3876	4264	3993	4392	4528	2286 x 2134
8'0" x 6'6"	5964	5317	4404	3971	4368	4087	4496	4642	2438 x 1981
8'0" x 7'0"	6023	5376	4462	4030	4432	4145	4560	4700	2438 x 2134
9'0" x 6'6"	6963	6555	5231	4903	5393	4993	5493	5787	2743 x 1981
9'0" x 7'0"	6963	6555	5231	4903	5393	4993	5493	5787	2743 x 2134
10'0" x 6'6"	7351	6696	5497	5015	5517	5183	5701	5948	3048 x 1981
10'0" x 7'0"	7351	6696	5497	5015	5517	5183	5701	5948	3048 x 2134
11'0" x 6'6"	8212	6781	5732	4852	5337	5284	5812	5968	3353 x 1981
11'0" x 7'0"	8212	6781	5732	4852	5337	5284	5812	5968	3353 x 2134
12'0" x 6'6"	8568	7132	5951	5149	5663	5608	6169	6310	3658 x 1981
12'0" x 7'0"	8568	7132	5951	5149	5663	5608	6169	6310	3658 x 2134
13'0" x 6'6"	10017	8232	6669	5817	6399	6259	6885	7271	3962 x 1981
13'0" x 7'0"	10519	8734	7171	6319	6950	6761	7437	7772	3962 x 2134
14'0" x 6'6"	10897	9038	7723	6563	7219	7033	7736	8068	4267 x 1981
14'0" x 7'0"	10897	9038	7723	6563	7219	7033	7736	8068	4267 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6' 0" - 8' 0" high on all widths.

Imperial Width - Height	Masta Gear doors available from 6' 0" - 8' 0" high on all widths.								Metric (mm) Width - Height
	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	
7'0"w - 7'0"h	5837	4963	4085	3653	4018	3770	4147	4289	2134w - 2134h
7'0"w - 7'6"h	5895	5021	4157	3711	4082	3828	4211	4348	2134w - 2286h
7'0"w - 8'0"h	5895	5021	4158	3788	4167	3912	4304	4348	2134w - 2438h
7'6"w - 7'0"h	5948	5202	4308	3876	4264	3993	4392	4528	2286w - 2134h
7'6"w - 7'6"h	6006	5261	4381	3934	4328	4051	4456	4587	2286w - 2286h
7'6"w - 8'0"h	6005	5259	4379	4017	4419	4141	4555	4585	2286w - 2438h
8'0"w - 7'0"h	6023	5376	4462	4030	4432	4145	4560	4700	2438w - 2134h
8'0"w - 7'6"h	6023	5376	4476	4030	4432	4145	4560	4700	2438w - 2286h
8'0"w - 8'0"h	6023	5376	4476	4121	4533	4244	4668	4701	2438w - 2438h
9'0"w - 7'0"h	6963	6555	5231	4903	5393	4993	5493	5787	2743w - 2134h
9'0"w - 7'6"h	6963	6555	5406	4903	5393	4993	5493	5787	2743w - 2286h
9'0"w - 8'0"h	6963	6555	5406	5008	5509	5098	5608	5787	2743w - 2438h
10'0"w - 7'0"h	7351	6696	5497	5015	5517	5183	5701	5948	3048w - 2134h
10'0"w - 7'6"h	7403	6748	5725	5068	5575	5235	5759	6000	3048w - 2286h
10'0"w - 8'0"h	7403	6748	5725	5180	5698	5354	5890	6000	3048w - 2438h
11'0"w - 7'0"h	8212	6781	5732	4852	5337	5284	5812	5968	3353w - 2134h
11'0"w - 7'6"h	8264	6833	5791	4904	5395	5336	5870	6021	3353w - 2286h
11'0"w - 8'0"h	8264	6833	5791	5016	5518	5469	6016	6021	3353w - 2438h
12'0"w - 7'0"h	8568	7132	5951	5149	5663	5608	6169	6310	3658w - 2134h
12'0"w - 7'6"h	9070	7633	6481	5650	6215	6109	6720	6811	3658w - 2286h
12'0"w - 8'0"h	9070	7633	6481	5776	6354	6256	6882	6811	3658w - 2438h
13'0"w - 7'0"h	10519	8734	7171	6319	6950	6761	7437	7772	3962w - 2134h
13'0"w - 7'6"h	10519	8734	7199	6319	6950	6761	7437	7772	3962w - 2286h
13'0"w - 8'0"h	10519	8734	7199	6459	7104	6915	7606	7772	3962w - 2438h
14'0"w - 7'0"h	10897	9038	7723	6563	7219	7033	7736	8068	4267w - 2134h
14'0"w - 7'6"h	10897	9038	7751	6563	7219	7033	7736	8068	4267w - 2286h
14'0"w - 8'0"h	10897	9038	7751	6717	7388	7201	7921	8068	4267w - 2438h

THE WARWICK RANGE is made with selected idigbo mouldings, idigbo tongue and groove boards and raised and fielded idigbo panels depending on design. Doors are of solid construction onto Masta-Gear in standard or made to measure sizes as listed. For finish and frame options see page 23 for all other options see page 13.

\*Harbury double



\* see illustration above for double door configuration

### STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Hatton wide	Grendon	Grendon wide	Grafton	Harbury*	Aston	Kineton	Welford	Metric (mm) Width x Height
	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	
7'0" X 6'6"	4718	3770	4147	4675	3339	4436	4640	4640	2134 x 1981
7'0" X 7'0"	4718	3770	4147	4675	3416	4436	4640	4640	2134 x 2134
7'5" x 6'6"	4979	3993	4393	4786	3431	4676	4751	4751	2261 x 1981
7'5" x 7'0"	4978	3993	4392	4785	3515	4676	4751	4751	2261 x 2134
7'6" x 6'6"	4982	3993	4393	4786	3431	4679	4751	4751	2286 x 1981
7'6" x 7'0"	4981	3993	4392	4785	3515	4679	4751	4751	2286 x 2134
8'0" x 6'6"	5106	4087	4496	4897	3448	4795	4863	4863	2438 x 1981
8'0" x 7'0"	5170	4145	4560	4956	3590	4854	4921	4921	2438 x 2134
9'0" x 6'6"	6365	4993	5493	5884	4100	5668	5796	5796	2743 x 1981
9'0" x 7'0"	6365	4993	5493	5884	4205	5668	5796	5796	2743 x 2134
10'0" x 6'6"	6542	5183	5701	6109	4132	5882	6021	6021	3048 x 1981
10'0" x 7'0"	6542	5183	5701	6109	4238	5882	6021	6021	3048 x 2134
11'0" x 6'6"	6565	5284	5812	6618	4845	6999	6833	6833	3353 x 1981
11'0" x 7'0"	6565	5284	5812	6618	4999	6999	6833	6833	3353 x 2134
12'0" x 6'6"	6941	5608	6169	6973	4967	7270	7188	7188	3658 x 1981
12'0" x 7'0"	6941	5608	6169	6973	5121	7270	7188	7188	3658 x 2134
13'0" x 6'6"	7998	6259	6885	8010	5349	8308	7937	7937	3962 x 1981
13'0" x 7'0"	8549	6761	7437	8512	6005	8809	8439	8439	3962 x 2134
14'0" x 6'6"	8874	7033	7736	8891	5925	9033	8867	8867	4267 x 1981
14'0" x 7'0"	8874	7033	7736	8891	6079	9033	8867	8867	4267 x 2134

### MADE TO MEASURE SIZE Retractable Up & Over Gear By width


Masta Gear doors available from 6' 0" - 8'0" high on all widths.

Imperial Width - Height	Masta								Metric (mm) Width - Height
	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	
7'0"w - 7'0"h	4718	3770	4147	4675	3416	4436	4640	4640	2134w - 2134h
7'0"w - 7'6"h	4782	3828	4211	4733	3682	4495	4698	4698	2134w - 2286h
7'0"w - 8'0"h	4783	3912	4304	4733	3759	4495	4699	4699	2134w - 2438h
7'6"w - 7'0"h	4981	3993	4392	4785	3515	4679	4751	4751	2286w - 2134h
7'6"w - 7'6"h	5045	4051	4456	4844	3788	4737	4809	4809	2286w - 2286h
7'6"w - 8'0"h	5044	4141	4555	4842	3871	4736	4808	4808	2286w - 2438h
8'0"w - 7'0"h	5170	4145	4560	4956	3590	4854	4921	4921	2438w - 2134h
8'0"w - 7'6"h	5170	4145	4560	4956	3805	4854	4921	4921	2438w - 2286h
8'0"w - 8'0"h	5171	4244	4668	4956	3890	4854	4921	4921	2438w - 2438h
9'0"w - 7'0"h	6365	4993	5493	5884	4205	5668	5796	5796	2743w - 2134h
9'0"w - 7'6"h	6365	4993	5493	5884	4506	5668	5796	5796	2743w - 2286h
9'0"w - 8'0"h	6365	5098	5608	5884	4611	5668	5796	5796	2743w - 2438h
10'0"w - 7'0"h	6542	5183	5701	6109	4238	5882	6021	6021	3048w - 2134h
10'0"w - 7'6"h	6600	5235	5759	6001	4591	5934	6073	6073	3048w - 2286h
10'0"w - 8'0"h	6600	5354	5890	6001	4696	5934	6073	6073	3048w - 2438h
11'0"w - 7'0"h	6565	5284	5812	6618	4999	6999	6833	6833	3353w - 2134h
11'0"w - 7'6"h	6623	5336	5870	6671	5206	7052	6886	6886	3353w - 2286h
11'0"w - 8'0"h	6623	5469	6016	6671	5360	7052	6886	6886	3353w - 2438h
12'0"w - 7'0"h	6941	5608	6169	6973	5121	7270	7188	7188	3658w - 2134h
12'0"w - 7'6"h	7492	6109	6720	7474	5777	7771	7689	7689	3658w - 2286h
12'0"w - 8'0"h	7492	6256	6882	7474	5931	7771	7689	7689	3658w - 2438h
13'0"w - 7'0"h	8549	6761	7437	8512	6005	8809	8439	8439	3962w - 2134h
13'0"w - 7'6"h	8549	6761	7437	8512	6159	8809	8439	8439	3962w - 2286h
13'0"w - 8'0"h	8549	6915	7606	8512	6314	8809	8439	8439	3962w - 2438h
14'0"w - 7'0"h	8874	7033	7736	8891	6079	9033	8867	8867	4267w - 2134h
14'0"w - 7'6"h	8874	7033	7736	8891	6233	9033	8867	8867	4267w - 2286h
14'0"w - 8'0"h	8874	7201	7921	8891	6387	9033	8867	8867	4267w - 2438h



# solid-built idigbo

\*Harbury wide double



\* see illustration above for double door configuration

# Coach house warwick

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Bentley	Langley	Gaydon	Dorchester	Southam	Southam wide	Harbury wide	Kennington	Metric (mm) Width x Height
	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	
7'0" X 6'6"	5568	5277	4131	4899	3524	3378	3524	4675	2134 x 1981
7'0" X 7'0"	5568	5277	4131	4899	3524	3378	3524	4675	2134 x 2134
7'5" x 6'6"	5692	5500	4242	5010	3540	3506	3540	4786	2261 x 1981
7'5" x 7'0"	5692	5500	4242	5010	3539	3505	3539	4785	2261 x 2134
7'6" x 6'6"	5695	5500	4242	5010	3540	3506	3540	4786	2286 x 1981
7'6" x 7'0"	5695	5500	4242	5010	3539	3505	3539	4785	2286 x 2134
8'0" x 6'6"	5826	5517	4354	5121	3633	3522	3633	4897	2438 x 1981
8'0" x 7'0"	5885	5575	4412	5180	3962	3580	3962	4956	2438 x 2134
9'0" x 6'6"	6961	6717	5413	6113	3996	4162	3996	5884	2743 x 1981
9'0" x 7'0"	6961	6717	5413	6113	4205	4162	4205	5884	2743 x 2134
10'0" x 6'6"	7142	7071	5636	6338	4392	4306	4392	6109	3048 x 1981
10'0" x 7'0"	7142	7071	5636	6338	4392	4306	4392	6109	3048 x 2134
11'0" x 6'6"	7620	7184	6195	7008	4966	4838	4966	6618	3353 x 1981
11'0" x 7'0"	7620	7184	6195	7013	4966	4838	4966	6618	3353 x 2134
12'0" x 6'6"	8014	7505	6524	7368	5283	5112	5283	6973	3658 x 1981
12'0" x 7'0"	8014	7505	6524	7368	5283	5112	5283	6973	3658 x 2134
13'0" x 6'6"	9390	7660	7093	8408	5790	5653	5790	8010	3962 x 1981
13'0" x 7'0"	9856	8978	7594	8909	6292	6155	6292	8512	3962 x 2134
14'0" x 6'6"	10240	9362	7946	9289	6556	6377	6556	8891	4267 x 1981
14'0" x 7'0"	10240	9362	7946	9289	6556	6377	6556	8891	4267 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6' 0" - 8' 0" high on all widths.

Imperial Width - Height	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Metric (mm) Width - Height
7'0"w - 7'0"h	5568	5277	4131	4762	3524	3378	3524	4675	2134w - 2134h	
7'0"w - 7'6"h	5626	5335	4189	4821	3666	3437	3666	4733	2134w - 2286h	
7'0"w - 8'0"h	5627	5405	4190	4821	3666	3437	3666	4733	2134w - 2438h	
7'6"w - 7'0"h	5695	5500	4242	4873	3539	3505	3539	4785	2286w - 2134h	
7'6"w - 7'6"h	5753	5558	4300	4931	3682	3564	3682	4844	2286w - 2286h	
7'6"w - 8'0"h	5752	5634	4299	4930	3680	3562	3680	4842	2286w - 2438h	
8'0"w - 7'0"h	5885	5575	4412	5043	3962	3580	3962	4956	2438w - 2134h	
8'0"w - 7'6"h	5885	5575	4412	5043	3782	3580	3782	4956	2438w - 2286h	
8'0"w - 8'0"h	5885	5653	4412	5044	3783	3581	3783	4956	2438w - 2438h	
9'0"w - 7'0"h	6961	6717	5413	5972	4205	4162	4205	5884	2743w - 2134h	
9'0"w - 7'6"h	6961	6717	5413	5972	4310	4162	4310	5884	2743w - 2286h	
9'0"w - 8'0"h	6961	6808	5413	5972	4310	4162	4310	5884	2743w - 2438h	
10'0"w - 7'0"h	7142	7071	5636	6197	4392	4306	4392	6109	3048w - 2134h	
10'0"w - 7'6"h	7194	7123	5689	6249	4563	4359	4563	6001	3048w - 2286h	
10'0"w - 8'0"h	7194	7228	5689	6249	4563	4359	4563	6001	3048w - 2438h	
11'0"w - 7'0"h	7620	7184	6195	6872	4966	4838	4966	6618	3353w - 2134h	
11'0"w - 7'6"h	7673	7236	6247	6924	5151	4890	5151	6671	3353w - 2286h	
11'0"w - 8'0"h	7673	7341	6247	6924	5151	4890	5151	6671	3353w - 2438h	
12'0"w - 7'0"h	8014	7505	6524	7226	5283	5112	5283	6973	3658w - 2134h	
12'0"w - 7'6"h	8516	8007	7026	7728	5931	5613	5931	7474	3658w - 2286h	
12'0"w - 8'0"h	8516	8126	7026	7728	5931	5613	5931	7474	3658w - 2438h	
13'0"w - 7'0"h	9856	8978	7594	8765	6292	6155	6292	8512	3962w - 2134h	
13'0"w - 7'6"h	9892	8978	7594	8765	6446	6155	6446	8512	3962w - 2286h	
13'0"w - 8'0"h	9892	9111	7594	8765	6446	6155	6446	8512	3962w - 2438h	
14'0"w - 7'0"h	10240	9362	7946	9145	6556	6377	6556	8891	4267w - 2134h	
14'0"w - 7'6"h	10240	9362	7946	9145	6724	6377	6724	8891	4267w - 2286h	
14'0"w - 8'0"h	10240	9509	7946	9145	6724	6377	6724	8891	4267w - 2438h	

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk

# solid-built idigbo

THE WARWICK SIDE HINGED RANGE is made with selected idigbo mouldings, idigbo tongue and groove boards and raised and fielded idigbo panels depending on design. Doors are of solid-construction in made to measure sizes as listed.

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Alcester	Brandon	Bidford	Baddesley	Kenilworth**	Claverdon	Hatton				
								For heights >7' 0" - 8' 0" add	** Also available as 1/3 - 2/3 opening		
Imperial Width										Metric (mm) Width	
6' 0" - 7' 0"	4517	4307	4368	4175	3457	3624	4089			60	1829 - 2134
>7' 0" - 8' 0"	4828	4522	4583	4245	3678	3845	4296			70	>2134 - 2438
>8' 0" - 9' 0"	5523	5145	5206	4494	4078	4290	4871			80	>2438 x 2743
>9' 0" - 10' 0"	5743	5323	5384	4561	4259	4471	5041	90	>2743 x 3048		

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Alcester	Brandon	Bidford	Baddesley	Kenilworth	Claverdon	Hatton				
								For heights >7' 0" - 8' 0" add	** Also available as 1/3 - 2/3 opening		
Imperial Width										Metric (mm) Width	
2' 0" - 2' 6"	-	1907	2092	1907	1575	1704	1854			30	610 - 762
>2' 6" - 3' 0"	2472	2037	2256	2022	1675	1835	1982			40	>762 - 914
>3' 0" - 3' 6"	2532	2127	2270	2060	1752	1911	2070			50	>914 x 1066
>3' 6" - 4' 0"	2664	2282	2422	2166	1881	2043	2226	60	>1066 x 1220		

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Grendon	Grafton	Harbury**	Aston	Kineton	Welford	Bentley				
								For heights >7' 0" - 8' 0" add	** Also available as 1/3 - 2/3 opening		
Imperial Width										Metric (mm) Width	
6' 0" - 7' 0"	3596	4374	3457	4333	4168	4314	5301			60	1829 - 2134
>7' 0" - 8' 0"	3818	4592	3678	4565	4389	4535	5643			70	>2134 - 2438
>8' 0" - 9' 0"	4262	5523	4078	4867	5279	5474	6938			80	>2438 x 2743
>9' 0" - 10' 0"	4443	5743	4259	5048	5503	5698	7002	90	>2743 x 3048		

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Grendon	Grafton	Harbury	Aston	Kineton	Welford	Bentley				
								For heights >7' 0" - 8' 0" add	** Also available as 1/3 - 2/3 opening		
Imperial Width										Metric (mm) Width	
2' 0" - 2' 6"	1655	2172	1575	1771	-	-	-			30	610 - 762
>2' 6" - 3' 0"	1762	2320	1675	1899	2585	2387	3110			40	>762 - 914
>3' 0" - 3' 6"	1839	2438	1752	1987	2600	2388	3124			50	>914 x 1066
>3' 6" - 4' 0"	1977	2512	1881	2142	2630	2404	3153	60	>1066 x 1220		

# solid-built idigbo



Coach house  
**warwick**

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3'0" - 7'0" high. For heights >7'0" - 8'0" add the supplement at the right of the table (other heights on request)

	Langley	Gaydon	Dorchester	Thrapston	Kennington			
						For heights >7'0" - 8'0" add		
Imperial Width							Metric (mm) Width	
6'0" - 7'0"	3839	3958	4499	5055	4527		60	1829 - 2134
>7'0"-8'0"	4061	4176	4717	5278	4651		70	>2134 - 2438
>8'0"-9'0"	4506	5042	5710	5956	5570		80	>2438 x 2743
>9'0"-10'0"	4766	5102	5930	6143	5946	90	>2743 x 3048	

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3'0" - 7'0" high. For heights >7'0" - 8'0" add the supplement at the right of the table (other heights on request)

	Langley	Gaydon	Dorchester	Thrapston	Kennington			
						For heights >7'0" - 8'0" add		
Imperial Width							Metric (mm) Width	
2'0" - 2'6"	1146	1981	-	2110	-		30	610 - 762
>2'6"-3'0"	1216	2130	2866	2245	2671		40	>762 - 914
>3'0"-3'6"	1292	2248	2984	2341	2731		50	>914 x 1066
>3'6"-4'0"	1388	2381	3116	2500	2863	60	>1066 x 1220	

## OPTIONS FOR WARWICK UP & OVER, SIDE HINGED & PERSONNEL DOORS

There are a number of options that apply to idigbo doors only and these are listed below.

For all other options for up and over doors - windows, handles, Gear and Chamfer options see page 13.

For all other options for side hinged and personnel doors - windows, handles, Furniture\* and Chamfer options see page 30.

\* Side hinged doors will be supplied with the hardware as shown but with extra heavy duty hinges.

### FINISHES


All doors are fully finished as standard in a choice of:  
Natural Oak, Old Oak and Brackley Oak, Rustic Oak, Conker, Red Oak, Green Oak, Golden Oak, Mid Oak, Chocolate, Aged Oak, Midnight Oak



### FRAMES for up & over, side hinged and personnel doors

Single doors ≤ 10'0" wide Double doors > 10'0" wide. All frames are supplied fully finished to match the door.

Idigbo price per linear metre	70mm x 70mm	70mm rebated	70mm x 90mm	70mm x 90mm
	single	personnel	single/double	side hinged
	52	52	52 / 52	52



### IDIGBO

Architrave 6mm x 75mm per linear metre\*  
Architrave 6mm x 50mm per linear metre\*

finished in standard colours 35  
finished in standard colours 30



Idigbo

\* 4mm chamfer to one edge, ideal as cover strips for frames




THE THETFORD RANGE is made with selected Accoya mouldings and Accoya tongue groove boards. Doors are of panel construction onto Super-Chassis or Masta-Gear in standard or made to measure sizes as listed. For finishes and options see page 26.

# panel-built accoya

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Barnham*		Culford		Elveden		Harling		Ingham		Northwold		Metric (mm) Width x Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	
7'0" X 6'6"	3349	3130	3262	3043	3631	3412	3250	3031	2735	2516	2243	2024	2134 x 1981
7'0" X 7'0"	3349	3182	3262	3095	3631	3463	3250	3083	2735	2568	2243	2076	2134 x 2134
7'5" X 6'6"	3459	3332	3372	3245	3746	3619	3360	3233	2845	2718	2306	2179	2261 x 1981
7'5" X 7'0"	3459	3423	3372	3336	3746	3710	3360	3325	2845	2809	2306	2270	2261 x 2134
7'6" X 6'6"	3459	3332	3372	3245	3747	3620	3360	3233	2845	2718	2306	2179	2286 x 1981
7'6" X 7'0"	3459	3424	3372	3338	3747	3713	3360	3326	2845	2810	2306	2272	2286 x 2134
8'0" X 6'6"	3594	3565	3509	3479	4000	3971	3497	3468	2956	2927	2370	2341	2438 x 1981
8'0" X 7'0"	3641	3581	3555	3495	4046	3987	3543	3484	3002	2943	2417	2357	2438 x 2134
9'0" X 6'6"	4176	4285	4146	4256	4531	4640	4131	4240	3429	3538	2595	2704	2743 x 1981
9'0" X 7'0"	4176	4341	4146	4312	4531	4696	4131	4296	3429	3594	2745	2910	2743 x 2134
10'0" X 6'6"	4414	4713	4386	4685	4771	5070	4370	4669	3666	3965	2889	3188	3048 x 1981
10'0" X 7'0"	4414	4726	4386	4698	4771	5083	4370	4682	3666	3978	2889	3200	3048 x 2134
11'0" X 6'6"	5170	5845	5187	5863	5983	6644	5172	5847	4397	5033	3557	4192	3353 x 1981
11'0" X 7'0"	5212	5862	5229	5879	6025	6661	5213	5863	4439	5049	3599	4209	3353 x 2134
12'0" X 6'6"	5426	6161	5446	6180	6254	6974	5430	6165	4653	5348	3719	4413	3658 x 1981
12'0" X 7'0"	5426	6178	5446	6197	6254	6991	5430	6181	4653	5364	3719	4430	3658 x 2134
13'0" X 6'6"	5833	6754	5868	6789	6825	7633	5842	6763	4994	5876	3939	4820	3962 x 1981
13'0" X 7'0"	5842	6770	5877	6805	6835	7650	5851	6780	5004	5892	3949	4837	3962 x 2134
14'0" X 6'6"	6447	6884	6484	6921	7454	7777	6458	6895	5608	6005	4459	4856	4267 x 1981
14'0" X 7'0"	6456	6884	6493	6921	7463	7777	6468	6895	5617	6005	4468	4856	4267 x 2134
15'0" X 6'6"	7028	-	7067	-	8053	-	7042	-	6188	-	4945	-	4572 x 1981
15'0" X 7'0"	7028	-	7067	-	8053	-	7042	-	6188	-	4945	-	4572 x 2134
16'0" X 6'6"	6995	-	7526	-	8347	-	7500	-	6396	-	5106	-	4877 x 1981
16'0" X 7'0"	7000	-	7532	-	8353	-	7506	-	6402	-	5112	-	4877 x 2134

\*Barnham double



\* see illustrations above for double door configuration



## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths.

Super-Chassis doors available 6'0" - 8'0" high on doors up to 12'0" wide, 6'0" - 7'6" high on doors from 12'0" to 13'0" wide and 6'0" - 7'0" high on doors from 13'0" - 16'0" wide

Imperial Width - Height	Masta		Super		Masta		Super		Masta		Super		Masta		Super		Metric (mm) Width - Height
	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Super	Masta	Super	Super	Masta			
7'0"w - 7'0"h	3349	3542	3262	3456	3631	3824	3250	3444	2735	2928	2243	2437	2134w	2134h			
7'0"w - 7'6"h	3546	3805	3460	3718	3661	3920	3448	3707	2909	3168	2353	2612	2134w	2286h			
7'0"w - 8'0"h	3570	3970	3460	3860	3673	4074	3448	3848	2909	3309	2353	2754	2134w	2438h			
7'6"w - 7'0"h	3459	3709	3372	3622	3747	3997	3360	3610	2845	3095	2306	2556	2286w	2134h			
7'6"w - 7'6"h	3719	3762	3632	3675	3828	3871	3620	3663	3081	3124	2472	2515	2286w	2286h			
7'6"w - 8'0"h	3741	4088	3631	3978	3838	4185	3619	3966	3080	3427	2471	2818	2286w	2438h			
8'0"w - 7'0"h	3641	3849	3555	3764	4046	4255	3543	3752	3002	3211	2417	2626	2438w	2134h			
8'0"w - 7'6"h	3863	4161	3778	4076	4089	4386	3766	4064	3202	3500	2539	2837	2438w	2286h			
8'0"w - 8'0"h	3887	4235	3778	4126	4089	4437	3766	4114	3202	3550	2539	2887	2438w	2438h			
9'0"w - 7'0"h	4176	4560	4146	4531	4531	4915	4131	4515	3429	3813	2745	3129	2743w	2134h			
9'0"w - 7'6"h	4424	4883	4395	4854	4573	5031	4379	4838	3654	4112	2880	3339	2743w	2286h			
9'0"w - 8'0"h	4448	4999	4395	4946	4573	5124	4379	4930	3654	4204	2880	3431	2743w	2438h			
10'0"w - 7'0"h	4414	5123	4386	5095	4771	5480	4370	5080	3666	4376	2889	3598	3048w	2134h			
10'0"w - 7'6"h	4730	6225	4702	6197	4855	6350	4686	6181	3959	5454	3078	4574	3048w	2286h			
10'0"w - 8'0"h	4753	6249	4702	6197	4855	6350	4686	6181	3959	5454	3078	4574	3048w	2438h			
11'0"w - 7'0"h	5212	6200	5229	6217	6025	6999	5213	6202	4439	5387	3599	4547	3353w	2134h			
11'0"w - 7'6"h	5145	6344	5555	6754	6081	7267	5539	6738	4718	5877	3768	4928	3353w	2286h			
11'0"w - 8'0"h	5483	6344	5892	6754	6443	7290	5877	6738	5055	5877	4106	4928	3353w	2438h			
12'0"w - 7'0"h	5426	6516	5446	6535	6254	7329	5430	6519	4653	5702	3719	4768	3658w	2134h			
12'0"w - 7'6"h	5785	6585	6196	6996	6709	7495	6181	6981	5356	6117	4300	5060	3658w	2286h			
12'0"w - 8'0"h	6122	6585	6534	6996	7071	7519	6518	6981	5694	6117	4638	5060	3658w	2438h			
13'0"w - 7'0"h	5842	7143	5877	7178	6835	8023	5851	7153	5004	6265	3949	5210	3962w	2134h			
13'0"w - 7'6"h	6554	7304	6982	7732	7619	8256	6956	7706	6061	6771	4872	5582	3962w	2286h			
13'0"w - 8'0"h	6545	-	6973	-	7634	-	6947	-	6061	-	4872	-	3962w	2438h			
14'0"w - 7'0"h	6456	7257	6493	7294	7463	8151	6468	7268	5617	6378	4468	5229	4267w	2134h			
14'0"w - 7'6"h	6795	-	7224	-	7848	-	7198	-	6301	-	5004	-	4267w	2286h			
14'0"w - 8'0"h	6795	-	7224	-	7871	-	7198	-	6301	-	5004	-	4267w	2438h			
15'0"w - 7'0"h	7028	-	7067	-	8053	-	7042	-	6188	-	4945	-	4572w	2134h			
15'0"w - 7'6"h	7064	-	7495	-	8109	-	7470	-	6569	-	5166	-	4572w	2286h			
15'0"w - 8'0"h	7064	-	7495	-	8133	-	7470	-	6569	-	5166	-	4572w	2438h			
16'0"w - 7'0"h	7000	-	7532	-	8353	-	7506	-	6402	-	5112	-	4877w	2134h			
16'0"w - 7'6"h	7049	-	7678	-	8433	-	7653	-	6809	-	5352	-	4877w	2286h			
16'0"w - 8'0"h	7049	-	7678	-	8433	-	7653	-	6809	-	5352	-	4877w	2438h			

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high. Minimum height on Super-Chassis doors for Canopy gear is 6'4" (1931mm).

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk

# solid-built accoya


THE THETFORD RANGE is made with selected Accoya mouldings and Accoya tongue groove boards. Doors are of solid construction onto Masta-Gear in standard or made to measure sizes as listed. For finish and options see page 26.



## STANDARD SIZE Retractable Up & Over Gear

\* see illustration above for double door configuration

Imperial Width x Height	Barnham	Culford	Elveden	Harling	Ingham	Northwold	Metric (mm) Width x Height
	Masta	Masta	Masta	Masta	Masta	Masta	
7'0" X 6'6"	3791	3918	4457	3918	3701	3433	2134 x 1981
7'0" X 7'0"	3791	3918	4457	3918	3701	3527	2134 x 2134
7'5" x 6'6"	4072	4199	4748	4199	3761	3586	2261 x 1981
7'5" x 7'0"	4072	4199	4748	4199	3760	3693	2261 x 2134
7'6" x 6'6"	4072	4199	4750	4199	3761	3586	2286 x 1981
7'6" x 7'0"	4072	4199	4750	4199	3760	3693	2286 x 2134
8'0" x 6'6"	4183	4309	4876	4309	3870	3602	2438 x 1981
8'0" x 7'0"	4230	4355	4922	4355	3917	3755	2438 x 2134
9'0" x 6'6"	5025	5098	5881	5098	4309	4295	2743 x 1981
9'0" x 7'0"	5025	5098	5881	5098	4475	4427	2743 x 2134
10'0" x 6'6"	5150	5316	6044	5316	4692	4324	3048 x 1981
10'0" x 7'0"	5150	5316	6044	5316	4692	4456	3048 x 2134
11'0" x 6'6"	4899	5333	6012	5333	5158	5073	3353 x 1981
11'0" x 7'0"	4899	5333	6012	5333	5158	5261	3353 x 2134
12'0" x 6'6"	5224	5686	6379	5686	5504	5183	3658 x 1981
12'0" x 7'0"	5224	5686	6379	5686	5504	5371	3658 x 2134
13'0" x 6'6"	5842	6268	7239	6268	5970	5501	3962 x 1981
13'0" x 7'0"	6242	6667	7638	6667	6369	6088	3962 x 2134
14'0" x 6'6"	6525	6981	7971	6981	6673	5972	4267 x 1981
14'0" x 7'0"	6525	6981	7971	6981	6673	6160	4267 x 2134
15'0" x 6'6"	6806	7291	8295	7291	6983	6331	4572 x 1981
15'0" x 7'0"	6806	7291	8295	7291	6983	6544	4572 x 2134
16'0" x 6'6"	7086	7601	8620	7601	7287	6399	4877 x 1981
16'0" x 7'0"	7086	7601	8620	7601	7287	6613	4877 x 2134



## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths.

Imperial Width - Height	Masta Gear doors available from 6'0" - 8'0" high on all widths.						Metric (mm) Width - Height
	Masta	Masta	Masta	Masta	Masta	Masta	
7'0"w - 7'0"h	3791	3918	4457	3918	3701	3527	2134w - 2134h
7'0"w - 7'6"h	3838	3964	4503	3964	3901	3842	2134w - 2286h
7'0"w - 8'0"h	3979	4118	4503	4118	3901	3936	2134w - 2438h
7'6"w - 7'0"h	4072	4199	4750	4199	3760	3693	2286w - 2134h
7'6"w - 7'6"h	4119	4245	4797	4245	3961	4021	2286w - 2286h
7'6"w - 8'0"h	4271	4411	4796	4411	3960	4127	2286w - 2438h
8'0"w - 7'0"h	4230	4355	4922	4355	3917	3755	2438w - 2134h
8'0"w - 7'6"h	4230	4355	4922	4355	4084	4037	2438w - 2286h
8'0"w - 8'0"h	4397	4535	4922	4535	4084	4144	2438w - 2438h
9'0"w - 7'0"h	5025	5098	5881	5098	4475	4427	2743w - 2134h
9'0"w - 7'6"h	5025	5098	5881	5098	4667	4821	2743w - 2286h
9'0"w - 8'0"h	5218	5290	5881	5290	4667	4954	2743w - 2438h
10'0"w - 7'0"h	5150	5316	6044	5316	4692	4456	3048w - 2134h
10'0"w - 7'6"h	5192	5358	6086	5358	4952	4892	3048w - 2286h
10'0"w - 8'0"h	5397	5576	6086	5576	4952	5025	3048w - 2438h
11'0"w - 7'0"h	4899	5333	6012	5333	5158	5261	3353w - 2134h
11'0"w - 7'6"h	4941	5375	6054	5375	5444	5514	3353w - 2286h
11'0"w - 8'0"h	5146	5619	6054	5619	5444	5702	3353w - 2438h
12'0"w - 7'0"h	5224	5686	6379	5686	5504	5371	3658w - 2134h
12'0"w - 7'6"h	5623	6086	6778	6086	6173	5982	3658w - 2286h
12'0"w - 8'0"h	5854	6355	6778	6355	6173	6170	3658w - 2438h
13'0"w - 7'0"h	6242	6667	7638	6667	6369	6088	3962w - 2134h
13'0"w - 7'6"h	6242	6667	7638	6667	6651	6300	3962w - 2286h
13'0"w - 8'0"h	6498	6949	7638	6949	6651	6488	3962w - 2438h
14'0"w - 7'0"h	6525	6981	7971	6981	6673	6160	4267w - 2134h
14'0"w - 7'6"h	6525	6981	7971	6981	6981	6371	4267w - 2286h
14'0"w - 8'0"h	6807	7289	7971	7289	6981	6559	4267w - 2438h
15'0"w - 7'0"h	6806	7291	8295	7291	6983	6544	4572w - 2134h
15'0"w - 7'6"h	6806	7291	8295	7291	7316	6782	4572w - 2286h
15'0"w - 8'0"h	7113	7625	8295	7625	7316	6995	4572w - 2438h
16'0"w - 7'0"h	7086	7601	8620	7601	7287	6613	4877w - 2134h
16'0"w - 7'6"h	7086	7601	8620	7601	7646	6850	4877w - 2286h
16'0"w - 8'0"h	7512	8053	8713	8053	7739	7157	4877w - 2438h

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk

# solid-built accoya

THE THETFORD RANGE is made with selected Accoya mouldings, tongue and grooved boards dependent on style. Doors are of solid-construction in made to measure sizes as listed.

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Barnham	Culford	Elveden	Harling	Northwold		
<b>Imperial Width</b>						<b>For heights &gt;7' 0" - 8' 0" add</b>	<b>** Also available as 1/3 - 2/3 opening</b>
<b>6' 0" - 7' 0"</b>	3913	4080	4569	4058	3913	60	<b>1829 - 2134</b>
<b>&gt;7' 0" - 8' 0"</b>	4176	4344	4805	4322	4176	70	<b>&gt;2134 - 2438</b>
<b>&gt;8' 0" - 9' 0"</b>	4723	4957	5611	4934	4723	80	<b>&gt;2438 x 2743</b>
<b>&gt;9' 0" - 10' 0"</b>	4934	5168	5801	5146	4934	90	<b>&gt;2743 x 3048</b>
							<b>Metric (mm) Width</b>

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Barnham	Culford	Elveden	Harling	Northwold		
<b>Imperial Width</b>						<b>For heights &gt;7' 0" - 8' 0" add</b>	<b>** Also available as 1/3 - 2/3 opening</b>
<b>2' 0" - 2' 6"</b>	1977	2151	2256	2071	1977	30	<b>610 - 762</b>
<b>&gt;2' 6" - 3' 0"</b>	2063	2262	2365	2163	2063	40	<b>&gt;762 - 914</b>
<b>&gt;3' 0" - 3' 6"</b>	2170	2369	2481	2269	2170	50	<b>&gt;914 x 1066</b>
<b>&gt;3' 6" - 4' 0"</b>	2311	2513	2640	2418	2311	60	<b>&gt;1066 x 1220</b>
							<b>Metric (mm) Width</b>



## OPTIONS FOR THETFORD UP & OVER, SIDE HINGED & PERSONNEL DOORS

There are a number of options that apply to Accoya doors only and these are listed below.

For all other options for up and over doors - windows, handles, Gear and Chamfer options see page 9.

Thetford Side hinged and personnel doors are supplied with stainless steel butt hinges, mortice lock and levers as standard.

Side hinged doors also have black stays, top and bottom bolts with stainless steel fixings. All other furniture options are not available.

For all other options for side hinged and personnel doors - windows and Chamfer options see page 30.

### FINISHES

All doors are fully finished as standard in a choice of:  
White Oak, Warm Oak, Rich Oak, Ebony Oak, Rosewood




Painting your door? - see feature panel on facing page.

### FRAMES for up & over, side hinged and personnel doors

Single doors ≤ 10' 0" wide Double doors > 10' 0" wide. All frames are supplied fully finished to match the door.

Accoya	70mm x 70mm single	70mm rebated personnel	70mm x 90mm single/double	70mm x 90mm side hinged
	425	359	425 / 507	425

Accoya



### ACCOYA

Architrave 6mm x 75mm per linear metre\*

finished in standard colours 35

Architrave 6mm x 50mm per linear metre\*

finished in standard colours 30

\* 4mm chamfer to one edge, ideal as cover strips for frames

Accoya



### HANDLES

Black (standard)  
Brass effect or Chrome effect

0
40 / 50



Black Super-Chassis



Black Masta-Gear



Brass Effect Masta-Gear



Chrome Effect Masta-Gear



Coach house  
**thetford**

accoya 

10 year  
finish warranty

### Painting your door?

Accoya is perfect for painting any RAL colour, Farrow and Ball paint or similar heritage paint finishes. The Accoya treatment process fixes all tannins and resins, ensuring no leaching of stains through the paint finish can occur, making Accoya the ideal timber to take a paint finish.



# solid-built cedar

THE YORK RANGE is made with selected cedar mouldings, cedar tongue and groove boards and raised and fielded cedar panels depending on design. Doors are of solid-construction in made to measure sizes as listed.

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Adstock	Appley	Bierton	Bledlow	Burnham	Cannington	Chalfont**		
								For heights >7' 0" - 8' 0" add	** Also available as 1/3 - 2/3 opening
Imperial Width									Metric (mm) Width
6' 0" - 7' 0"	3370	2271	2733	2772	2691	2293	2255	60	1829 - 2134
>7' 0" - 8' 0"	3629	2301	2829	2869	2721	2323	2373	70	>2134 - 2438
>8' 0" - 9' 0"	3958	2639	3298	3337	2945	2650	2685	80	>2438 x 2743
>9' 0" - 10' 0"	4134	2769	3379	3418	2972	2724	2778	90	>2743 x 3048

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Adstock	Appley	Bierton	Bledlow	Burnham	Cannington	Chalfont		
								For heights >7' 0" - 8' 0" add	
Imperial Width									Metric (mm) Width
2' 0" - 2' 6"	-	1146	1238	1379	1228	1218	1029	30	610 - 762
>2' 6" - 3' 0"	1702	1149	1297	1462	1282	1232	1074	40	>762 - 914
>3' 0" - 3' 6"	1747	1177	1343	1473	1307	1235	1121	50	>914 x 1066
>3' 6" - 4' 0"	1833	1187	1421	1558	1366	1241	1192	60	>1066 x 1220

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Chard	Chartridge	Churchill	Coleshill	Gawcott	Granborough	Hampden**		
								For heights >7' 0" - 8' 0" add	** Also available as 1/3 - 2/3 opening
Imperial Width									Metric (mm) Width
6' 0" - 7' 0"	2143	2371	2094	2604	2352	3211	2313	60	1829 - 2134
>7' 0" - 8' 0"	2202	2489	2124	2695	2469	3386	2417	70	>2134 - 2438
>8' 0" - 9' 0"	2542	2837	2452	3117	2817	3958	2784	80	>2438 x 2743
>9' 0" - 10' 0"	2552	2930	2524	3192	2910	4134	2811	90	>2743 x 3048

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Chard	Chartridge	Churchill	Coleshill	Gawcott	Granborough	Hampden		
								For heights >7' 0" - 8' 0" add	
Imperial Width									Metric (mm) Width
2' 0" - 2' 6"	1043	1146	1079	1180	1087	1486	1067	30	610 - 762
>2' 6" - 3' 0"	1059	1210	1082	1238	1137	1573	1137	40	>762 - 914
>3' 0" - 3' 6"	1062	1257	1084	1282	1183	1660	1152	50	>914 x 1066
>3' 6" - 4' 0"	1098	1330	1090	1360	1260	1704	1190	60	>1066 x 1220

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk



### MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7'0" high. For heights >7'0" - 8'0" add the supplement at the right of the table (other heights on request)

	Ickford	Kingswood	Marston	Padbury	Quainton	Salford	Sherington			
								For heights >7'0" - 8'0" add	Metric (mm) Width	
Imperial Width										
6'0" - 7'0"	2809	3079	3173	3861	2497	2944	3312		60	1829 - 2134
>7'0"-8'0"	2915	3256	3350	4140	2615	3119	3487		70	>2134 - 2438
>8'0"-9'0"	3101	3842	3967	4957	2963	3731	4123		80	>2438 x 2743
>9'0"-10'0"	3181	4021	4146	4984	3102	3764	4299	90	>2743 x 3048	

### MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7'0" high. For heights >7'0" - 8'0" add the supplement at the right of the table (other heights on request)

	Ickford	Kingswood	Marston	Padbury	Quainton	Salford	Sherington			
								For heights >7'0" - 8'0" add	Metric (mm) Width	
Imperial Width										
2'0" - 2'6"	1128	-	-	-	1104	1347	-		30	610 - 762
>2'6"-3'0"	1186	1820	1693	2140	1148	1446	-		40	>762 - 914
>3'0"-3'6"	1230	1832	1696	2151	1194	1533	2145		50	>914 x 1066
>3'6"-4'0"	1308	1843	1698	2162	1265	1620	2231	60	>1066 x 1220	

### MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7'0" high. For heights >7'0" - 8'0" add the supplement at the right of the table (other heights on request)

	Standerwick	Taplow	Taunton	Tickenham	Washford	Whitchurch	Yeovil			
								For heights >7'0" - 8'0" add	Metric (mm) Width	
Imperial Width										
6'0" - 7'0"	2090	3219	2321	2159	2165	3397	2266		60	1829 - 2134
>7'0"-8'0"	2120	3321	2351	2189	2195	3488	2296		70	>2134 - 2438
>8'0"-9'0"	2466	3761	2585	2552	2558	4120	2623		80	>2438 x 2743
>9'0"-10'0"	2476	3847	2716	2624	2630	4438	2697	90	>2743 x 3048	

### MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7'0" high. For heights >7'0" - 8'0" add the supplement at the right of the table (other heights on request)

	Standerwick	Taplow	Taunton	Tickenham	Washford	Whitchurch	Yeovil			
								For heights >7'0" - 8'0" add	Metric (mm) Width	
Imperial Width										
2'0" - 2'6"	1045	1378	1601	1042	-	-	1091		30	610 - 762
>2'6"-3'0"	1047	1440	1604	1059	-	1829	1107		40	>762 - 914
>3'0"-3'6"	1050	1490	1610	1062	-	1874	1110		50	>914 x 1066
>3'6"-4'0"	1059	1570	1619	1083	-	1960	1131	60	>1066 x 1220	



## OPTIONS

### FINISHES FOR CEDAR DOORS

Light Oak, Antique Oak, Chestnut, Mahogany,  
Walnut, Burnt Oak, Teak, Pale Oak  
Silver, Silver Grey, Ice Silver, Slate Grey  
RAL  
White Primed

side / pers
165 / 150
215 / 200
310 / 275
105 / 90



Light Oak    Antique Oak    Chestnut    Mahogany



Walnut    Burnt Oak    Teak    Pale Oak    Silver    Silver Grey    Ice Silver    Slate Grey

### FRAMES

	70mm x 90mm side hinged	70mm rebated personnel
Hardwood	322	282
Softwood	184	157
Cedar Clad softwood	313	265
Cedar Clad hardwood	451	419



Hardwood    Softwood

#### Frame finishes

Light Oak, Antique Oak, Chestnut, Mahogany, Walnut, Burnt Oak, Teak, Pale Oak  
Silver, Silver Grey, Ice Silver, Slate Grey  
RAL  
White primer

side/pers
50 / 40
80 / 70
90 / 80
40 / 35



Cedar Clad Softwood    Cedar Clad Hardwood    Rebated personnel

### GLAZING

	Doors with windows side / pers	Granborough* side / pers	Sherington* side / pers
Stippled Polycarb (standard)	0	175 / 95	175 / 95
Clear Polycarb	0	175 / 95	175 / 95
4mm toughened glass clear	40 / 40	215 / 115	215 / 115
4mm toughened glass stippled	40 / 40	215 / 115	215 / 115

Square or diamond leading is available on the following styles as a no cost option: Coleshill, Hatton and Ickford. \*The Granborough & Sherington which do not have windows as standard are available with glazing to the top row of features at the prices shown above. With the supplement added, leading options are then available as a no cost option.



Stippled Plain    Stippled Square Leading    Stippled Diamond Leading    Clear

### FURNITURE PACKS

	side / pers
Contemporary Pack (standard)	0 / 0
Classic Pack	65 / 45
Traditional Pack	85 / 65

Upgrade to Mortice lock & lever*	side & pers
Black	85 / 20
Brass effect	65 / 0
Chrome effect	75 / 10



Mortice & Lever in brass/silver effect or antique.

\* Personnel doors include a mortice lock and lever as standard

#### Contemporary Pack (Standard)




Also available with silver effect hinges, finger pull, bolts and white stays.

#### Classic Pack



Also available with silver effect hinges, finger pull, bolts and white stays.

#### Traditional Pack



### THRESHOLDS

	side / pers
Hardwood 2'0" - 4'0" wide	84 / 84
Hardwood 4'0" - 7'0" wide	88 / -
Hardwood 7'0" - 10'0" wide	96 / -

Hardwood Thresholds are 35mm thick and a maximum of 180mm deep.



Hardwood Threshold

### WIDE BOARD

Any door made with narrow boards can be ordered with wide boards. +10%

### ROUNDED CHAMFER

85

Doors finished with rounded chamfers (standard is flat)  
Not available on the Appley, Cannington, Chard, Churchill, Standerwick, Taunton, Tickenham, Washford & Yeovil.



Rounded Chamfer    Cedar Architrave

### CEDAR

Architrave 6mm x 75mm per linear metre*	finished in standard colours 26	RAL 30
Architrave 6mm x 50mm per linear metre*	finished in standard colours 22	RAL 26
Standard Board Tongue & Groove per linear metre	finished in standard colours 26	RAL 30
Wide Board Tongue & Groove per linear metre	finished in standard colours 38	RAL 42

\* 4mm chamfer to one edge, ideal as cover strips for frames

# Finishes



All doors are treated with a base coat ready for staining. Fully finished doors are also available in a range of colours. Woodrite uses the TEKNOS wood finish system for Cedar, Oak, Accoya and Idigbo and recommends this for on site finishing - contact Woodrite for your nearest stockist. Photographic and printing processes make it impossible to guarantee colours from this brochure and images are intended as a guide only.

## Cedar




## Idigbo



## Oak




## Accoya



The image right shows the effect of the base colour of the timber on the finished colour. All are Cedar, treated with our basecoat preservative (1), the first coat of Light Oak (2) and the final second topcoat of Light Oak (3).

The colour variation across a light, medium and dark mottled timber can be seen from left to right. All Woodrite doors are made from timbers selected to blend well for depth of colour, however, by its very nature, uniformity for every door is not possible.

Some doors will be made from predominantly darker timbers and some will be made from predominantly lighter timbers. Each will have a different density for the same colour finish so if you are matching to other timbers, talk to our customer services team about samples.



1 LITRE TOP COAT (STANDARD CEDAR COLOURS & IDIGBO) 35  
 1 LITRE TOP COAT (SILVERS & SLATE GREY) 55

Delivered free when ordered with a door, + P&P when ordered separately.



## Clearances & Dimensions


Doors should be fitted to a Woodrite steel frame or timber goalpost type frame. Doors can be fitted within or behind the garage reveal - see the details shown right. When fitting within the reveal a 3mm gap for timber frames and 5mm gap for steel frames on all three sides should be included in the size to allow for brickwork coursing tolerances.

Door sizes represent the inside dimensions of the frame. Up and over door sizes are approximately 19mm narrower and 25mm shorter to allow for operating clearances and tolerances.

A 19 mm square weather bead should always be fitted to the under-side of the door frame lintel in front of the door to hide the top gap. This feature is integral on Woodrite steel up and over frames.

## Between the reveal fixing up & over Behind the reveal fixing up & over

### Super-Chassis to a Woodrite Steel Frame



### Super-Chassis & Masta-Gear to a Woodrite Timber Frame



### Super-Chassis to a Woodrite Steel Frame




### Super-Chassis & Masta-Gear to a Woodrite Timber Frame






# Opening Arcs & Clearances up & over

- A** Projection in front of the opening from the door face.
- B** Projection into the garage from the REAR of the door and the door frame.
- C** Height clearance inside the garage - excluding any lock projection and deep bracing on double doors.
- D** Kick-up inside the garage above the bottom edge of the frame.



### DOOR HEIGHT

	Masta-Gear Cranked		Masta-Gear Straight				Super-Chassis Single Straight				Super-Chassis Plus Cranked		Super-Chassis Double Straight			
	1981	2134	1981	2134	2286	2438	1981	2134	2286	2438	1981	2134	1981	2134	2286	2438
	6'6"	7'0"	6'6"	7'0"	7'6"	8'0"	6'6"	7'0"	7'6"	8'0"	6'6"	7'0"	6'6"	7'0"	7'6"	8'0"
<b>A</b>	888	1041	888	1041	1194	1347	935	1010	1085	1163	1024	1093	950	1030	1110	1190
<b>B</b>	1720	1890	1720	1890	2195	2195	1896	2049	2201	2353	1680	1835	1624	1814	2004	2194
<b>C</b>	1900	2053	1900	2053	2206	2359	1909	2064	2214	2366	1909	2064	1909	2064	2214	2366
<b>D</b>	25	25	25	25	25	25	40	40	40	40	45	45	50	50	50	50





- A** Height to the bottom of the lifting arm.
- B** Projection of lifting arm into the opening from the inside edge of the frame above height A.

### DOOR HEIGHT

	Masta-Gear Cranked		Masta-Gear Straight				Super-Chassis Single Straight				Super-Chassis Plus Cranked		Super-Chassis Double Straight			
	1981	2134	1981	2134	2286	2438	1981	2134	2286	2438	1981	2134	1981	2134	2286	2438
	6'6"	7'0"	6'6"	7'0"	7'6"	8'0"	6'6"	7'0"	7'6"	8'0"	6'6"	7'0"	6'6"	7'0"	7'6"	8'0"
<b>A</b>	1050	1126	820	972	1073	1225	1005	1080	1155	1230	1105	1260	1145	1205	1265	1325
<b>B</b>	23	23	63	63	63	63	45	45	55	55	55	55	55	55	55	55

# Between & behind the reveal fixing side hinged & personnel




## Opening Sizes

Typical opening sizes are tabulated below for the most common sizes of door fitted within the reveal.

Door size code	Door size width x height	70mm timber frame Brickwork aperture width x height	75mm steel frame Brickwork aperture width x height	60mm steel frame canopy gear Brickwork aperture width x height	70mm timber frame (side hinged) Brickwork aperture width x height
6666	1981mm x 1981mm	2127mm x 2054mm	2134mm x 2044mm	2104mm x 2044mm	2127mm x 2054mm
6670	1981mm x 2134mm	2127mm x 2207mm	2134mm x 2199mm	2104mm x 2199mm	2127mm x 2207mm
7066	2134mm x 1981mm	2280mm x 2054mm	2284mm x 2044mm	2254mm x 2044mm	2280mm x 2054mm
7070	2134mm x 2134mm	2280mm x 2207mm	2284mm x 2199mm	2254mm x 2199mm	2280mm x 2207mm
7364	2222mm x 1930mm	2368mm x 2003mm	2374mm x 1994mm	2343mm x 1994mm	2368mm x 2003mm
7566	2261mm x 1981mm	2407mm x 2054mm	2409mm x 2044mm	2379mm x 2044mm	2407mm x 2054mm
7570	2261mm x 2134mm	2407mm x 2207mm	2409mm x 2199mm	2379mm x 2199mm	2407mm x 2207mm
7666	2286mm x 1981mm	2432mm x 2054mm	2434mm x 2044mm	2404mm x 2044mm	2432mm x 2054mm
7670	2286mm x 2134mm	2432mm x 2207mm	2434mm x 2199mm	2404mm x 2199mm	2432mm x 2207mm
8066	2438mm x 1981mm	2584mm x 2054mm	2589mm x 2044mm	2559mm x 2044mm	2584mm x 2054mm
8070	2438mm x 2134mm	2584mm x 2207mm	2589mm x 2199mm	2559mm x 2199mm	2584mm x 2207mm
1466	4267mm x 1981mm	4413mm x 2054mm	4419mm x 2044mm	n/a	n/a
1470	4267mm x 2134mm	4413mm x 2207mm	4419mm x 2199mm	n/a	n/a

Typical opening sizes are tabulated below for the most common sizes of door fitted behind the reveal.


Door size code	Door size width x height	All frame sizes Brickwork aperture width x height
6666	1981 x 1981mm	2007 x 1981mm
6670	1981 x 2134mm	2007 x 2134mm
7066	2134 x 1981mm	2160 x 1981mm
7070	2134 x 2134mm	2160 x 2134mm
7364	2222 x 1930mm	2248 x 1930mm
7566	2261 x 1981mm	2287 x 1981mm
7570	2261 x 2134mm	2287 x 2134mm
7666	2286 x 1981mm	2312 x 1981mm
7670	2286 x 2134mm	2312 x 2134mm
8066	2438 x 1981mm	2464 x 1981mm
8070	2438 x 2134mm	2464 x 2134mm
1466	4267 x 1981mm	4293 x 1981mm
1470	4267 x 2134mm	4293 x 2134mm



## Frames

Dimension for each frame type as shown in the table.

Dimension	Super-Chassis Canopy 60mm steel frame	Super-Chassis Retractable 75mm steel frame	70mm x 70mm timber frame (single doors only)	70mm x 90mm timber frame	Personnel rebated 70mm timber frame (20mm rebate)
L	60mm	75mm	70mm	70mm	50mm
H	49mm	49mm	70mm	70mm	50mm
D	40mm	40mm	70mm	90mm	70mm



# Care & Maintenance



## Doors Finish

These notes are for guidance only and do not form any part of the guarantee given with your door. Woodrite Doors Limited uses only the top grades of timber available, however timber is a natural product therefore colour, grain and finish will vary from panel to panel.

A regular visual inspection of your door is essential, with periodic cleaning of the door panel using warm water and a soft clean cloth or sponge. Allow the door to dry naturally, never use detergents, abrasives, caustic or solvent based cleaners as they may damage the door surface. Bird droppings should be removed immediately as these can be particularly caustic. Initial application and periodic treatment should be carried out strictly in accordance with the wood stain manufacturer's instructions. Failure to follow these instructions will result in early deterioration of the timber panel.

## Doors Supplied Basecoated Light Oak (Western Red Cedar only)

### Preparation

Lightly de-nib all surfaces with fine grade abrasive paper, e.g P280 or P320, rubbing in the direction of the grain to produce a smooth finish and provide a key for subsequent coats of decorative stain. Wash the surface with clean warm water to remove any dirt, grease and all de-nibbing dust and allow surfaces to dry naturally.

### Method of Application

The stain should be applied in a full flowing coat, using a long synthetic bristle brush, laying off in the direction of the grain and using the minimum number of brush strokes necessary to produce an acceptable finish. Avoid over brushing, as this will reduce the protection afforded. Always pay special attention to any area of exposed end grain, tops and bottoms of doors and undersides of thresholds. Your door must be treated on both sides and all exposed timber to the sides, tops and bottoms.

## Plywood doors + Raised and Fielded panel doors

Decide on whether to start on the left or the right hand side of the door. Coat the cedar moulding around the first panel then complete the panel itself, carefully wiping excess stain from the face of the moulded section with a damp cloth. Treat each panel in the same way until all panels are coated.

The faces of each of the vertical uprights between panels should then be coated, with any excess coating on horizontal rails wiped off with damp cloth to avoid build up of stain at each vertical/horizontal join. The top horizontal rail should then be finished and finally the bottom horizontal rail.

## Tongue & Groove panels

Decide on whether to start on the left or the right hand side of the door. Coat the first section of boarding, leaving the outer rails until later. Brush the stain into the grooves

each side of the first board then fully coat the complete board. Carefully wipe off excess stain with a damp cloth from the outer vertical/horizontal rails to avoid build up of stain which may dry before the door can be completed. Brush stain in to the next groove and finish the board, remove excess as described above. Complete the full width of the door in the same manner. The top horizontal rail should be coated, followed by the bottom rail, finally finishing with the vertical rails.

Two coats of top coat stain should be applied to all exposed surfaces. The second coat should be applied to all exposed surfaces as soon as possible after the first coat has dried, but no sooner than 5 hours.

## Weather Conditions

Do not apply if there is a risk of rain, high winds or when air temperatures are below 8°C or above 25°C during application and drying periods. Protect from frost and rain until dry, failure to meet these requirements may adversely effect the drying, visual quality and durability of the finish.

**\*\*Please note these are guidance notes only – always use a top quality water based stain and ensure you read the stain manufacturer's instructions carefully prior to finishing your timber door\*\***

## Maintenance of Fully Finished Western Red Cedar Doors and Existing Coatings

The period between maintenance applications will vary and is dependent upon the degree of exposure, elevation and design of the door panel. A lightening of colour, reduction in sheen as the coating erodes and a loss of water repellency indicate the need for maintenance. Follow instructions for the Basecoated door – if a definite colour change is chosen, more than one coat maybe required.

## Doors Supplied White Primed (Western Red Cedar only)

Timber panels that have been supplied White Primed have been given one coat of a water borne tannin blocking primer that has been spray applied under factory conditions. Western Red Cedar can be problematic when using white or light colours as a finish - the soluble extractives contained within the timber that can leach through a water borne coating system.

To reduce the risk of this phenomenon occurring it is recommended that a solvent borne coating system is to be applied over the water borne primer. The primer is compatible with most commercially available solvent borne coating systems but it is always advisable to try a small test area. Even using a solvent borne system does not guarantee that it will not occur. Irrespective of the product selected, always follow the manufacturer's technical instructions and pay particular attention to end grain at the top and bottom of the doors.

## Doors Supplied Fully Finished RAL Colours (Western Red Cedar Only)

Timber panels that have been supplied factory fully finished have been given one coat of a water borne tannin blocking primer and two top coats that have been spray applied under factory conditions.

Western Red Cedar can be problematic when using white or light colours as a finish - the soluble extractives contained within the timber that can leach through a water borne coating system. To reduce the risk of this phenomenon occurring when re-treating, it is recommended that a solvent borne coating system is employed. Always follow the manufacturer's technical instructions and pay particular attention to end grain at the top and bottom of the doors.

## Fully Finished Idigbo, Accoya & Oak Doors

To help optimise the life of surfaces factory treated, the following procedures should be followed. All vertical treated surfaces should be at least annually cleaned to remove all atmospheric soiling. If you need to re-stain your door a fine grade abrasive paper e.g. P280 or P320 should be used, rubbing in the direction of the grain to produce a smooth finish and provide a key for subsequent coats of stain. Wash the surface with a damp clean cloth or sponge and allow surfaces to dry naturally.

Apply new coat of stain in accordance with the manufacturer's instructions.

## Door Gear – Masta-Gear or Super-Chassis

Door lifting gear is guaranteed for a maximum of two years against any form or manufacturing defect from date of purchase. See the back page for applicable conditions.

## Upon Installation

Immediately after the door is fitted and after every 5000 operations of the door, or at least once a year, oil all pivot points, check screws and clamp connections for tightness. Keep the running tracks clean (do not grease them) check parts and replace any worn components as necessary.

Springs should be replaced after approximately 25000 operations by an experienced door fitter.

Do not oil the lock cylinder. If it is sticking lubricate with graphite dust.

Check the lifting cables on canopy doors every 6 months with normal usage (8 ops per day). Cables should be replaced by an expert if any wear is found.



# guarantee

Woodrite doors are guaranteed against any form of manufacturing defect or mechanical failure for a period of 2 years from the date of original purchase.

The exterior factory fully finished panel is guaranteed to provide a weatherproof membrane which will resist perforation of the substrate from the weather side due to corrosion for a period of up to 5 years (10 years for Accoya), dependent on location and position of door and provided door has been maintained in accordance with the manufacturers instructions.

# conditions

1. During the comprehensive 2 year guarantee period Woodrite undertake to repair or replace (at its discretion), and without charge, products or components which have suffered any form of manufacturing defect. Claims must be notified within 3 days from the date of delivery or within a reasonable time after discovery of any defect.
2. Products covered by these guarantees must have been purchased through an authorised Woodrite garage door supplier or as original equipment attached to a newly built dwelling.
3. The warranties shall apply for normal use only. Normal use constitutes no more than 5 operations (open/close cycles) per day.
4. The warranties offered attach to Woodrite product only and no consequential damages will apply no matter how caused.
5. No liability will be accepted as a result of normal wear and tear, incorrect storage, incorrect handling, faulty installation, incorrect use or wilful damage.
6. Claims under this guarantee must be made through the original supplier and accompanied by relevant documentation indicating the date of purchase (e.g. receipt).
7. Woodrite's maximum liability shall be the original purchase price inclusive of Value Added Tax at the rate prevailing when supplied.
8. Any product which is the subject of a claim:
  - i) must have been correctly installed in accordance with the installation instructions supplied and thereafter properly maintained by a suitably experienced engineer on a regular basis as set out in the Maintenance and Operating Instructions provided with every door. (Additional copies of these instructions are available by contacting the installer or the manufacturing company). We recommend that regular maintenance is provided by a suitably experienced engineer.
  - ii) must have the manufacturers reference number still intact
  - iii) must not have been modified in any way.
9. Claims will not be accepted where the cause is due to:
  - i) impact or mechanical damage suffered during or following installation, e.g scratches, indentations, tears, scuffs or other surface abrasion.
  - ii) damage or discolouration caused by contact with any form of caustic, abrasive or corrosive substance, fumes, bird droppings, fire, smoke, floodwater, salts, acids, or from exposure to abnormal atmospheric pollution.
10. The Exterior Finish Guarantee applies only to the weatherside surface and where more than 5% of the surface area of the door is affected. Surfaces must be freely exposed to washing by rainfall and kept clear of accumulated dirt and debris and given equal exposure to local environmental conditions and consistent natural lighting conditions across the face of the door. Special attention is drawn to Clause (9) (ii).
11. **Basecoated timber doors** are supplied with a dip immersion coat of Teknos low build matt water based basecoat of light oak. This operation is for temporary protection for transit and installation purposes only. If the timber panel becomes exposed to excessive water splashes or rain it may result in water marks or stains which could effect the final coating of the door. The topcoat finish must be applied immediately after installation to all surfaces. We recommend a Teknos high build microporous water based finishing stain or equivalent.
12. **Fully finished RAL colours** - Tannin bleed through is possible with Western Red Cedar on white and pale colours. Whilst Woodrite Doors Limited uses tannin blockers within the primer, Woodrite will not guarantee against this phenomenon.
13. **Idigbo, Oak & Accoya** - The stain used will offer an up to 5 yr /10yr (accoya only) protection as per the guarantee, within this time scale you will find that the colour may fade. This is a natural process and does not effect the protection of the stain.
14. Due to the acetylation processes with Accoya the use of non-stainless steel fixings may result in the failure of these fixing - this will not be covered under warranty.

15. Storage – All doors are delivered with cardboard and shrink wrap protection, this should remain in place until final finishing on site. Doors must always be stored in an upright position and protected from possible contaminations prior to fixing. Do not store doors in direct sunlight. Do not puncture the polythene shrink wrap before installation. Do not expose doors to water contaminations, as staining may occur.
16. Attempted repairs by non-qualified individuals shall invalidate this guarantee.
17. The specific terms of this guarantee shall only apply to products purchased on or after September 2010 within the UK and Eire.
18. Woodrite garage doors and associated products are sold subject to the Woodrite's Standard Terms and Conditions of Sale, copies of which are available upon request. Woodrite shall not be liable as a result of any representation, implied warranty or other term or condition or for any consequential loss or damage, costs, expenses or other claims whatsoever except as expressly set out in these Terms and Conditions of Sale.

## General Advice

**Door Cleaning.** Periodically clean the door panel using warm water and a soft cloth or sponge. Allow to dry naturally. Never use detergent, abrasive, caustic or solvent based cleaners as they may damage the door surface. Bird droppings should be removed immediately as these can be particularly caustic.

## Door Servicing and Maintenance

All doors should be operated and maintained in line with operating and maintenance instructions supplied with every door. Every six months visually inspect all wear items (including cables) for signs of wear. If wear is detected we recommend you contact your supplier to arrange for a replacement. Garage door springs are under extreme tension and should only be repaired or replaced by a suitably qualified engineer.

## Other performance issues affecting Woodrite garage doors are:

The fully finished factory option is supplied in various coloured woodstains and can provide up to 5 years erosion period (dependant on location and position of door). If the door becomes affected by rain soon after installation you may notice a milky coloured staining on the finish of the door and where the sealant is used, this will disappear when dry. This is common phenomenon in water based coatings and over a period of time this will disperse and disappear, this has no adverse effect on the quality and finish of the door.

Woodrite doors are individually handcrafted products manufactured to specific customer order. Due to the nature of the product and the hand finishing processes used they may occasionally display small blemishes which do not detract from the overall appearance of the product. These are regarded as being within manufacturers tolerance when such blemishes are not visible to the naked eye when viewed from a distance of three metres.

Similarly, Timber products will display colour variations across their surface and colour will vary from door to door. Ordering doors to match helps reduce the variation but will not eradicate it entirely.

Woodrite's timber doors are made from the finest timber obtained from managed and sustainable sources. Prior to fitting they must not be stored in direct sunlight or exposed to splashes or rain as colour fading and/or staining may result. Woodrite's product guarantee does not cover natural variations in colour, warping, swelling or shrinkage due to the ordinary natural processes of ageing, fading or the effects of weather or climate nor does it cover the incidence of similar degradation which could have been prevented by carrying out finishing and maintenance procedures as recommended by Woodrite. Doors that are not factory finished should be finished with a microporous stain, front and back, in accordance with the stain manufacturers instructions immediately after fitting.

Garage doors should be inspected upon delivery and viewed in natural daylight (not direct sunlight) from a standard distance of 3 metres to view their overall appearance. From this distance the door panel should appear free from visible marks or distortion, stains, blemishes, indentations or scuffs. If any marks are only visible within 3 metres they will not be considered under warranty.