


© 2018 Blockhouse Shutters TM . All rights reserved

1) Product Overview & Features





1) Product Overview & Features

- High level safety
 - 14mm 65mm locking depth top and bottom
 - wall thickness 30% thicker than some competitors
 - hidden fixings
- Ideal for internal or external
 - perfect for high humidity areas; bathrooms, kitchens & patios
- 10 year product guarantee
- Short lead time
 - 14-working days for white, 21-working days for colour
- 3x architrave frames
 - reveal hinge, face fix hinge, face fix track
- Super silent & easy to operate
 - shutters like to be pulled, NOT pushed

- Multifunctional
 - no need for drapes, curtains or blinds
 - increases value of property
 - offers escape out of the property
- Standard or adjustable top track
 - adjustable by up to 25mm
- Surface or recessed bottom track
- Adjustable gravity fed bottom guide pin
 - ideal for sloping floors, 65mm max
- Flush single or double sided locks
- Keyed alike locking option
- Available in 5 standard matt colours
- +/- 12kg per square meter



1) Product Overview & Features

HINGE

Folds flat onto wall





TRACK

Stacks 90degrees






HINGE

REVEAL

for reveals deeper than 72mm



TRACK

REVEAL

for reveals wider than 100mm



FACE FIX

for openings with no reveals



FACE FIX

for openings with no reveals





2) Hinge Solution (summary)

Reveal fix - reveal deeper than 72mm

Face fix - reveal deeper than 12mm

- 3 or 4 sided frames
- Folds 180° flush onto the wall
- Bottom lock pin locks into the architrave frame (4 sided) or into the dust cap (3 sided)
- Maximum opening width 2400mm
- Maximum width for single panel 900mm, two panels hinged together 600mm per panel
- Maximum 4 panels opening
- Maximum 2 panels hinged together to a side (2-left and/or 2-right)
- Maximum height (without a mid-rail) 1900mm
- Maximum height (with a mid-rail) 2500mm
- Minimum shutter width is 300mm per panel
- Minimum shutter height is 450mm due to hinges



mid-rail



Max 900mm wide for panels not hinged to each other








Max 600mm wide when panels are hinged together



Max opening wide: 2400mm




2.1) Hinge reveal architrave frame

















2.2) Hinge face fix architrave frame











3) Track Solution (summary)

Reveal fix - reveal deeper than 100mm **Face fix -** reveal deeper than 35mm

- Standard or adjustable top track (ideal for unlevel top reveals)
- Surface mounted or recessed bottom track
- With or without side cleats (we recommend cleats as they level out and frame the reveals beautifully)
- Stacks into the room @ 90 ° (does not fold flat onto the wall)
- Maximum of 6 panels hinged together in one set (number of sets is unlimited)
- Maximum shutter width 900mm
- Maximum height (without a mid-rail) 2400mm
- Maximum height (with a mid-rail) 4750mm
- Minimum shutter width is 300mm per panel
- Minimum shutter height is 450mm due to hinges







Shutters lining up with stacking doors

No overlaps visible

Mid-rail splits



Doors stacking outward


Full floating system

Shutters stacking inward






3.1) Track reveal solution (no frame)









Adjustable top track 25mm max



3.1) Track reveal solution (no frame)










Adjustable cleat 35mm x 25-40mm


Centreline 45mm


Pivot space 10mm



3.2) Track face fix architrave frame









4) Special offerings

Corner openings





Bay windows







4) Special offerings

4600mm x 700mm sliding panels being produced at Blockhouse Shutters










5) Online quoting system







- Profiles & Login Procedures
 - As many login users per company as required
 - Each user has his / her own password
 - The agent's company logo and contact details will reflect on the quotations
- Standard Terms and Conditions
 - You provide BHS with your standard T's & C's
 - Information and/or special notes can be added and removed any time by BHS




5.1) Creating a new quotation






c) Design the system by clicking on all relevant dropdown boxes & click create the quote





5.1) Creating a new quotation




Email Quote Print Preview

Status: Saved

Print PDF

Create new version



f) Print PDF and email quote (we recommend that you always Print PDF and saving to your computer)

Name

Date

ID Number



5.2) Creating a new version

We recommend creating a new version instead of editing your quotation.

This allows you to make changes without loosing your original quotation.

Authorised Signature

Date

ID Number

Status: Saved

Email Quote Print Preview Print PDF Create new version Edit quote Save

c) Changes quotation number automatically

Testquote 1-1 → Testquote 1-2






5.3) Editing an existing quotation

Editing your quotation you will lose the original information.

We recommend creating a new version instead of editing your quotation.





BLOCKHOUSE

© 2018 Blockhouse Shutters TM. All rights reserved

6) Placing an order with Blockhouse Shutters

Scan and send all orders to: orders@blockhouseshutters.com

Orders should include the following:

- A deposit; 50% of the quoted amount
- Final Measurements; completed schedule of works (SOW)
 - including all special notes and instructions

Please note:

- Lead time only start when POP and SOW are received
- Balance payable will reflect on your Order Price and Confirmation (OPC) and is based on final measurements provided

DO NOT CLICK ON THE "ACCEPTED BY CLIENT" DROPDOWN BOX ONLINE, THIS IS FOR OFFICE USE ONLY



7) Final measurements

7.1) Measurements to be taken after all the work has been completed

NOT READY FOR FINAL MEASUREMENTS



READY FOR FINAL MEASUREMENTS



- 7.2) At least 3x Measurements (left, middle, right) & (top, middle, bottom)
- 7.3) Always confirm the reveal depth
- 7.4) Check reveal construction (do not install into drywall or wood structures)



7) Final measurements

7.5) What to look out for.?

- Windows and doors opening inwards
- Pivot doors that open both inwards and outwards
- Handles, hinges and fittings taking up space in the reveal
- Granite / marble kitchen and bathroom counter tops
- Tiles / skirtings inside or in front of the reveals
- Taps and fittings preventing shutters from opening and closing
- Underfloor heating for recessed bottom tracks (always ask)

When in doubt take photos and send it to us for assistance.



7) Final measurements



Tap in the way



Shower head in the way



Pivot door (inward / outwards



Basin in the way




8) Schedule of works (SOW)


- IMPORTANT: We manufacture your shutters from the completed SOW's If we can not read it, we can not manufacture it
- Complete the SOW "Cover Page" for every new order
- Each opening (window and/or door) must have its own individual SOW page
- Include as much information as possible
- Scan and send all orders and SOW's to: orders@blockhouseshutters.com



8) Schedule of works (SOW)

Agent Details (Company Name	je					
Consultant Name:						
Consultant Contact Number: Consultant Email:						
Consultant Email:						
Project Details						
Accepted Quotation number						
Client / Project Name:						
Client Contact Number:						
Client Address:						
Colour selected:	White	Light Grey	Dark Grey	Bronze	Charcoal	
Indicate if this is a new or existing client		New Client		Existing Client		
		If Existing please supply old KEY NUMBER		KEY NUMBER:		
		25			5.	
Total References (openings)		Total Panels			į.	
PLEASE SCAN AND MAIL A	L ORDERS TO	orders@blo	ckhouseshutte	rs.com		
Special Notes / Additional						







9) Installation procedures

- When in doubt *ASK* your Blockhouse representative
- Refer to the Blockhouse Shutters' installation manual for step by step instructions
- Important that all gaps and cavities between the frame and the reveal are sealed using a paintable acrylic / silicon sealant
- Leave all sites in a presentable manner
- Report any damage to shutters to Blockhouse Shutters immediately. Take photos before and after unwrapping for evidence
- Always offer superior service and installations as this will ensure total customer satisfaction and good referrals



10) Spares pack

- Shutters are supplied with installation hardware however having additional spares available on site are crucially important to eliminate unnecessary downtimes on site.
- Spares are sold at cost price. Please contact your Blockhouse representative should you want to order addition spares.







