

# FrontGuard Steel Entrance Doors

NEW Door models with stainless steel design elements









## Enjoy the benefits of a FrontGuard door

Garador FrontGuard doors are amongst the best front doors available on the market today. The high quality becomes apparent as soon as you operate one of these doors for the first time. The excellence in production and the use of high grade materials will ensure good thermal insulation, high security and optimal functionality for many years. Available in a range of designs and colours, there is certainly a door for every property.

Garador FrontGuard doors are amongst the most thermally insulated doors in Europe. The door panel is filled with highly efficient insulating foam. The door frame as well as the door seals are specially engineered to minimize the loss of heat and eliminate thermal bridges. Installing a FrontGuard door may lead to significant energy savings.



A thermal efficient front door can help reduce your energy costs dramatically. Please see page 13 and find the results from our thermal efficency tests.

Secured by Design is an association focusing on the design of more secure homes and commercial properties. Secured by Design is owned by the ACPO (Association of Chief Police Officers) and awards the Secured by Design status to products that pass their extensive testing procedures. Secured by Design is available as an option on most of our front door designs. Look out for the logo throughout this brochure.



For more information on FrontGuard front entrance doors and other Garador products please visit www.garador.co.uk

Since the company's policy is one of continuous improvement of its products, we reserve the right to make any alterations. Copyright. No part of this brochure may be copied or reproduced without our prior written permission.

www.the garagedoor centre.co.uk





## Break in resistant locking

Because you and your family want to feel safe at home, the doors are equipped with multiple-point locking as standard for extra security. The hinge side of the doors is secured with three security bolts. A continuous safety device strip secures our doors against forced opening, giving you a reassuring feeling.

## Break in resistant RC 2 security equipment RC 2 describes the door's resistance class against a break in and corresponds to the former class WK 2.

All Garador FrontGuard doors, including those with side elements and transom lights, also come with RC 2 equipment for more security for you and your family.

Many of the designs also have Secured by Design accreditation.

## Shatterproof glazing

Garador FrontGuard doors are equipped with double glazing as standard, whilst FrontGuard Plus doors incorporate triple glazing for even greater thermal efficiency. While the outside glazing consists of laminated security glass, the inside pane is safety glass, which means, should the pane ever burst, it will not break into little sharp edged pieces - considerably reducing the risk of injury for you and your family.

## Garador FrontGuard

## 1 Thermal Insulation

With the dense PU-foam door leaf and the thermal break built into the panel design these doors provide excellent thermal insulation for your home with a U-value as low as  $1.2~\text{W/m}^2$ -K.

## 2 Frame

The 60 mm aluminium frame also has a thermal break built into its design to further maintain its thermal performance. The rounded version (top image) or the rectangular frame (bottom image) also offer you further design choices.

### 3 way adjustable hinges

With these fully adjustable 3 way hinges the doors can be perfectly adjusted, thus providing a door that is not only lightweight in operation but seals perfectly. The aluminium hinge caps also provide a sleek finish after adjustment.

## 4 5-point security lock

2 conical swing bolts, 2 security bolts and 1 additional lock bolt all engage into the frame's lock plates whilst pulling the door further into the frame seals for maximum security.

## 5 Internal handle

A stainless steel internal handle provides a quality robust feel to the door and the matching profile cylinder is supplied with 5 keys as standard.

## 6 Seals

The door and frame have been designed to reduce heat loss and with the low 20 mm aluminium / plastic threshold and thermal break linked to the double seals on the bottom of the door ensures minimal heat loss.

#### Break in resistance

The FGS 700 / 900 / 010 / 015 and 100 door styles come optionally without side elements and transom lights with RC2 equipment. The doors are also approved for fitting either opening inwards or outwards of the opening.





## Garador FrontGuard Plus

## 1 Thermal Insulation

With an extra thick door leaf filled with thermally efficient PU foam and a thermal break built into the panel design, FrontGuard Plus doors provide excellent thermal insulation for your home with a U-value as low as  $0.81~\text{W/m}^2\cdot\text{K}$ .

## 2 Frame

The 80 mm aluminium frame also has a thermal break with PU foam infill built into its design to further maintain its thermal performance. The rounded version (top image) or the rectangular frame (bottom image) also offer you further design choices.

## 3 way adjustable hinges

With these fully adjustable 3 way hinges FrontGuard Plus doors can be perfectly adjusted, to provide a door that is not only lightweight in operation but seals perfectly. The aluminium hinge caps also provide a sleek finish after adjustment.

## 4 5-point security lock

2 conical swing bolts, 2 security bolts and 1 additional lock bolt all engage into the frame's lock plates, whilst pulling the door further into the frame seals for maximum security.

## 5 Internal handle

A stainless steel internal handle provides a quality robust feel to the door and the matching profile cylinder is supplied with 5 keys as standard.

## 6 Seals

On FrontGuard Plus doors both the door leaf and the frame have extra features designed to reduce heat loss. The low 20 mm aluminium / plastic threshold with thermal break, in conjunction with a durable triple rubber seal on the bottom of the door gives you a reinforced seal that will undoubtedly help to keep your home warm and keep the wind, rain and snow outside.

#### Break in resistance

The FrontGuard Plus range, including those with side elements and transom lights, are available with RC2 equipment as an option. The doors are also approved for fitting either opening inwards or outwards of the opening.





## Certified manufacturing excellence

All FrontGuard doors are manufactured in line with ISO 9001 and regularly subjected to the strictest quality tests in order to provide a product that is: water tight under heavy rain, air tight under heavy winds, providing acoustic and thermal insulation and security.



#### 5-point security lock

You will feel safe at home: 2 conical swing bolts engage with 2 additional security bolts and 1 lock bolt in the frame's lock plates and pull the door tightly shut. The lock plate on FrontGuard Plus doors is adjustable for an optimal door setting. With a soft lock latch to quietly close the

## GARADOR Brand quality will win you over in every respect



FrontGuard with 3 security bolts



FrontGuard Plus with continuous safety device strip made of aluminium

#### Securing the hinge side

All FrontGuard and FrontGuard Plus doors are fitted with 3 additional security bolts on the side hinges, making it practically impossible to force the door open, so you can take comfort in the knowledge that your door is secure.

#### Handles and hinges



## Perfectly hung with 3 way adjustable hinges

FrontGuard and FrontGuard Plus doors feature 3 way adjustable hinges with safety pins for quick and easy installation. These hinges can be precisely adjusted to ensure a smooth door action. The hinges are supplied with stainless steel covers for a sleek modern look.



#### Internal Handle

Each door features a contemporary stainless steel handle and rose escutcheon on the outside of the door.



#### Lock and key

Doors are designed with a security function whereby the door cannot be opened with a key from the outside if a key is left inserted inside.

#### Optional extras for added convenience

#### Electric strike

With the electric strike plate, you can conveniently open your door via a switch inside the house. Alternatively you can also toggle the locking lever so that the entrance door can be opened by a slight push from the outside.

#### Window drip

The door drip in Traffic white RAL 9016 diverts driving rain and is easy to retrofit.

## Modern designs, lasting elegance

Our modern design FrontGuard doors feature a superb high gloss surface finish. An unmatched combination of excellent thermal insulation and exclusive appearance to enhance energy savings and beautify your home.

In addition to the entrance door, we offer side elements and transom lights in a variety of designs. For more information see page 18.













<sup>1</sup> FGS 700, White (RAL 9016), SBD

<sup>2</sup> FGS 750, White (RAL 9016),

<sup>3</sup> FGS 850, White (RAL 9016),

only available as FrontGuard Plus

GARADOR Modern design








NEW



- FGS 900, White (RAL 9016), with side elements
- FGS 800, Titan metallic effect surface finish



FSG 700 / 750 / 850 / 900

Our glazed FrontGuard entrance doors feature high quality, insulated laminated safety glass.

Triple pane insulated glazing (44 mm) provides an excellent thermal insulation (see page 20). A flush fitting appearance on the interior and exterior, as well as a stainless steel glazing frame, underscore the door's elegant look.

#### Stainless steel handle



## Stylish and appealing contemporary designs

Our contemporary series of FrontGuard steel entrance doors feature modern accents to provide a new and contemporary design. The wide range of glazing and colour options allow you to create the door that perfectly matches your property.

For wide entrances we offer matching side elements and transom lights. Please contact us for detailed information. For more information on options, side elements and transom lights see page 18 - 21.



www.thegaragedoorcentre.co.uk











- 1 FGS 010, Anthracite grey (RAL 7016), SBD
- FGS 025, Titan metallic effect surface finish
- 3 FGS 015, Titan metallic effect surface finish, optionally with embellishments in stainless steel look















- FGS 020, White (RAL 9016)
- FGS 030, Timber effect Dark Oak surface finish, SBD
- FGS 040, Window grey (RAL 7040), SBD



FSG 020 / 025 / 030 / 040

Our glazed FrontGuard entrance doors feature high quality, insulated laminated safety glass.

The double pane insulated glazing (24 mm) is characterised by high thermal insulation (see page 21). A modern, harmonious door appearance is created with a round-style composite glazing frame.

#### Stainless steel handle



As standard, the exterior of the door is equipped with a stainless steel handle bar handle 330 mm long. A perfect combination in terms of shape and material.

To Individualise your door see page 18 - 21 for more design options.

## Classic design – timeless and prestigious

Here is our range of steel classic design FrontGuard entrance doors. They blend in with almost any home and perfectly match a classic steel garage door with raised panels. All of our classic design steel doors come with a lever/lever handle as standard, available in silver or gold.











FGS 100, Moss green (RAL 6005), SBD

<sup>2</sup> FGS 200, White (RAL 9016), SBD


FGS 400, Ruby red (RAL 3003)

GARADOR Classic design

For wide entrances we offer matching side elements and transom lights, either solid or with windows.

For more information see page 18.






FSG 200 / 400

Our glazed FrontGuard entrance doors feature high quality, insulated laminated safety glass.

The double pane insulated glazing (24 mm) offers high thermal insulation (see page 21). The profile style composite glazing frame perfectly blends in with the classic panel look.

#### Lever handle options



Secured by Design handle sets come with a cylinder guard protecting the cylinder from being drilled or forced out.

4 FGS 400, White (RAL 9016), with side element

To Individualise your door see page 18 - 21 for more design options.



## **Automatic locks**

www.thegaragedoorcentre.co.uk

Open your door easily and conveniently via multiple-point locking using a hand transmitter, radio finger-scan or transponder.

When operating the entrance door via a hand transmitter or radio finger-scan, it automatically unlocks via an electric motor. You can then push the door open.

For opening with a transponder, the entrance door is equipped with an electromechanical profile cylinder. Hold the transponder in front of the cylinder to unlock and open your door using the knob.



Hand transmitter NEW



Radio finger-scan NEW




Transponder

## Matching side elements and transom lights

Each FrontGuard entrance door can be supplied with a matching side element and / or transom light. FrontGuard Plus doors come with triple pane insulated glazing.





GARADOR Options

Please refer to individual door types for glazing options available. Choose from our glass designs for your individual style:

Glazing options






Sand blasted Float glass (standard on Modern doors)



Clear Float glass (standard on Modern doors)



Mastercarré design (standard on Contemporary doors except FGS 040)



Ornamental glass (standard on FGS 040)




Hammered glass (standard on Classic doors)

Pige		Modern										
FrontGuard   U-value   Glown toW/m^+k    1.3   1.2   -	High Thermal Insulation		1			1	1					
U-value   (down to W/m²/K)   1.3   1.7   1	Door	700	750	800	810	850	900					
U-value (glown to _ W/m* k)		1.2	1.2				1.2					
U-value (down to _W/m² K)		1.5	1.2	-	-	-	1.2					
Overall frame Standard sizes (with x height in mm) Special size range width (in mm) Special size range height (in mm) Special size range width (in mm)		0.98	0.95	0.93	0.99	0.96	0.96					
Sandard sizes   1000 x 2100	Glass type	Sand blasted without clear stripes										
Special size range height (in mm)  Colours and surface finish  White Aluminium RAL 9006  White aluminium RAL 9006  Terra brown RAL 8003  Clay brown RAL 8003  Window grey RAL 7040  Light grey RAL 7045  Anthracite grey RAL 7016  Moss green RAL 6005  Ruby red RAL 3003  Pigeon Blue RAL 5014  Light Ivory RAL 1015  Timber-effect Oxiden Oak  Timber-effect Winchester Oak  Transom-fifect Night Oak  Transom light  Class,  Clear or sand-blasted to choose  Special size range width (in mm)  1875 - 2250  Special size range width (in mm)  875 - 2250	Standard sizes											
Colours and surface finish  White aluminium RAL 9006  Terra brown RAL 8028  Clay brown RAL 8028  Clay brown RAL 8028  Clay brown RAL 9030  Window grey RAL 7040  Light grey RAL 7035  Anthractic grey RAL 7016  Moss green RAL 8003  Pigeon Blue RAL 8004  Light troy RAL 1015  Timber-effect Colden Oak  Timber-effect Winchester Oak  Timber-effect Winchester Oak  Timber-effect Winchester Oak  Timber-effect Night Oak  Transomd-blasted to choose  Standard size  (width a height in mm)  300 - 1000  Special size range width [in mm]  1875 - 2250  Special size range width [in mm]  875 - 2250	Special size range width [in mm]	875 - 1250										
White RAL 9016 White aluminium RAL 9006 Terra brown RAL 8028 Clay brown RAL 8028 Clay brown RAL 8028 Clay brown RAL 8028 Clay brown RAL 8028 Window grey RAL 7040 Light grey RAL 7035 Anthracite grey RAL 7016 Moss green RAL 6005 Ruby red RAL 3003 Pigeon Blue RAL 5014 Light Ivory RAL 1015  Timber-effect Golden Oak Timber-effect Winchester Oak Timber-effect Winchester Oak Timber-effect Night Oak Timber-effect Night Oak Titan metallic effect  Side element  Infill  Class, clear or sand-blasted to choose  Standard size [width x height in mm]  300 - 1000  Special size range width [in mm]  1875 - 2250  Special size range width [in mm]  875 - 2250	Special size range height [in mm]	1990 - 2250										
White aluminium RAL 9006 Terra brown RAL 8028 Clay brown RAL 8038 Window gry RAL 7040 Light gry RAL 7035 Anthracite grey RAL 7016 Moss green RAL 6005 Ruby red RAL 3003 Pigeon Blue RAL 5014 Light vory RAL 1015  Timber-effect Golden Oak Timber-effect Winchester Oak Timber-effect Winchester Oak Timber-effect Night Oak Titan metallic effect  Side element  Special size range width [in mm]  1875 - 2250  Transom light  Infill  Class, Float clear or sand-blasted to choose  Special size range width [in mm]  875 - 2250	Colours and surface finish											
Terra brown RAL 8028 Clay brown RAL 8030 Window grey RAL 7040 Light grey RAL 7035 Anthracite grey RAL 7016 Moss green RAL 6005 Ruby red RAL 3003 Pigeon Blue RAL 5014 Light Ivory RAL 1015  Timber-effect Golden Oak Timber-effect Winchester Oak Timber-effect Winchester Oak Timber-effect Night Oak Timber-effect Oak Timber-effect Night Oak Timbe	White RAL 9016											
Clay brown RAL 8003 Window grey RAL 7040 Light grey RAL 7035 Anthracite grey RAL 7016 Moss green RAL 6005 Ruby red RAL 3003 Pigeon Blue RAL 5014 Light Ivory RAL 1015  Timber-effect Golden Oak Timber-effect Winchester Oak Timber-effect Dark Oak Timber-effect Dark Oak Timber-effect Dark Oak Timber-effect Night Oak Titan metallic effect  Side element  Glass, clear or sand-blasted to choose  Standard size [width x height in mm]  A00 × 2100  Special size range width [in mm]  1875 - 2250  Transom light  Infill  Glass, Float clear or sand-blasted to choose	White aluminium RAL 9006											
Window grey RAL 7040 Light grey RAL 7035 Anthracite grey RAL 7016 Moss green RAL 6005 Ruby red RAL 3003 Pigeon Blue RAL 5014 Light lvory RAL 1015  Timber-effect Golden Oak Timber-effect Dark Oak Timber-effect Dark Oak Timber-effect Night Oak Titan metallic effect  Side element  Infill  Class, clear or sand-blasted to choose  Standard size [width x height in mm]  Special size range width [in mm]  Transom light  Infill  Class, Float clear or sand-blasted to choose  Special size range width [in mm]  R75 - 2250  Special size range width [in mm]  R75 - 2250												
Light grey RAL 7035 Anthracite grey RAL 7016 Moss green RAL 6005 Ruby red RAL 3003 Pigeon Blue RAL 5014 Light lory RAL 1015  Timber-effect Golden Oak Timber-effect Winchester Oak Timber-effect Night Oak Timber-effect Dark Oak Timber-effect Night Oak Titan metallic effect  Side element  Infill  Class, clear or sand-blasted to choose  Standard size [width x height in mm]  Special size range width [in mm]  Transom light  Infill  Class, Float clear or sand-blasted to choose  Special size range width [in mm]  Transom light  Special size range width [in mm]  R75 - 2250												
Anthracite grey RAL 7016  Moss green RAL 6005 Ruby red RAL 3003 Pigeon Blue RAL 5014 Light Ivory RAL 1015  Timber-effect Golden Oak Timber-effect Winchester Oak Timber-effect Night Oak Timber-effect Night Oak Titan metallic effect  Side element  Infill  Glass, clear or sand-blasted to choose  Standard size [width x height in mm]  Special size range width [in mm]  1875 - 2250  Transom light  Infill  Glass, Float clear or sand-blasted to choose	Window grey RAL 7040											
Moss green RAL 6005 Ruby red RAL 3003 Pigeon Blue RAL 5014 Light Ivory RAL 1015  Timber-effect Golden Oak Timber-effect Winchester Oak Timber-effect Night Oak Timber-effect Night Oak Titan metallic effect  Side element  Infill  Glass, clear or sand-blasted to choose  Standard size [width x height in mm]  Special size range width [in mm]  Transom light  Infill  Glass, Float clear or sand-blasted to choose  Special size range width [in mm]  Rogical Size range width [in mm]	Light grey RAL 7035											
Ruby red RAL 3003 Pigeon Blue RAL 5014 Light Ivory RAL 1015  Timber-effect Golden Oak Timber-effect Winchester Oak Timber-effect Night Oak Timber-effect Night Oak Titan metallic effect  Side element  Infill  Glass, clear or sand-blasted to choose  Standard size [width x height in mm]  Special size range width [in mm]  Transom light  Infill  Glass, Float clear or sand-blasted to choose	Anthracite grey RAL 7016											
Pigeon Blue RAL 5014 Light Ivory RAL 1015  Timber-effect Golden Oak Timber-effect Winchester Oak Timber-effect Dark Oak Timber-effect Night Oak Titan metallic effect  Side element  Infill  Glass, clear or sand-blasted to choose  Standard size [width x height in mm]  300 - 1000  Special size range width [in mm]  Tansom light  Infill  Glass, Float clear or sand-blasted to choose	Moss green RAL 6005											
Timber-effect Golden Oak Timber-effect Winchester Oak Timber-effect Dark Oak Timber-effect Night Oak Titan metallic effect  Side element  Infill  Glass, clear or sand-blasted to choose  Standard size [width x height in mm]  Special size range width [in mm]  Transom light  Infill  Glass, Float clear or sand-blasted to choose	Ruby red RAL 3003											
Timber-effect Golden Oak Timber-effect Winchester Oak Timber-effect Night Oak Timber-effect Night Oak Titan metallic effect  Side element  Infill  Glass, clear or sand-blasted to choose  Standard size [width x height in mm]  Special size range width [in mm]  300 - 1000  Special size range height [in mm]  Transom light  Infill  Glass, Float clear or sand-blasted to choose												
Timber-effect Winchester Oak Timber-effect Dark Oak Timber-effect Night Oak Titan metallic effect  Side element  Infill  Glass, clear or sand-blasted to choose  Standard size [width x height in mm]  Special size range width [in mm]  Transom light  Glass, clear or sand-blasted to choose  Special size range width [in mm]  Transom light  Glass, Float clear or sand-blasted to choose	Light Ivory RAL 1015											
Timber-effect Winchester Oak Timber-effect Dark Oak Timber-effect Night Oak Titan metallic effect  Side element  Infill  Glass, clear or sand-blasted to choose  Standard size [width x height in mm]  Special size range width [in mm]  Transom light  Glass, clear or sand-blasted to choose  Special size range width [in mm]  Transom light  Glass, Float clear or sand-blasted to choose	Timber-effect Colden Oak											
Timber-effect Dark Oak Timber-effect Night Oak Titan metallic effect  Side element  Infill  Glass, clear or sand-blasted to choose  Standard size [width x height in mm]  A00 x 2100  Special size range width [in mm]  Transom light  Glass, clear or sand-blasted to choose  Special size range width [in mm]  Transom light  Glass, Float clear or sand-blasted to choose												
Timber-effect Night Oak Titan metallic effect  Side element  Infill  Glass, clear or sand-blasted to choose  Standard size [width x height in mm]  Special size range width [in mm]  Transom light  Infill  Glass, Clear or sand-blasted to choose  400 × 2100  Special size range width [in mm]  1875 - 2250  Transom light  Special size range width [in mm]		AND THE PARTY OF T	MICHIO ANNO AND ANNO ANTONIOS CARAS	THE REAL PROPERTY AND A STREET WAS DEADLESS.	MICHAEL CONTRACTOR AND A STORY OF THE STORY		BOOK AND AND A CHICAGO STATE					
Titan metallic effect  Side element  Infill  Glass, clear or sand-blasted to choose  Standard size [width x height in mm] 400 × 2100  Special size range width [in mm] 300 - 1000  Special size range height [in mm] 1875 - 2250  Transom light  Infill  Glass, Float clear or sand-blasted to choose  Special size range width [in mm] 875 - 2250												
Side element  Infill  Class, clear or sand-blasted to choose  Standard size [width x height in mm]  Special size range width [in mm]  300 - 1000  Special size range height [in mm]  Transom light  Class, Float clear or sand-blasted to choose  Special size range width [in mm]  875 - 2250												
Infill  Glass, clear or sand-blasted to choose  Standard size [width x height in mm]  Special size range width [in mm]  Special size range height [in mm]  Transom light  Infill  Glass, Float clear or sand-blasted to choose  Special size range width [in mm]  875 - 2250				Management Street Street Land Street, St.								
Standard size [width x height in mm]  Special size range width [in mm]  Special size range height [in mm]  Transom light  Infill  Special size range width [in mm]  Special size range width [in mm]  Special size range height [in mm]  Special size range height [in mm]  Special size range width [in mm]  Special size range width [in mm]  Special size range width [in mm]	Side element											
[width x height in mm]  Special size range width [in mm]  300 - 1000  Special size range height [in mm]  1875 - 2250  Transom light  Infill  Glass, Float clear or sand-blasted to choose  Special size range width [in mm]  875 - 2250	Infill											
Special size range height [in mm]  Transom light  Infill  Glass, Float clear or sand-blasted to choose  Special size range width [in mm]  875 - 2250		400 × 2100										
Transom light  Infill  Glass, Float clear or sand-blasted to choose  Special size range width [in mm]  875 - 2250	Special size range width [in mm]	300 - 1000										
Infill  Glass, Float clear or sand-blasted to choose  Special size range width [in mm]  875 - 2250	Special size range height [in mm]	1875 - 2250										
Float clear or sand-blasted to choose  Special size range width [in mm] 875 - 2250	Transom light											
Special size range width [in mm] 875 - 2250	Infill											
		Float clear or sand-blasted to choose										
Special size range height [in mm] 300 - 500	Special size range width [in mm]			875 -	2250							
	Special size range height [in mm]	300 - 500										

Contemporary							Classic				
Ţ.	t	Ī		= 1	t	_1	_1				
010	015	020	025	030	040	100	200	400			
1.1	1.1	1.4	1.4	1.3	1.2	1.1	1.2	1.5			
0.87	0.87	-	-	-	-	-	-	-			
n/a	a		Mastercarré			n/a Hammered					
						875 - 1100					
1875 -	2250		1990 - 2250		1875 - 2250	1990 - 2186					
		TUXBUS TAMATA									
							1				
Glas all ty		Glass, Mastercarré or clear to choose			Glass, Ornamental or clear	Matching solid panel or partly glazed with Hammered glass					
400 × 2100						450 × 2100					
	300 - 1000					Panel side elements are 450 only Glass side elements are 300 - 1000 only					
1875 ×	2250	1990 × 2250			1875 × 2250	1875 × 2186					
Glas all ty		Glass, Mastercarré or clear to choose			Glass, Ornamental or clear	Glass, Hammered					
	875 - 2250						875 - 2000				
				300 - 500							


GARADOR Fitting data

Horizontal view of door





Outside

Horizontal view of side element



Vertical view of door






<sup>\*</sup> Doors are designed to be fitted to a finished opening and then allow your fitting tolerance.

# Enjoy the beauty and convenience of a matching garage door

Besides the entrance door, the garage door is one of the key elements of your property. We offer a wide range of steel sectional doors and roller doors, together with matching operators, all providing the convenience, safety and security you deserve.

Please ask for our detailed brochures to see the range of finest garage doors and operators available.











Bunford Lane, Yeovil, Somerset, BA20 2EJ Tel: (01935) 443722 Fax: (01935) 443744

www.garador.co.uk



Garador is the UK's leading manufacturer of garage doors and operators, with an ultra-modern production facility located in Somerset. We use German engineering expertise to produce highly sophisticated doors and operators. By purchasing a Garador product you can be assured of the highest level of quality, safety and security. With a nationwide network of stockists, installers and service technicians we are an ideal partner for your project.