



# SIDE HINGED GARAGE DOORS - SHD

## PRICELIST

valid from 15/09/2021

[www.thegaragedoorcentre.co.uk](http://www.thegaragedoorcentre.co.uk)

01933 229135

[enquiries@thegaragedoorcentre.co.uk](mailto:enquiries@thegaragedoorcentre.co.uk)

# Contents

<b>General Information</b>	<b>3</b>
<b>Layouts</b>	<b>4</b>
<b>Door Models</b>	<b>5</b>
<b>Luxury Door Models</b>	<b>6</b>
<b>Frames &amp; Thresholds</b>	<b>7</b>
<b>Options</b>	
<b>Handles &amp; Locks</b>	<b>8</b>
<b>Windows &amp; Glazing</b>	<b>10</b>
<b>Hardware</b>	<b>12</b>
<b>Customised design options</b>	<b>14</b>
<b>Frame, Handing &amp; Opening Options</b>	<b>15</b>
<b>Site Survey Form</b>	<b>17</b>
<b>Side Hinged Door Order Form</b>	<b>18</b>
<b>Notes</b>	<b>19</b>



**Ryterna UK Ltd.**

phone: 020 3239 9156

e-mail: [sales@ryterna.co.uk](mailto:sales@ryterna.co.uk)

fax: 01923 606 610

[www.ryternagaragedoors.co.uk](http://www.ryternagaragedoors.co.uk)

Registered in England & Wales

Reg. No. 07972953

VAT No. GB 135039923



## IMPORTANT INFORMATION

All doors are made to measure.

Overall frame sizes are indicated in the tables of price-list.

To obtain the price please check corresponding or intermediate width and height.

For door sizes exceeding price-list limits ask the manufacturer.

Please note that depicted colours are for guidance only. Use official support materials for accurate colour.



## Sales and Delivery terms

1. Orders: to be sent by e-mail or fax. All given data must be clear and readable. All required information: width, height, headroom, side-room, track system, design, colours, etc. must be indicated. Correct orders will be confirmed within 48 hours. The order confirmation should be checked and corrected if necessary. Orders cancelled later than 48 hours after the order confirmation was sent will be charged for the value of goods used for production.

2. Delivery time: 3-4 weeks from order confirmation date for standard doors, and 4-6 weeks - for non standard doors (with wicket door, FV sections, custom coating). Delivery term may be postponed in case of Force Majeure circumstances or any others reasons caused by third parties. The customer will be informed in advance.

3. Delivery: to be delivered to the dealer's warehouse. Delivery to dealer's warehouse is free of charge. Deliveries to other addresses will be charged separately. At the unloading location must be an adult person capable to assist driver to unload and authorised to sign for the delivery.

4. Transportation: dealer's warehouse address on UK Mainland - free of charge (except London and Scotland).

5. Prices: are subject to be changed within 30 days notice.

Prices are in British Pounds and do not include VAT, other taxes.

6. Payment term: 30 days from the invoice date or in advance if not agreed otherwise. Manufacturer may charge average bank interest if the invoice was not paid in due time. There will be no further orders released if there are outstanding invoices.

7. Reclamation: damages or defected goods should be claimed in 5 working days after delivery. Damages made during the transportation should be fixed at unloading. Report must be made before installation if door parts are damaged during transportation, have scratches or dents or missing parts. Manufacturer is not responsible for damages made by negligent handling, unprofessional fitting or inappropriate storage.

8. Manufacturer is responsible to supply defected parts or products free of charge. The manufacturer is not obliged to cover replacement costs. No other costs related to replacing of defective parts may be charged if not accepted by manufacturer.

### Ryterna Warranty Terms

Ryterna as manufacturer grants warranty covering safe and reliable function of garage doors for a period:

10 years – safe and reliable operation

2 years – locks, stays and hinges, paintwork

Normal wear and tear are not accepted as material defect.

#### Requirements:

Warranty claims are only applicable in the country where door was purchased. The door must be purchased through our authorised distributor.

The warranty only covers the contract object.

The fully completed product warranty card together with the receipt of purchase substantiate your right to claim under warranty.

#### Obligations:

During warranty period we undertake to rectify any and all defects to Ryterna product, which can be provided to be attributed to a material or manufacturing fault.

We pledge at our discretion to either exchange the defective merchandise for faultless merchandise, repair it or allow a reduction in price.

We do not accept costs of for dismantling and installation nor for carriage.

Ryterna is not liable for direct damage, like loss of profit or earning during repair or service period.

The warranty does not cover damage caused through:

Improper installation and negligent care or maintenance.

Industrial use.

Improper initial and subsequent operation.

Negligent or wanton destruction.

External influence such as: fire, water, salts, alkaline or acid solutions or any other abnormal environmental influence.

Mechanical damage through improper transportation and installation or through falling or hitting objects.

Improper use of surface cleaning or protection treatments.

Repair by nonqualified persons.

Using non Ryterna parts without written approval of the manufacturer.

Removal of product label or making it unidentifiable.

Application of additional non approved weights or infills.

Failure to remove protective film or packaging provided with product where applicable.

Small dents, scratches or paint imperfection if they are not visible from 3 metres distance are not considered as warranty issue.

Technical specifications for 3 x 2.25 m SHD door	
Air permeability	Class 3
Resistance to water penetration	Class 3
Resistance to wind load	Class 5
Thermal transmittance - U-value	2.2 W/(m <sup>2</sup> ·K)

# Layouts

All doors are insulated, made to measure & factory framed

## Marking of SHD



SH1 - doors with single leaf



SH2 - doors with 1½ or 2 leaves



## Layout Options




! Different panel designs and colours can be combined on one door  
For different design panel mix add £150

# Door models

## Standard specifications

- Horizontal layout
- Threshold S5A
- Door stays
- 50/50 split (ex. Georgian design)
- 60mm x 80mm rebated frame
- Aluminium, black or white lever handle set
- Euro profile single point lock with 5 keys
- Integral locking shut-bolts to fixed leaf
- Leaf's & frame the same colour
- Measuring & ordering OFS only

## Design & Standard Colours



**Rib**  
RAL9005  
RAL9016

**Midrib**  
RAL7016  
RAL9005  
RAL9016

**Flush**  
RAL7016  
RAL9016



**Custom colours:**  
Standard gloss 20%  
Max gloss up to 40%

### Woodgrain surfaces

### Standard colours


SH1	H/W	900	1300
	2150	1039	1250
	2250	1215	1258

### Custom RAL colours

H/W	900	1300
2150	1121	1369
2250	1302	1384

SH2	H/W	1500	1750	2000	2250	2500	2750	3000
	2125	1834	2026	2162	2333	2414	2495	2621
	2250	1898	2093	2231	2402	2485	2580	2695
	2400	2032	2227	2367	2507	2603	2688	2772
	2750	2146	2324	2479	2646	2790	2901	3012
	3000	2253	2467	2659	2873	3042	3190	3325

H/W	1500	1750	2000	2250	2500	2750	3000
2125	1971	2186	2345	2539	2642	2746	2895
2250	2043	2262	2425	2620	2727	2846	2985
2400	2187	2408	2573	2739	2861	2972	3082
2750	2323	2531	2716	2912	3086	3226	3367
3000	2447	2693	2917	3163	3365	3545	3712



**Midrib Slick**  
RAL9016  
RAL7016

**Flush Slick**  
RAL7016  
RAL9016  
RAL9004

**TopRib Slick**  
RAL7016  
RAL9016

**Midrib Slick Wood**

Golden oak  
Old oak  
Light oak  
Winchester oak  
Dark oak  
Rosewood

### Smooth surfaces



**Custom colours:**  
Standard gloss 20%  
Max gloss up to 40%



**Custom colours:**  
Standard gloss 20%  
Max gloss up to 40%

### Standard colours & wood image panels

SH1	H/W	900	1300
	2150	1097	1307
	2250	1271	1314

### Custom RAL colours & Slick + panels

H/W	900	1300
2150	1196	1451
2250	1376	1466

SH2	H/W	1500	1750	2000	2250	2500	2750	3000
	2125	2079	2249	2407	2611	2693	2796	2921
	2250	2142	2315	2486	2691	2785	2879	3006
	2400	2276	2449	2624	2808	2903	2999	3105
	2750	2435	2624	2802	3024	3191	3301	3423
	3000	2530	2790	3048	3273	3487	3635	3782

H/W	1500	1750	2000	2250	2500	2750	3000
2125	2245	2442	2628	2860	2969	3100	3253
2250	2318	2520	2720	2954	3078	3201	3357
2400	2463	2667	2874	3089	3215	3342	3479
2750	2650	2874	3088	3346	3549	3694	3852
3000	2764	3063	3360	3624	3877	4064	4250

### Flush Slick+

Stainless Steel  
Old Copper  
Metallic Anthracite grey  
3D White  
3D Grey  
Linea



For 'Georgian' exact layout consult manufacturer

RAL9016  
Woodgrain

## Traditional

'Traditional' design:  
Obscure glazing.  
FV panel with 'Cross' décor & painted door or different colour.  
Rib, Midrib, Flush woodgrain design panels.  
Horizontal layout.  
Standard colour RAL9016.



**Custom colours:**  
Standard gloss 20%  
Max gloss up to 40%

### Standard colours

SH1	H/W	900	1300
	2150	1311	1430
	2250	1395	1438

### Custom RAL colours

H/W	900	1300
2150	1393	1549
2250	1482	1564

SH2	H/W	1500	1750	2000	2250	2500	2750	3000
	2125	2290	2438	2585	2800	2915	3052	3177
	2250	2343	2493	2653	2902	3007	3091	3262
	2400	2509	2661	2812	3031	3126	3200	3339
	2750	2658	2879	3090	3346	3601	3701	3857
	3000	2787	3068	3337	3595	3821	3979	4138

H/W	1500	1750	2000	2250	2500	2750	3000
2125	2427	2598	2768	3006	3143	3303	3451
2250	2488	2662	2847	3120	3249	3357	3552
2400	2664	2842	3018	3263	3384	3484	3649
2750	2835	3086	3327	3612	3897	4026	4212
3000	2981	3294	3595	3885	4144	4334	4525

## Diamond

### 'Diamond' design:

8 stainless steel 15x15 cm double glazed windows.

Matt, obscure, clear glazing included.

Panel combination: Rib & Flush woodgrain (*custom combinations available*).

Chevron layout.

Standard colour RAL9016.



### Standard colours

SH2	H/W	1500	1750	2000	2250	2500	2750	3000
	2125	3334	3527	3664	3878	3960	4040	4167
	2250	3400	3593	3731	3958	4042	4136	4251
	2400	3532	3728	3869	4063	4160	4244	4329

### Custom RAL colours

H/W	1500	1750	2000	2250	2500	2750	3000
2125	3471	3687	3847	4084	4188	4291	4441
2250	3545	3762	3925	4176	4284	4402	4541
2400	3687	3909	4075	4295	4418	4528	4639



### Custom colours:

Standard gloss 20%  
Max gloss up to 40%

## Modern

### 'Modern' design:

Matt, obscure, clear glazing included.

Painted central FV panel. Can be door or different colour.

Flush Slick design panels.

Vertical layout.

Custom colours incl. Slick+ panels.

Pull H-90R 800 mm stainless steel handle on active leaf.

Any RAL colour including metallic finish.



### Custom RAL colours

SH2	H/W	1500	1750	2000	2250	2500	2750	3000
	2125	3486	3694	3891	4133	4246	4384	4544
	2250	3564	3775	3987	4233	4362	4490	4654
	2400	3717	3932	4148	4374	4507	4639	4783



### Custom colours:


Standard gloss 20%  
Max gloss up to 40%

# Frames & Thresholds


Insulated Side hinged garage doors are made of 40mm thick double steel skin panels filled with freon-free PU foam. All doors come with steel frame. Doors are made to measure. Ordering and pricing - overall frame sizes (OFS). Door split 50/50 by default or custom in reasonable proportions. Max 3000 mm wide and 3000 mm high. For bigger sizes ask manufacturer. Max leaf width for SH2 - 1450 mm. For doors less than 2 metres wide - ask for available layout. 1 leaf (SH1) door max 1300mm wide. 1.5 leaf doors for openings 1100 - 1800 mm wide. 2 leaf's doors for openings above 1800 mm wide.



## Frames



## Thresholds



Type	Shape	Features	Price	
			SH2	SH1
S5A	Sloping	Flat-packed on site assembly frame. Universal.	-	-
S5	Sloping	One-piece welded. Universal.	£140	-
S1	L - shape	One-piece welded. Not suitable for cars.	£140	-
S4A	Flat	Flat-packed on site assembly frame. Water penetration is likely.	-	-
S4	Flat	One-piece welded. Water penetration is likely.	£140	-

Doors with OFS above 2.5 x 2.5 metres with flat packed frame only.

## Raised threshold

**£155**  
For sloping or flood risk driveways  
Standard option +30 mm increase  
For other options consult manufacturer



## Handles



Standard handle and escutcheon plate colours.  
 Default door colour and handle colour combinations:  
 - **white** handle for white doors,  
 - **black** handle for colour and wood image doors,  
 - **aluminium** handle -upon request.  
 Please specify if different.

Standard option

## Hinges



For SH2 only.  
 SH1 - stainless steel hinges with springs.  
 Adjustable in 2 directions aluminium cast hinges.  
 Standard colours: white, black, aluminium to match handle colour.  
 For hinges painted custom colour add £240.

Standard option

## Door Stays



Keep door leaf fixed in open position  
 Adjustable leaf opening angle 90 - 135 degrees  
 Standard option

Standard option


## Hinge Bolts



**Security option** - extra strength on hinge side of door leaf.

Standard option

## Espagnolette Lock



**Convenience option** - for fast second leaf fixation.  
 Added convenience for rapid fixed leaf operation, one lever on the back of the door.  
 Standard option - two integral shoot-bolts on second leaf.

**£103**

## 3 Point Lock



**Increased security option**, locks door in 3 places.  
 Minimum door height 1900mm  
 Recommended for doors over 2.4 m high

**£272**



## Antipanic Lock



Stainless steel  
Knob - outside  
Lever handle - inside

**£204**

Not compatible with 3 point lock.

## Lock ASSA Modular 565



**Security option** - high security lock.  
Chrome plated handle and lock plate cover.

**£220**

Not compatible with 3 point lock.

## Key Cylinder with Thumb-Turn



**Convenience option** - fast door locking from inside without key.

**£21**

## Fixed knob



**Fixed knob handle**

Possible door colour and handle colour combinations:

- white handle for white doors,
- black handle for colour and wood image doors,
- aluminium handle -upon request.

Please specify if different.

**£31**

## Brushed stainless steel handles

### Pull handles

Round bar

H90R-500 (H 500 mm) **£170**

H90R-800 (H 800 mm) **£190**

H90R-1200 (H 1200 mm) **£210**

H90R-1400 (H 1400 mm) **£230**

H90R-1800 (H 1800 mm) **£250**

Square bar

H90S-500 (H 500 mm) **£170**

H90S-800 (H 800 mm) **£190**

H90S-1200 (H 1200 mm) **£210**

H90S-1400 (H 1400 mm) **£230**

H90S-1800 (H 1800 mm) **£250**

### Lever handles



**HLS 02**



**HLS 03**



**HLS 04**



**HLS 05**



**HLS 06**



**HLS 12**

Handle & escutcheon design	Outside only	Outside + Inside
HLS 02 - HLS 06	<b>£160</b>	<b>£290</b>
HLS 12	<b>£75</b>	<b>£135</b>



Self locking. Opening from outside with the key only.  
Pull handles compatible with standard, antipanic & 3 point locks.  
[www.thegaragedoorcentre.co.uk](http://www.thegaragedoorcentre.co.uk) 01933 229135



All prices are per 1 handle.  
[enquiries@thegaragedoorcentre.co.uk](mailto:enquiries@thegaragedoorcentre.co.uk)

## Round Stainless Steel Windows



### Single glazed with safety glass

Ø15cm - **£136** clear, **£159** matt/tinted, **£171** obscure\*

Ø23cm - **£159** clear, **£182** matt/tinted, **£194** obscure\*

Ø31cm - **£181** clear, **£206** matt/tinted, **£216** obscure\*



**Custom frame colour**

+ **£35** per window

## Square Stainless Steel Windows



### Double glazed with safety glass

15x15cm - **£136** clear, **£159** matt/tinted, **£171** obscure\*

23x23cm - **£159** clear, **£182** matt/tinted, **£194** obscure\*


31x31cm - **£181** clear, **£216** matt/tinted, **£221** obscure\*



**Custom frame colour**

+ **£35** per window

## Oblong Stainless Steel Windows



### Double glazed with safety glass

80x15cm - **£272** clear, **£317** matt/tinted, **£329** obscure\*

In vertical position for Side Sliding Doors only



**Custom frame colour**

+ **£35** per window

## PVC Windows



### Scratch proof acrylic double glazing

49x32cm - **£75** clear, **£92** matt, **£110** obscure

49x32cm with 'Cross' insert - **£91** clear, **£108** matt, **£126** obscure


49x32cm with 'Sunrise' insert- **£97** clear, **£114** matt, **£132** obscure



**Custom frame colour**

+ **£35** per window

## Glazing Options



**Matt**




**Obscure**

\* - clear, matt/tinted - safety glass, obscure - acrylic; square -double glazing, round - single glazing

## Full Vision Double-Glazed Panels

FV panels painted custom colour. The door colour or different.



### FV-standard

Clear scratch-proof acrylic double glazing - **£146**  
 Matt or tinted acrylic double glazing - **£186**  
 Obscure double glazing - **£186**

### FV- BS (with dense mullions)

Clear scratch-proof acrylic double glazing - **£209**  
 Matt acrylic double glazing - **£249**  
 Obscure acrylic double glazing - **£249**

### FV- cross

Clear scratch-proof acrylic double glazing - **£231**  
 Obscure acrylic double glazing - **£271**

### FV- infill


Panel with custom painted filling - **£146**  
 Double skin insulated sandwich filling instead of glazing

### Safety glass glazing options

Single glazing (add to any of panel types above) - **£63**

Double glazing (add to any of panel types above) - **£75**

*For safety glass glazing and door size consult manufacturer*

 All prices are for 1 panel per 1 length metre



## Non Standard Shaped Windows



'Half-moon' shape

Double glazing, safety glass, stainless steel framing  
 For custom shape windows and glazing options please consult manufacturer  
 Custom shaped window W or H ≤500 mm - **£400**  
 Custom shaped window W or H >500 mm - **£800**  
 Consult manufacturer for feasibility



## Painting & Custom colours



Window frame custom colour - **£35** per window  
 Additional detail paint - **£45** per detail  
 Frame painted different from leafs colour - **£60**  
 Paint with structure surface - **£16** per sq. metre\*  
 Non RAL colour - **£11** per sq. metre\*  
 Metallic/Pearl finish RAL E2 (smooth surface only) - **£16** per sq. metre\*  
 Panels painted more than one colour - **£400** per 1 extra colour

*\*Add to 'Custom colours' door price*



### Custom colours on woodgrain & stucco surfaces:

Standard gloss 20%  
 Max gloss up to 40%  
**£43** per sq. metre



### Custom colours on smooth surfaces:

Standard gloss 20%  
 Max gloss up to 40%  
**£52** per sq. metre

 Same colour painted various parts may look unlike due to different basis material and surface structure.

## Stainless Steel Threshold Cover



**Luxury option** - 1 mm thick brushed stainless steel threshold cover. Protects paintwork and significantly improves the look of garage door threshold. Suitable for cars. For S5 threshold only.

For door  $\leq 2.5$  m wide  
For door  $> 2.5$  m wide

**£113**  
**£226**

## Frame Architrave Mouldings



Only for doors fitted flush with the wall. Close gap between wall and frame and save time and materials on decoration works. Same colour as frame.

**£181**

## SH2 Automation Kit



Fittings for door  $W \leq 2800$   
Fittings for door  $W > 2800$   
Reinforcement plates on door leaves included. If ordered separately.

**£168**  
**£294**  
**£42**

## Integrated Electromagnetic Latch



Compatible with antipanic lock and locks without outside handle. If activated - releases latch-bolt and allows to open the door. Can be activated by button, key code transmitter or remote handset. Requires 24V DC power source (not included).

**£95**

## Steel Post



Rectangular tube with brackets, zinc coated & painted door colour.

Custom height to fit opening (please specify).

Available options: 40x80 mm, 40x100 mm, 40x120 mm.

Other options available on request.

**£108**

## Side Fascia Panel



Matching infill for openings wider than 3000mm.

Made to measure. Height up to 2500 mm.

Matching door colour, layout & panel design.

*Prices are for sandwich panels framed in alu profiles*

width  $\leq$  600 mm

600 < width  $\leq$  1200 mm

**£630**

**£945**

## Custom Shape Top Fascia Panel



Available for infills above door set that are not square.

Matching door colour, layout & panel design.

height  $\leq$  600 mm

600 < height  $\leq$  1200 mm

**£420**

**£840**

## Integrated Letter Box



**Convenience & energy saving option**

Colour matched letter plate with lockable box inside door.

**£216**

## Integrated Pet Flap



**Convenience & energy saving option**

Pet flaps available in various sizes - please consult manufacturer.

**£159**

## Steel Appliques

All Ryterna doors can be enhanced with customised stainless steel or powder coated appliques. House numbers, company logos or favourite motif.

**Price on request**



## Okoume Cladding

Okoume hardwood is extremely resistant to elements. 12 mm 18 mm plywood cladding gives unlimited possibilities to create classic and modern design doors.

**Price on request**







! For more design possibilities please visit:  
<http://www.ryternagaragedoors.co.uk/photo-gallery/>

# Handing & Opening Options





## SH2 Frame & Handing



### Standard Frame *Options opening inside available*



### Tubular Frame *Options opening inside available*



! Consult manufacturer for custom or non-standard technical solutions.













! Bi-folding leaves available. Consult for feasibility. Add £900 per bifolding leaf on door price

! Standard SH2 split 50:50. please specify if non standard. Max door leaf width 1450 mm.



# Handing & Opening Options

## SH1 Frame & Handing










ORDER DATE:  DEALER:

ORDER REF.:

**STEP 7 (choose threshold)**

S1  


S4  


S5  


NOTE: not suitable for drive-through


NOTE: only with horizontal layout


NOTE: possible stainless steel option


**STEP 8 (choose split)**


50:50 (1/2 - 1/2)     30:70 (1/3 - 2/3)

**STEP 9 (choose leaf and handing option)**

1.  


2.  


3.  


4.  


NOTE: Options 1-2 have frame mouldings

NOTE: All thresholds are suitable for options 1-4

**STEP 10 (comments, requests)**

FV panel "Cross" 

FV-BS panel 

Window or FV glazing options:  Clear     Frosted     Matt     Tinted

Window or FV frame colour:  (leave blank if no colour is required)

**STEP 1 (write overall frame size)**

Width:  mm

Height:  mm

**STEP 2 (select panel layout and panel colour)**

Horizontal     Traditional V with Rib panels

Vertical     Traditional H with Rib panels

Chevron

Panel Colour:

Frame Colour:

**STEP 3 (choose panel design and panel finish; tick 1 box)**

Panel design	Panel Finish
<input type="checkbox"/> Rib	<input type="checkbox"/> Woodgrain <input type="checkbox"/> Stucco <input type="checkbox"/> Wood Woodgrain
<input type="checkbox"/> Midrib	<input type="checkbox"/> Woodgrain <input type="checkbox"/> Stucco <input type="checkbox"/> Wood Slick
<input type="checkbox"/> Flush	<input type="checkbox"/> Woodgrain <input type="checkbox"/> Slick <input type="checkbox"/> Slick+
<input type="checkbox"/> Toprib	<input type="checkbox"/> Woodgrain <input type="checkbox"/> Slick
<input type="checkbox"/> Georgian	<input type="checkbox"/> Woodgrain

For more in-depth information on our panels and colour finish options, please check our 'Pricelist 2017', pages 4-5

**STEP 4 (choose external handle)**

Black     Knob handle

White     Anti-panic lock

Aluminium

**STEP 5 (optional; choose additional parts)**

Door stays     Hinge bolts

Espagnolette     Key cylinder with thumb-turn

3 point locking

Ventilation grill

**STEP 6 (optional; choose windows, amount of windows and windows glazing)**

Ø150  units

Ø230  units

Ø310  units

488x322 residential  units

488x322 "Sunrise"  units


154x154  units

230x230  units

310x310  units

488x322 "Cross"  units

804x154  units



CONSULT MANUFACTURER FOR ADDITIONAL OPTIONS AND/OR MODIFICATIONS.



