



7 YR WARRANTY
UK EXCLUSIVE UP TO 7 YEAR AUTOMATION WARRANTY

Maximise your garage's potential with SeceuroGlide Roller Garage Doors

www.seceuroglide.co.uk



**Scan to see
what suits
your home!**

2

"I never realised there would be this much choice – I'm really impressed with how bespoke my door truly is."

Heritage, Quality & British Engineering



Your home deserves the very best.

Turn your garage into one of your home's best features with a SeceuroGlide roller garage door.

Often occupying a large percentage of the front of your home, your garage is one of the most prominent features and is sure to have a big impact on your property's overall kerb-appeal. Choosing a bespoke, made-to-measure garage door from the SeceuroGlide range gives you the freedom to design your perfect door.

Benefits of a roller garage door

- Space-saving
- Strong, insulated slats
- Park just millimetres from your door, maximising the space on your drive
- Unequalled security features not available on other door types
- Contemporary good looks
- Smooth automation
- Concealed mechanics for safer operation

Why choose SeceuroGlide?

The SeceuroGlide range is recognised as being the market leader in roller garage door technology and innovation. Manufactured in the UK for over twenty years, SeceuroGlide benefits from an established trading relationship with a prominent German supplier for its raw materials – making SeceuroGlide the embodiment of British engineering and quality German products. Benefiting from the latest security innovations, many features are exclusive to the SeceuroGlide range and are unavailable on any other roller garage door. Choosing a door that has been engineered by expert trade specialists ensures the valuables in your garage will remain secure from intruders, while insulated slats and durable seals provide protection from the weather.



Explore

- 4 The Security Standard
- 6 Insulation & Convenience
- 8 Safety Features
- 10 Smooth Automation
- 12 The SeceuroGlide Range
- 24 Door Options & Accessories
- 26 Colour Options
- 30 Important Information

Further testament to the quality behind the SeceuroGlide range, is the five year full product warranty and in addition, its unequalled seven year warranty on the combined SeceuroDrive motor and SeceuroSense Plus control unit.



4

"I am blown away by the quality of my new door. It far exceeds my expectations and is a joy to use."

SeceuroGlide is the security standard

For the ultimate security, take a look at our Excel model, on pg 20-21.

SeceuroGlide represents the most secure garage door, ensuring you, your family and possessions are safe.

By choosing a SeceuroGlide Roller garage door, you are investing in the most secure garage door that will last for years to come, however its classic, understated appearance means it will be a timeless addition to your home.

What makes SeceuroGlide so secure?

Outwardly similar to other roller garage doors, the SeceuroGlide difference can be found in its internal engineering. Benefiting from continuous development, SeceuroGlide regularly undergoes rigorous testing by an in-house team of skilled engineers. Boasting many unique security features across the range, the SeceuroGlide Original and Excel doors have also achieved the prestigious Secured by Design status. The Excel, our most secure door, also comes with the LPS 1175 burglary resistance standard following independent testing by the LPCB.



SbD & LPCB

- Secured by Design (SbD) is the official UK Police flagship initiative making it the police preferred specification
- Usage of SbD products can reduce car crime by up to 50% and criminal damage by 25%
- LPCB is the UK's leading independent certification body
- Endorsed by the Association of British Insurers and the Association of Chief Police Officers
- Accredited to ISO9001 & 14001

Unrivalled security includes:

- Secure locking system
- Steel end plates
- Locking bottom slat
- Vacation mode – prevent an intruder from operating the door from the inside
- Optional 90dB alarm – automatically activates in the event of an attempted break-in
- Superior, unsurpassed strength from custom engineered components



Engineered for maximum security.

Unique Locking System

Both the Original and the Excel come with auto-locking as standard, preventing the door from being lifted by an intruder. Centralised running blocks ensure better running of the door during operation.

Steel End Plates

Galvanised Steel end plates provide greater strength and increased security when compared with aluminium end plates.

Fluted Axle and Extruded Attachment System

The fluted design of SeceuroGlide's 100 mm axle has been designed to provide greater rigidity. Extruded axle attachments and a top rail combine with the axle to ensure secure, reliable locking.

Locking Bottom Slat

The locking bottom slat used on the SeceuroGlide Excel provides additional security by preventing the door from being pushed out of the guides by an intruder.



Unique Locking System



Steel End Plate



Strength & Security



Locking Bottom Slat

Key Features



Insulated Slats

Outdoor LED
Lighting
(optional)

Protection from the Cold




Optional SeceuroSeal – Watertight Protection

www.thegaragedoorcentre.co.uk

High grade, insulated materials are used to ensure a durable garage door, to protect against the elements.

As the weather gets colder and the nights draw in earlier, light and warmth become more important when using your garage.



The SeceuroGlide range helps retain heat within the garage.



In partnership with the Weather Defender

The optional SeceuroSeal helps reduce further water ingress, keeping the garage dry and clean from outside debris – even in the worst British weather. Fitted on the ground underneath the door, SeceuroSeal is ideal for garages with uneven floors or those that lie at the bottom of a sloping driveway.

When you think about it, your garage is an extension of your home, and it should not be treated much differently from any other room, particularly if the garage is attached to your property. The garage door is often seen as a weak link in the thermal envelope on any home, so choosing an insulated garage door will help to prevent the cold outside air from penetrating into your garage and surrounding living spaces.

Insulation

The CFC-free, foam-filled aluminium slats used in SeceuroGlide garage doors maximise the energy performance of the door, helping to retain heat within the garage and closing off the cold from outside. Insulated slats also boast noise-reducing properties – perfect if your garage is used as a hobby room or workshop. A typical U-value for the slat profiles used on an insulated roller garage door is $5.2 \text{ W} / \text{m}^2\text{K}$.

Lighting

SeceuroGlide lighting options provide the opportunity to have attractive outside lighting. Discreetly fitted as a down light this enhancement to your garage can be programmed to turn on and off automatically in accordance with when you use your garage, or can be left on to allow additional lighting to your outside area, for up to 12 hours. The SeceuroGlide Plus control unit benefits from a built-in courtesy light, helping to light up the inside of your garage.

"The difference in heat loss is significantly reduced with my new door, which means I can continue to use my garage as a craft studio, even in the colder months."

Safety features for your peace of mind.

Garage doors are possibly the largest and heaviest movable object on your property. Protect your family with SeceuroGlide's safety features.



Fully CE or UKCA Marked

When buying a SeceuroGlide door you can be reassured by the values behind the name. Every SeceuroGlide door is CE or UKCA marked and provided with a declaration of conformity to ensure compliance with The Machinery Directive.



Safety Edge & Anti-Entrapment

The Safety Edge is fitted to the bottom of the door and is activated when the door starts to close. If it comes into contact with a person or object while the door is closing, it transmits a signal to the wall mounted control unit. The door will then stop and reopen a short distance, giving you peace of mind protection for your car and valuables.

The transmitter on the door operates with standard AA batteries, the only door on the market to do so, making it more convenient to replace when required.



The safety edge also works as a weather seal, designed to be pressed against the ground. The bottom slat transmitter has an IP rating of IP54 and is protected against dust and water splashing. The standard remote control receiver unit is supplied with an optical safety edge as standard.


For ultimate peace-of-mind, SeceuroGlide garage doors feature an anti-fallback feature which prevents the door from falling in the event of product failure.



SeceuroGlide Original – Golden Oak Finish

Family Friendly Safety Features

Key Features



Safety Edge



Anti-Entrapment

*"With our **effortless automation**, getting in and out of the garage with your hands full is really easy."*



Powered with a reliable and powerful SeceuroDrive motor, the SeceuroGlide range of garage doors add a dose of luxury to your daily routine. Take the chore out of opening your door with a choice of activation methods, including stylish remote controls or a separate wall-switch. Available with a Somfy tubular motor at a surcharge, which if chosen, carries a warranty of 5 years.

**2 handsets
supplied
with your
door.**



Plus



Black Deluxe



Chrome Deluxe



Black Smooth



White Smooth



Black Smooth
Bi-Directional



White Smooth
Bi-Directional

Effortless Opening at the Touch of a Button.

Enjoy the simplicity of smooth automation and the convenience of being able to park millimetres from your garage door.

Ultra Quiet Operation

Unique to SeceuroGlide is its webbing system which, as well as locking the slats together has the added benefit of smoother operation and a reduction in noise, meaning SeceuroGlide boasts much quieter operation.



SeceuroSense Plus Control Unit

Unavailable from any other manufacturer, SeceuroSense Plus is the control unit for SeceuroGlide roller garage doors. Your garage door can be activated by pressing and releasing the buttons on the front of the control unit, the button on your remote handset, or a separate wall switch that you may have installed. In addition to controlling the lights and activating the holiday mode feature, SeceuroSense Plus has LEDs which will display the status of any faults on the door. With a frequency of 868MHz, the rolling code technology minimises the risk of code duplication and unauthorised access.

Smooth Automation

Key Features



Unique Webbing System




SeceuroSense Plus

Each door* is supplied with a SeceuroSense Plus receiver and lots of extras supplied as standard, including a built-in courtesy light, your choice of two key fobs, an optical safety edge and an internal manual override. Aside from a couple of other additional features, the only thing left to decide is which colour (and there's hundreds to choose from) most suits your style!

**Excludes SeceuroGlide Manual*


Our Range of SeceuroGlide Garage Doors.



SeceuroGlide | Manual
Insulated Roller Garage Doors

The manually operated roller garage door.

- Ideal for garages without electricity
- Smooth manual operation
- Multiple handling points for operation
- Spans widths of up to 3000 mm
- Maximum height of 2300 mm
- Headroom required: 300 mm
- Exclusive high-security locking system
- Quiet running with innovative webbing system
- Steel end plates for added strength



SeceuroGlide | Compact
Low Headroom, Insulated Garage Door

The space-saving roller garage door.

- Designed for garages with limited space above the opening
- Requires just 205 mm of headroom
- Compact, insulated slat
- Up to 7-year automation warranty
- Spans widths of up to 3000 mm
- Maximum height of 2150 mm
- Half box supplied as standard
- Optional full box available
- Steel end plates for added strength




SeceuroGlide | LT
Standard, Insulated Garage Door

The economical roller garage door.


- 5-year motor warranty
- Spans widths of up to 4800 mm
- Maximum height of 2500 mm
- Headroom required: 300 mm
- Available with an optional half or full box
- Aluminium end plates

To learn more about the options available on each of the SeceuroGlide Garage Doors, see [pages 24-27](#).




The original, insulated roller garage door.

- Police preferred specification (Secured by Design as standard)
- Up to 7-year automation warranty
- Spans widths of up to 5400 mm
- Maximum height of 3500 mm
- Headroom required: 300 mm / 350 mm
- Exclusive high-security locking system
- Quiet running with innovative webbing system
- Available with an optional half of full box
- Steel end plates and fluted axle for greater strength



Our most secure garage door.

- Added protection for garages
- Police preferred specification
- Tested to issue 7 of the LPS 1175 burglary resistance standard
- Up to 7-year automation warranty
- Spans widths of up to 5200 mm
- Maximum height of 3500 mm
- Headroom required: 300 mm / 350 mm
- Exclusive high-security locking system
- Quiet running with innovative webbing system
- Available with an optional half or full box
- Steel end plates and fluted axle for greater strength





SeceuroGlide | Manual
Insulated Roller Garage Doors



Key Feature



Centrally Located
Handles
(for ease of use)

The manually operated roller garage door.

No electricity in your garage? No problem! Enjoy all the benefits of SeceuroGlide roller garage doors but with smooth, manual operation.

Developed to the same high standards and build quality of the entire SeceuroGlide range, SeceuroGlide Manual offers the ideal solution for applications where electricity is not required or is not available.

The SeceuroGlide Manual has been engineered with ease of use in mind to provide the smoothest operation whilst still offering the high levels of security and insulation.

The door is easily opened or closed from inside or outside the garage using handles located in the middle and bottom of the curtain, with an innovative sliding axle ensuring the door operates smoothly throughout its travel.





SeceuroGlide | Compact
Low Headroom, Insulated Garage Door




The space saving roller garage door.

The SeceuroGlide Compact system has been developed especially for garages with severely limited space above the opening.

The SeceuroGlide Compact uses an insulated 55 mm aluminium slat that is significantly narrower than those featured on the SeceuroGlide Original. This allows a tighter, smaller coil requiring just 8" (205 mm) of headroom, giving owners of even the smallest garages the option of a high quality remote controlled door.

Extremely versatile, a SeceuroGlide Compact door can be fitted in-front of or behind the garage opening, or even (height permitting) within the garage opening itself. An extensive range of sizes also means openings of up to 2880 mm wide can be accommodated, whilst a neat 90° fascia conceals the coil back. There is also an optional 45° canopy to completely enclose the coil.



Hood Size

Where space is at a premium, the SeceuroGlide Compact rolls into a neat box, measuring just 205 mm – a **31% reduction in size**.

Key Feature



Tighter Coil




SeceuroGlide | LT
Standard, Insulated Garage Door



Key Features



Insulated Slats




Aluminium
End Plate



Endlocks



Standard Locking
System



Weatherseal

SeceuroGlide LT sets the standard

The economical roller garage door.

SeceuroGlide sets the standard, other manufacturers try to meet.

The entry-level SeceuroGlide LT compares favourably to standard doors offered within the industry and has been created as the perfect solution for those wanting to invest in the look and feel of the SeceuroGlide Original, but without a need for all of the built-in high-security benefits and noise reduction features.

Combining a space-saving design with the benefits of an insulated profile and the convenience of electrical operation, the SeceuroGlide LT provides a quality, made-to-measure solution which will enhance your home's kerb-appeal while delivering lasting value to your property.

SeceuroGlide LT – Fir Green Finish



SeceuroGlide LT – Black Finish

Tel: 01933 229135



www.thegaragedoorcentre.co.uk



SeceuroGlide | Original
Secure, Insulated Garage Doors



Since its launch in 1997 as the first insulated roller garage door manufactured specifically for garage door specialists, SeceuroGlide Original has maintained its position as market leader through continuous development and innovation.

With estimated sales of 175,000 doors across the UK, SeceuroGlide Original continues to be our most popular roller garage door and has earned an industry reputation for delivering the very best in quality, durability and pioneering security features.

With the added accreditation of the Police Preferred standard of Secured By Design (SbD) when internally face fitted, you can rest easy knowing that the belongings in your garage are secure. This accreditation involves replicating an opportunist break-in with a stealth attack on the door.

348,291
UK HOUSEHOLDS
WERE TARGETS OF
DOMESTIC BURGLARY

BETWEEN JULY 2019 & JULY 2020

Source: Police.uk crime data July 2019-July 2020.

Protection for your Home

Although often overlooked, a secure garage door can help to prevent uninvited access into your property. The security features on SeceuroGlide Original have been designed to deter, or drastically delay the attempts of even the most determined burglars.

**Unlimited
Colour
Possibilities**



Match your Home

SeceuroGlide Original is available in a wide range of finishes, allowing you to match your door to existing paintwork or double-glazing for a coordinated look to your home.

Innovative Security


Key Features



Steel End Plate



Weatherseal



Strength & Security



Enhanced Security plus Noise Reduction



Insulated Slats



Unique Locking System

SeceuroGlide Original – Anthracite Finish

 **SeceuroGlide | Excel**
High Security, Insulated Garage Doors



Go beyond Ultimate Security



Weatherseal &
Locking Bottom Slat



Enhanced Security
plus Noise Reduction



Insulated Slats


Unlimited
Colour
Possibilities

Our most SECURE Garage Door

Key Features



Steel End Plate



Strength &
Security



Unique Locking
System

The first garage door tested and approved to police and insurance standards.

Security is a very serious consideration for all home owners. According to the Metropolitan Police, a burglar will usually try a shed or garage first because they can find the tools they need to access the valuables in your house.

Not only is your garage often one of the easiest ways to break into your home, but it usually houses high value items that are easy for an intruder to steal and sell.

For security without compromise, look no further than the SeceuroGlide Excel insulated roller garage door. In addition to the Secured By Design accreditation of the Original, the Excel also meets the higher specification set by the LPCB to create the most advanced roller door on the market.

The unique reinforced design of SeceuroGlide Excel has enabled it to become the first garage door of any kind to successfully complete independent testing recognised on a national level. If proven protection for your car and home is a priority, there is no better choice.



"My garage is where I run my business and is home to all my stock. Having a garage door which has been independently tested and endorsed by the police provides added peace of mind."

The top five most common items stolen from sheds and garages:

1. Bikes
2. Mowers
3. Sports equipment
4. Power tools
5. Garden tools



(ref. Metropolitan Police website)

22

"I never knew there were so many features on a roller garage door. With such clean, simple lines on the outside, I'm impressed with how much detail has gone into the internal fixtures."



SeceuroGlide Excel – White Finish

Features Summary

 **SeceuroGlide | Manual**
Insulated Roller Garage Doors

 **SeceuroGlide | Compact**
Low Headroom, Insulated Garage Door

 **SeceuroGlide | LT**
Standard, Insulated Garage Door

 **SeceuroGlide | Original**
Secure, Insulated Garage Doors

Secured by Design































Police Preferred Specifications

 **SeceuroGlide | Excel**
High Security, Insulated Garage Doors

Secured by Design

Police Preferred Specifications



Safety		Insulation	Security						
									
									
									
									
									

Customise Your Door...

Door options and accessories.

Vision slats

(SeceuroGlide Original and SeceuroGlide LT only)

Vision slats allow natural light into your garage. On woodgrain doors vision slats will be supplied in a brown finish.

Vented slats

(SeceuroGlide Original only)

Vented slats allow good air circulation which is especially useful if you have laundry facilities in your garage and during the summer months. Vented slats are located at the very bottom of the door, above the bottom slat.

Remote control keypad

(SeceuroGlide Original and SeceuroGlide Compact only)

The remote control key pad provides you with a secure, alternative option for controlling your door. Suitable for external installation, this wireless controller offers convenience without compromising security.

Powder coated end plates

When you order a half or full box enjoy complimentary powder coated end plates to ensure your door is fully matched. Plus, when you choose one of our woodgrain colours this is complimentary regardless of box choice and will be done in a colour closely resembling your door.

Full box

A full box completely conceals the roll. This option allows SeceuroGlide Original, LT and SeceuroGlide Compact doors to be fitted outside the garage. Boxes are supplied in white or brown as standard. They can also be supplied in any of the plain colour finishes for an additional surcharge.


Low level external override kit

(SeceuroGlide Original, LT and SeceuroGlide Compact only)


The low level external override kit enables the door to be opened manually in emergencies from both the inside and outside of the garage. If the garage door is the only means of entry you will require a low level external override kit.



Low Level External Override



Remote control Keypad



Vision Slats



Vented Slats

A Perfect Finish

Key Feature



Woodgrain Texture

Stunning options for any home.

Slat design and construction.

The SeceuroGlide slats are constructed using a twin-walled 78.5 mm* aluminium profile, with a foam-filled insulating core. Designed for exceptionally smooth operation, the slats are held together using webbing** and an innovative link system which facilitates the neat roll above the opening.

The large choice of durable colours and finishes provide contemporary good-looks for every style conscious homeowner and require minimal maintenance – perfect for busy lifestyles.



*SeceuroGlide Compact uses a 55 mm profile.

**Webbing is not available on SeceuroGlide LT or SeceuroGlide Compact.

***Powder coating is not available on SeceuroGlide LT, Compact or Manual.

† These colours on the right are not available on SeceuroGlide Compact.

†† These are SeceuroGlide colours and do not match a BS or RAL colour.

††† Woodgrain boxes not available with Irish Oak. Boxes are supplied powder coated to match.

Foiled Woodgrains and Painted Woodgrains are not available on the SeceuroGlide Manual.




Along with what you see here, the **SeceuroGlide** range is also available in a **powder coated***** finish to give you ultimate choice. A RAL or BS number will be required. [Please see the Important Information page.](#)

Colours.

This is where you can truly create your ideal garage door. Available in any RAL colour or BS colour, SeceuroGlide Roller garage Doors provide the opportunity to match your door to your windows, front door or even your car! Here are some of our most popular finishes.

Standard Colours 5 YR




Looking for something special?

With over 40 other wood effect finishes also available, SeceuroGlide Roller Garage Doors offer a finish to match any home.

 10 YR

Painted Woodgrains 5 YR



Matching woodgrain boxes and guides available on the Original and Excell†††

Foiled Woodgrains 10 YR




Bring your dream garage door to life with the SeceuroGlide Door Designer.

Spoilt for choice? See what suits your home with our easy, interactive Door Designer at www.seceuroglide.co.uk.

Your garage door plays a big part in your home's unique character. Choosing a door that perfectly complements your home and style can feel like a big decision.

If you're not sure what you're looking for, try our step-by-step Door Designer to see SeceuroGlide try different styles and colours on your own home.

Simply upload a photo of your property and design the door of your dreams!



"Seeing a preview of our new door really helped us choose the perfect colour. We're thrilled with how it looks!"

Scan to See What Suits your Home



Anthracite

www.thegaragedoorcentre.co.uk

Tel: 01933 229135

Transform Your Home



Black Woodgrain Georgian Cassette Sectional



Rosewood Painted Woodgrain



Anthracite



Black Woodgrain Centre Ribbed Sectional

Important Information

Colours & Finishes

- The printing process does not allow exact reproduction of the paint colours. If you are unsure of your colour choice please ask your supplier for a sample. Colour references quoted are the nearest standard RAL or BS number to the colours used. They will not be an exact match and are intended as a guide only.
- Multiple doors should be ordered together to obtain the best colour match, bearing in mind the limitations of the materials used in construction.
- Due to the manufacturing process the guide rails may not be an exact match to the slat colour. The manufacturing process for the slat profile results in a textured finish while all other coloured items (guide rails, bottom slats, end plates, optional fascias and vision panels) are supplied in a smooth finish so we cannot guarantee an exact match.
- When Painted Woodgrains are supplied with a colour matched box, end plates and guides, the following RAL are used: Golden Oak RAL 8003, Irish Oak RAL 1011, Rosewood RAL 8017.
- Foiled Woodgrains (Anthracite, Black/Brown, Golden Oak, Irish Oak, Mahogany, Rosewood and White) are subject to a surcharge.
- Where the curtain is powder coated a custom colour, the guide rails, bottom slats, optional fascias, vision panels and end plates will be powder coated to match FOC. Some custom powder coated colours may be subject to an additional surcharge.
- Custom colour powder coated garage doors are finished in a low gloss finish which is similar in gloss level to the precoated colours.
- Due to the powder coating process, an un-painted area of each slat is visible on the quirk when the door is opening/closing. This should not be visible when the door is in the closed position. To mitigate this, we recommend purchasing powder coated doors with a full box or 45° box cover.
- The factory application of the paint finish involves an automated process and this may result in minor blemishes or slight inconsistencies in the paint.
- We recommend that you perform a visual quality check on installation. Carry out the quality check in natural daylight, not direct sunlight. Stand at a distance of 3 metres from the product to view the overall appearance.
- The product is acceptable if, taking into account the facts below, none of the following is readily visible on the face of the product:
 - Marks or distortions associated with the manufacturing process
 - Minor indentations, marks or scuffs on the surface
 - Paint or stain blemishes
- While weathering and sun exposure can cause the exterior surface to fade, colour change or fade will be limited and uniform.

Product Care

- Correct operation and care of your SeceuroGlide door in accordance with the official Operating & Maintenance Manual will prolong the life of your door and minimise the likelihood of issues.
- The door needs wiping with a damp cloth and a mild detergent to remove any excessive dirt/grime to maintain its appearance and to reduce the risk of the surface being damaged.
- Floor must be smooth, level and kept clear of dirt and debris, which can cause deterioration of the rubber seal.

Extreme Weather Conditions

- High winds and high temperatures on double doors can cause increased deflection of the door. It is the installer's responsibility to ensure that the door is spaced off the wall sufficiently to allow for door movement during these extreme weather conditions.
- Darker coloured double doors that are exposed to significant direct sunlight may be susceptible to expansion which may interfere with the operation of the door.
- If a door is situated in an exposed location and subjected to very high winds and driving rain, the SeceuroGlide range does not guarantee against water ingress. As part of the product's testing for the CE or UKCA marking, the product has not been tested against this and as such is classified as NPD (No Performance Declared).
- Whilst the garage door profiles are primed and coated for the external environment – any doors fitted in coastal environments may be at risk of deterioration due to the weather conditions.
- Regular cleaning of products in 'high corrosive areas' such as within 2 miles of the sea is especially important. Your door should be cleaned thoroughly weekly using warm water and mild detergent with a soft cloth or sponge. Allow to dry naturally. Never use strong detergent, abrasive, caustic or solvent-based cleaners.
- In the event of extreme weather conditions, vision slats will be susceptible to water ingress and may cause the door to move in extreme gales.

Marking

The nature of roller garage doors means marking may appear on the internal side of the slats over time. Occasionally some marking may occur at the top of the concave (coil) side of the curtain over time, particularly on the Compact and LT. This is unavoidable and due to prolonged contact with the locking system. On doors which are installed externally this will be visible on the outside.

Warranty Conditions

- The SeceuroGlide warranty covers parts only and does not cover labour costs or consequential costs, including but not limited to call-out fees, transport costs and costs remedial work for removing and/or re-installing faulty parts.
- SWS UK will replace or repair any components of our products where the manufacturing process has resulted in a defect occurring during the relevant period, subject to the exceptions and conditions set out below.
- For all replacement electrical parts, the warranty period is 12 months or the remainder of the warranty period (whichever is the longest).

The warranty **does not cover** the following:

- ✗ Any marks, distortion, stains, blemishes, indentations or scuffs which are not observable from at least 3 metres away in natural light (not direct sunlight).
- ✗ Defects which are as a result of:
 - Incorrect installation of the product, not following SWS UK's installation instructions.
 - Incorrect or lack of proper care and maintenance of the product in accordance with SWS UK's Operating & Maintenance Manual.
 - Incorrect operation of the product.
 - Any modifications made to the product made by anyone other than SWS UK.
 - Normal wear and tear.
 - Accidental or malicious damage.
 - Impact damage or scratches, dents, scuffs or other minor abrasions.
 - Use or attempted use of non-SWS UK spare parts.
 - Repairs or attempts at repairs undertaken by any person other than someone specifically authorised by SWS UK.
 - Any failure of masonry or other structures on to which the product has been fixed.
 - Any attempt to reduce operating clearances by means of infills or draughtproofing.
 - External influences such as extreme or abnormal weather conditions, fire, water, salts, chemicals and bird droppings.
 - Any fault or surge in the customer's electricity.
- ✗ Rust or corrosion caused by exposure to saltwater or salty air for products installed within **500 metres of the sea** or a large body of saltwater. For products installed within 2 miles of the sea, the exterior finish of the product is guaranteed for a limited period of 2 years.
- ✗ Consumables such as fuses, light bulbs or batteries.
- ✗ Indirect, special or consequential loss or damage howsoever caused, including remedial work costs, call-out fees, tool or plant hire and transport costs.

Warranties

SeceuroGlide Roller Garage Doors are guaranteed against defect of material or workmanship by SWS UK with a parts only warranty, subject to correct installation, maintenance and operation:

- **Curtain finish**
 - Standard colours - 5 years
 - Painted woodgrains - 5 years
 - Foiled woodgrains - 10 years
- **Mechanism & hardware** - 5 years
- **Perishable rubber parts** - 2 years
- **Motor & control unit** - 5 years, or 7 years when you purchase a SeceuroDrive motor with a SeceuroSense Plus control unit OR a Somfy motor with a Somfy Rollixo control unit (*subject to online warranty registration within 3 months of installation*) - excludes the LT.

Register Your Warranty

You must register your warranty at

www.seceuroglide.co.uk

to activate your extended product guarantee. It takes just a few moments and also gives you easier access to maintenance and operation information, spare parts and warranty claims.



Regular Servicing

To ensure the longevity and continued good operation of your SeceuroGlide garage door, it is recommended that your door is serviced every 12 months by a trained engineer. You may be required to show a full service record for the product when raising a warranty claim.

Other products you might like...



SeceuroGlide Sectional Garage Doors

The SeceuroGlide range of sectional garage doors provide an alternative solution to the roller garage door. Offering three specifications, including the side-sprung Sectional Elite which boasts a unique, track-connecting system, every SeceuroGlide Sectional is made-to-order and can be customised to suit your style.

With a choice of four, fully insulated panels and hundreds of colour options, every SeceuroGlide Sectional is manufactured with high-grade, durable materials, complete with innovative security features and smooth automation.

A selection of glazing options, including stylish porthole windows are available, providing the perfect answer for homeowners looking to incorporate natural light into their garage.

For further information, please visit:
www.seceuroglide.co.uk

Tel: 01933 229135



Attractive Security Solutions for the Rest of your Home

Our homes are not simply the place in which we live; they are our most precious assets and a haven from the world outside. Research has shown that houses without any form of security are three times as likely to be broken into than homes with security systems.

However, securing your property doesn't mean turning your home into an unappealing fortress. The SeceuroShield range of made-to-measure physical security products has been specifically developed to provide an attractive, effective answer to the growing need for protection from vandalism and burglary.

Consisting of roller shutters, retractable gates and removable window bars, the SeceuroShield products have been engineered to allow simple, discreet integration into residential homes; bolstering security and deterring would-be intruders.

For further information, please visit:
sws.co.uk/commercial/physical-security/



SeceuroGlide Sectional – Black Embossed Centre Ribbed



SeceuroShield 38 – White Finish

www.thegaragedoorcentre.co.uk

SeceuroGlide Quality & Reliability

Your garage door checklist.

Remember, only SeceuroGlide offers all of the following:

✓ A name you can trust

When buying a SeceuroGlide door you can be reassured by the values behind the name. Every SeceuroGlide door is CE or UKCA marked and SWS UK is ISO 9001 and ISO 14001 accredited. SWS UK is a subsidiary of Stella Group.

✓ Exclusive features

Only SeceuroGlide (Original and Excel) roller garage doors benefit from an innovative secure locking mechanism, robust steel end plates and a unique webbing system for quiet, smooth operation.

✓ Manufactured in the UK

Using the latest machinery and equipment, SeceuroGlide roller garage doors are proudly manufactured and assembled in the UK using quality components sourced from a prominent German manufacturer.

✓ A solution for everyone

With so much choice SeceuroGlide doors can accommodate almost every garage. Whether you have limited headroom, require manual operation or are looking for tried and tested security, there is a SeceuroGlide door that's right for you.

✓ Engineered to perfection

Through continuous development and specialist engineering, SeceuroGlide doors offer unrivalled quality and the most advanced garage door specifications complete with energy-saving insulated slats, perfect for modern day garages.

The importance of conformity with CE and UKCA marking.

It is against the law to install a power operated garage door in the UK without complying with The Machinery Directive.

To comply with the Machinery Directive both the door and the motor and controller used in the installation must have a Declaration of Incorporation from the manufacturer.

On completion of the installation the installer must provide a Declaration of Conformity and apply a CE or UKCA mark giving details of the installation to the door / motor and controller combination, which is now classed as a machine.

The installer must issue to the customer a Declaration of Conformity and Operating and Maintenance instructions on the completion of the installation.

The installer must hold copies of both the Declaration of Incorporation and the Declaration of Conformity on a technical file for inspection by the relevant authorities.

If any of the above requirements are not fulfilled the Installation is illegal.

Please ensure for your own safety and peace of mind that whoever installs your electric motor and controller is both willing and able to fulfil these requirements; if they are not – do not use them.

As members of the Door & Hardware Federation (DHF), SWS UK supports its trade installers with specialist advice on compliance and correct certification in line with current standards. Any advice is provided by SWS UK employees who are qualified in best-practice guidelines.





Secured by Design
SBD
Police Preferred Specification



A StellaGroup Company



Raising Standards
Safety Assured



Assessed to ISO 9001 & ISO 14001
Cert/LPCB ref. 390



0007

Visit www.seceuroglide.co.uk

MK540B6 May 2024 R7

www.thegaragedoorcentre.co.uk